

File created: 24-Mar-92 14:06:32 {DSK}<usr>local>lde>lispcore>sources>SEdit-LIST-FORMATS.;2

changes to: (IL:SEdit-FORMATS LOCALLY)
(IL:VARS IL:SEdit-LIST-FORMATSCOMS)

previous date: 17-May-90 11:08:07 {DSK}<usr>local>lde>lispcore>sources>SEdit-LIST-FORMATS.;1

Read Table: XCL

Package: SEdit

Format: XCCS

; Copyright (c) 1987, 1988, 1990, 1992 by Venue & Xerox Corporation. All rights reserved.

```
(IL:RPAQQ IL:SEdit-LIST-FORMATSCOMS
  ((IL:PROP (IL:FILETYPE IL:MAKEFILE-ENVIRONMENT)
    IL:SEdit-LIST-FORMATS)
  (IL:DECLARE\ : IL:DONTCOPY IL:DOEVAL@COMPILE (IL:FILES IL:SEdit-INDENT))
  (IL:SEdit-FORMATS RETURN-FROM THROW BLOCK
    ;; some handy formats under names we don't expect to find as CAR of form
    :DEFAULT :DATA :BINDING :BINDING-LIST :LAMBDA-LIST :FBINDING :FBINDING-LIST :COND-CLAUSE
    :CASE-CLAUSE :HORIZONTAL :HORIZONTAL-NOBREAK :VERTICAL :VERTICAL-NOBREAK :KEYWORD-ARGS
    :KEYWORD-ARGS-NOBREAK :SQUASHED :SEdit)
  (IL:SEdit-FORMATS
    ;; special forms & macros
    AND CASE CATCH CCASE CERROR COMPILER-LET COND CTYPECASE DECLARE DEFCommand DEFConstant
    DEFDEFINER DEFUN DEFINE-SPECIAL-FORM DEFINLINE DEFGlobalVAR DEFGlobalPARAMETER DEF-LIST-FORMAT
    DEFMACRO DEFoptimizer DEFpackage DEFparameter DEFsetf DEFSTRUCT DEFTYPE DEFVAR
    DESTRUCTURING-BIND DO DO* DOLIST DOTIMES DO-ALL-SYMBOLS DO-EXTERNAL-SYMBOLS
    DO-INTERNAL-SYMBOLS DO-LOCAL-SYMBOLS DO-SYMBOLS ECASE ERROR ETYPECASE EVAL-WHEN FLET FORMAT IF
    IGNORE-ERRORS LABELS LAMBDA IL:LAMBDA LET LET* LOCALLY LOCALLY LIST LIST* MACROLET
    MULTIPLE-VALUE-BIND MULTIPLE-VALUE-SETQ IL:NLAMBDA IL:OPENLAMBDA OR IL:P PROCEED-CASE PROG
    PROG* PROGN PROGV RESTART-CASE IL:SELCHARQ IL:SELECTQ TAGBODY THE TYPECASE UNDOABLY UNLESS
    UNWIND-PROTECT WHEN WITH-INPUT-FROM-STRING WITH-OUTPUT-TO-STRING WITH-OPEN-FILE
    WITH-OPEN-STREAM IL:WITH.MONITOR IL:WITH.FAST.MONITOR IL:WITH.SPY)))

(IL:PUTPROPS IL:SEdit-LIST-FORMATS IL:FILETYPE :COMPILE-FILE)

(IL:PUTPROPS IL:SEdit-LIST-FORMATS IL:MAKEFILE-ENVIRONMENT NIL)

(IL:DECLARE\ : IL:DONTCOPY IL:DOEVAL@COMPILE
  (IL:FILESLOAD IL:SEdit-INDENT)
)

(DEF-LIST-FORMAT RETURN-FROM CATCH)

(DEF-LIST-FORMAT THROW CATCH)

(DEF-LIST-FORMAT BLOCK CATCH)

(DEF-LIST-FORMAT :DEFAULT "Used for lists whose CAR has no specified format."
  :INDENT :HORIZONTAL-ATOM
  :INLINE T)

(DEF-LIST-FORMAT :DATA "Used for quoted (not backquoted) lists."
  :INDENT :DATA
  :ARGS (:RECURSIVE)
  :INLINE T)

(DEF-LIST-FORMAT :BINDING :INDENT :BINDING
  :INLINE T)

(DEF-LIST-FORMAT :BINDING-LIST :INDENT :BINDING-LIST
  :ARGS (:BINDING)
  :INLINE NIL)

(DEF-LIST-FORMAT :LAMBDA-LIST :INDENT :LAMBDA-LIST
  :ARGS (:BINDING)
  :INLINE T)

(DEF-LIST-FORMAT :FBINDING :INDENT (:NOBREAK 1)
  :ARGS (NIL :LAMBDA-LIST NIL)
  :SUBLISTS (2))
```

```

{MEDLEY}<CLTL2>SEdit-LIST-FORMATS.;1

(DEF-LIST-FORMAT :FBINDING-LIST :INDENT :BINDING-LIST
 :ARGS (:FBINDING))

(DEF-LIST-FORMAT :COND-CLAUSE :INDENT :COND-CLAUSE
 :INLINE T)

(DEF-LIST-FORMAT :CASE-CLAUSE :INDENT :COND-CLAUSE
 :ARGS (:DATA NIL)
 :SUBLISTS (1)
 :INLINE T)

(DEF-LIST-FORMAT :HORIZONTAL :INDENT :HORIZONTAL
 :INLINE T)

(DEF-LIST-FORMAT :HORIZONTAL-NOBREAK :INDENT :HORIZONTAL
 :INLINE T
 :MISER :NEVER)

(DEF-LIST-FORMAT :VERTICAL :INDENT :VERTICAL
 :INLINE T)

(DEF-LIST-FORMAT :VERTICAL-NOBREAK :INDENT :VERTICAL
 :INLINE T
 :MISER :NEVER)

(DEF-LIST-FORMAT :KEYWORD-ARGS :INDENT :KEYWORD-ARG
 :INLINE T)

(DEF-LIST-FORMAT :KEYWORD-ARGS-NOBREAK :INDENT :KEYWORD-ARG
 :INLINE T
 :MISER :NEVER)

(DEF-LIST-FORMAT :SQUASHED :INDENT :SQUASH
 :INLINE T)

(DEF-LIST-FORMAT :DEDIT :SQUASHED)

(DEF-LIST-FORMAT AND :INDENT :VERTICAL
 :MISER :NEVER
 :INLINE T)

(DEF-LIST-FORMAT CASE :INDENT (1)
 :ARGS (NIL NIL :CASE-CLAUSE)
 :SUBLISTS T)

(DEF-LIST-FORMAT CATCH :INDENT (1)
 :ARGS (:KEYWORD NIL)
 :INLINE T)

(DEF-LIST-FORMAT CCASE CASE)

(DEF-LIST-FORMAT CERROR FORMAT)

(DEF-LIST-FORMAT COMPILER-LET LET)

(DEF-LIST-FORMAT COND :INDENT :VERTICAL
 :ARGS (NIL :COND-CLAUSE)
 :SUBLISTS T)

(DEF-LIST-FORMAT CTYPECASE TYPECASE)

(DEF-LIST-FORMAT DECLARE :INDENT :VERTICAL
 :ARGS (:KEYWORD :HORIZONTAL)
 :SUBLISTS T)

(DEF-LIST-FORMAT DEFCOMMAND DEFUN)

```

(DEF-LIST-FORMAT **DEFCONSTANT** DEFVAR)

(DEF-LIST-FORMAT **DEFDEFINER** :INDENT ((2)
1)
:ARGS (:KEYWORD :CASE-CLAUSE NIL :LAMBDA-LIST NIL))

(DEF-LIST-FORMAT **DEFUN** :INDENT ((2))
:ARGS (:KEYWORD NIL :LAMBDA-LIST NIL)
:SUBLISTS (3))

(DEF-LIST-FORMAT **DEFINE-SPECIAL-FORM** DEFUN)

(DEF-LIST-FORMAT **DEFINLINE** DEFUN)

(DEF-LIST-FORMAT **DEFGLOBALVAR** DEFVAR)

(DEF-LIST-FORMAT **DEFGLOBALPARAMETER** DEFVAR)

(DEF-LIST-FORMAT **DEF-LIST-FORMAT** :INDENT (1)
:ARGS (:KEYWORD NIL)
:INLINE T)

(DEF-LIST-FORMAT **DEFMACRO** DEFUN)

(DEF-LIST-FORMAT **DEFOPTIMIZER**

;;; note: this loses in the case where OPT-NAME is specified in DEFOPTIMIZER form because we can't handle optional arguments at this level. we
;;; could go through the pain of writing a custom indent spec...

DEFUN)

(DEF-LIST-FORMAT **DEFPACKAGE** :INDENT (1)
:ARGS (:KEYWORD NIL :CASE-CLAUSE)
:INLINE NIL)

(DEF-LIST-FORMAT **DEFPARAMETER** DEFVAR)

(DEF-LIST-FORMAT **DEFSETF** :INDENT ((3))
:ARGS (:KEYWORD NIL :LAMBDA-LIST :BINDING NIL)
:SUBLISTS (3 4))

(DEF-LIST-FORMAT **DEFSTRUCT** :INDENT (1)
:ARGS (:KEYWORD NIL))

(DEF-LIST-FORMAT **DEFTYPE** DEFMACRO)

(DEF-LIST-FORMAT **DEFVAR** :INDENT (1)
:ARGS (:KEYWORD NIL)
:INLINE T)

(DEF-LIST-FORMAT **DESTRUCTURING-BIND** :INDENT (1 1)
:ARGS (:KEYWORD :LAMBDA-LIST NIL)
:INLINE NIL)

(DEF-LIST-FORMAT **DO** :INDENT (:TAGBODY 2)
:ARGS (:KEYWORD :BINDING-LIST :COND-CLAUSE NIL)
:SUBLISTS (2 3))

(DEF-LIST-FORMAT **DO*** DO)

(DEF-LIST-FORMAT **DOLIST** :INDENT (:TAGBODY :STEP 1)
:ARGS (:KEYWORD :BINDING NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT **DOTIMES** DOLIST)

(DEF-LIST-FORMAT **DO-ALL-SYMBOLS** DOLIST)

(DEF-LIST-FORMAT **DO-EXTERNAL-SYMBOLS** DOLIST)

(DEF-LIST-FORMAT **DO-INTERNAL-SYMBOLS** DOLIST)

(DEF-LIST-FORMAT **DO-LOCAL-SYMBOLS** DOLIST)

(DEF-LIST-FORMAT **DO-SYMBOLS** DOLIST)

(DEF-LIST-FORMAT **ECASE** CASE)

(DEF-LIST-FORMAT **ERROR** FORMAT)

(DEF-LIST-FORMAT **ETYPECASE** TYPECASE)

(DEF-LIST-FORMAT **EVAL-WHEN** :INDENT (1)
:SUBLISTS (2))

(DEF-LIST-FORMAT **FLET** :INDENT (1)
:ARGS (:KEYWORD :FBINDING-LIST NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT **FORMAT** :INDENT :HORIZONTAL
:INLINE T)

(DEF-LIST-FORMAT **IF** :INDENT (2)
:INLINE T)

(DEF-LIST-FORMAT **IGNORE-ERRORS** UNDOABLY)

(DEF-LIST-FORMAT **LABELS** FLET)

(DEF-LIST-FORMAT **LAMBDA** :INDENT (1)
:ARGS (:KEYWORD :LAMBDA-LIST NIL)
:INLINE T
:SUBLISTS (2))

(DEF-LIST-FORMAT **IL:LAMBDA** LAMBDA)

(DEF-LIST-FORMAT **LET** :INDENT (1)
:ARGS (:KEYWORD :BINDING-LIST NIL)
:SUBLISTS (2)
:MISER :NEVER)

(DEF-LIST-FORMAT **LET*** LET)

(DEF-LIST-FORMAT **LOCALLY** :INDENT (0)
:ARGS (:KEYWORD NIL)
:SUBLISTS T)

(DEF-LIST-FORMAT **LOCALLY** :INDENT (0)
:ARGS (:KEYWORD NIL)
:SUBLISTS T)

(DEF-LIST-FORMAT **LIST** :INDENT :HORIZONTAL
:INLINE T)

(DEF-LIST-FORMAT **LIST*** LIST)

(DEF-LIST-FORMAT **MACROLET** FLET)

(DEF-LIST-FORMAT **MULTIPLE-VALUE-BIND** :INDENT (1 1))

```
:ARGS (:KEYWORD :DATA NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT MULTIPLE-VALUE-SETQ :INDENT (1)
:ARGS (NIL :DATA NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT IL:NLAMBDA LAMBDA)

(DEF-LIST-FORMAT IL:OPENLAMBDA LAMBDA)

(DEF-LIST-FORMAT OR AND)

(DEF-LIST-FORMAT IL:P PROGN)

(DEF-LIST-FORMAT PROCEED-CASE :INDENT (1)
:ARGS (NIL :FBINDING))

(DEF-LIST-FORMAT PROG :INDENT (:TAGBODY :STEP 1)
:ARGS (:KEYWORD :BINDING-LIST NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT PROG* PROG)

(DEF-LIST-FORMAT PROGN :INDENT :VERTICAL
:INLINE NIL)

(DEF-LIST-FORMAT PROGV :INDENT (1 1)
:ARGS (:KEYWORD :DATA NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT RESTART-CASE :INDENT (1)
:ARGS (NIL :FBINDING))

(DEF-LIST-FORMAT IL:SELCHARQ IL:SELECTQ)

(DEF-LIST-FORMAT IL:SELECTQ :INDENT (1)
:ARGS (:KEYWORD NIL :CASE-CLAUSE)
:LAST NIL)

(DEF-LIST-FORMAT TAGBODY :INDENT (:TAGBODY :STEP 0)
:ARGS (:KEYWORD NIL))

(DEF-LIST-FORMAT THE :INDENT (1)
:ARGS (:KEYWORD NIL)
:INLINE T)

(DEF-LIST-FORMAT TYPECASE CASE)

(DEF-LIST-FORMAT UNDOABLY :INDENT :VERTICAL
:INLINE NIL
:ARGS (:KEYWORD NIL))

(DEF-LIST-FORMAT UNLESS :INDENT (1))

(DEF-LIST-FORMAT UNWIND-PROTECT :INDENT (:BREAK 1))

(DEF-LIST-FORMAT WHEN UNLESS)

(DEF-LIST-FORMAT WITH-INPUT-FROM-STRING WITH-OPEN-STREAM)

(DEF-LIST-FORMAT WITH-OUTPUT-TO-STRING WITH-OPEN-STREAM)

(DEF-LIST-FORMAT WITH-OPEN-FILE WITH-OPEN-STREAM)
```

(DEF-LIST-FORMAT **WITH-OPEN-STREAM** :INDENT (1)
:ARGS (NIL :KEYWORD-ARGS NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT **IL:WITH.MONITOR** :INDENT (1))

(DEF-LIST-FORMAT **IL:WITH.FAST.MONITOR** IL:WITH.MONITOR)

(DEF-LIST-FORMAT **IL:WITH.SPY** IL:WITH.MONITOR)

(IL:PUTPROPS **IL:SEdit-LIST-FORMATS** **IL:COPYRIGHT** ("Venue & Xerox Corporation" 1987 1988 1990 1992))

SEdit-FORMAT INDEX

AND	2	DEFOPTIMIZER	3	:HORIZONTAL	2	PROGV	5
:BINDING	1	DEFPACKAGE	3	:HORIZONTAL-NOBREAK	2	RESTART-CASE	5
:BINDING-LIST	1	DEFPARAMETER	3	IF	4	RETURN-FROM	1
BLOCK	1	DEFSETF	3	IGNORE-ERRORS	4	IL:SELCHARQ	5
CASE	2	DEFSTRUCT	3	:KEYWORD-ARGS	2	IL:SELECTQ	5
:CASE-CLAUSE	2	DEFTYPE	3	:KEYWORD-ARGS-NOBREAK	2	:SQUASHED	2
CATCH	2	DEFUN	3	LABELS	4	TAGBODY	5
CCASE	2	DEFVAR	3	LAMBDA	4	THE	5
CERROR	2	DESTRUCTURING-BIND	3	IL:LAMBDA	4	THROW	1
COMPILER-LET	2	DO	3	:LAMBDA-LIST	1	TYPECASE	5
COND	2	DO*	3	LET	4	UNDOABLY	5
:COND-CLAUSE	2	DO-ALL-SYMBOLS	4	LET*	4	UNLESS	5
CTYPECASE	2	DO-EXTERNAL-SYMBOLS	4	LIST	4	UNWIND-PROTECT	5
:DATA	1	DO-INTERNAL-SYMBOLS	4	LIST*	4	:VERTICAL	2
DECLARE	2	DO-LOCAL-SYMBOLS	4	LOCALLY	4	:VERTICAL-NOBREAK	2
:DEDIT	2	DO-SYMBOLS	4	MACROLET	4	WHEN	5
DEF-LIST-FORMAT	3	DOLIST	3	MULTIPLE-VALUE-BIND	4	WITH-INPUT-FROM-STRING	5
:DEFAULT	1	DOTIMES	3	MULTIPLE-VALUE-SETQ	5	WITH-OPEN-FILE	5
DEFCOMMAND	2	ECASE	4	IL:NLAMBDA	5	WITH-OPEN-STREAM	6
DEFCONSTANT	3	ERROR	4	IL:OPENLAMBDA	5	WITH-OUTPUT-TO-STRING	5
DEFDEFINER	3	ETYPECASE	4	OR	5	IL:WITH.FAST.MONITOR	6
DEFGLOBALPARAMETER	3	EVAL-WHEN	4	IL:P	5	IL:WITH.MONITOR	6
DEFGLOBALVAR	3	:FBINDING	1	PROCEED-CASE	5	IL:WITH.SPY	6
DEFINE-SPECIAL-FORM	3	:FBINDING-LIST	2	PROG	5		
DEFINLINE	3	FLET	4	PROG*	5		
DEFMACRO	3	FORMAT	4	PROGN	5		

PROPERTY INDEX

IL:SEdit-LIST-FORMATS ...1