

TABLE OF CONTENTS

Preface	xvii
<u>How the Release Notes are Organized</u>	xvii
<u>Notational Conventions</u>	xviii
<u>How to Use the Release Notes</u>	xviii
<u>Related Literature</u>	xix
1. Introduction	1-1
<u>Summary of Medley Changes</u>	1-1
2. Notes and Cautions	2-1
<u>Changes and Cautions in the Medley Release</u>	2-1
<u>Changes and Cautions in the Lyric Release</u>	2-1
3. Common Lisp/Interlisp-D Integration	3-1
<u>Chapter 2 Litatoms</u>	3-1
<u>Section 2.1 Using Litatoms as Variables</u>	3-2
<u>Section 2.3 Property Lists</u>	3-2
<u>Section 2.4 Print Names</u>	3-2
<u>Section 2.5 Characters</u>	3-3
<u>Chapter 4 Strings</u>	3-3
<u>Chapter 5 Arrays</u>	3-3
<u>Chapter 6 Hash Arrays</u>	3-4
<u>Chapter 7 Numbers and Arithmetic Functions</u>	3-4
<u>Section 7.2 Integer Arithmetic</u>	3-4
<u>Chapter 10 Function Definition, Manipulation, and Evaluation</u>	3-5
<u>Section 10.1 Function Types</u>	3-5
<u>Section 10.6 Macros</u>	3-5
<u>Section 10.6.1 DEFMACRO</u>	3-5
<u>Chapter 11 Stack Functions</u>	3-5
<u>Section 11.1 The Spaghetti Stack</u>	3-5
<u>Chapter 12 Miscellaneous</u>	3-6
<u>Section 12.4 System Version Information</u>	3-6
<u>Section 12.8 Pattern Matching</u>	3-6
<u>Chapter 13 Interlisp Executive</u>	3-7
<u>Chapter 14 Errors and Breaks</u>	3-9
<u>Section 14.3 Break Commands</u>	3-9
<u>Section 14.6 Creating Breaks with BREAK1</u>	3-9
<u>Section 14.7 Signalling Errors</u>	3-9

TABLE OF CONTENTS

<u>Section 14.8 Catching Errors</u>	3-10
<u>Section 14.9 Changing and Restoring System State</u>	3-11
<u>Section 14.10 Error List</u>	3-11
<u>Chapter 15 Breaking Functions and Debugging</u>	3-13
<u> Section 15.1 Breaking Functions and Debugging</u>	3-13
<u> Section 15.2 Advising</u>	3-14
<u>Chapter 16 List Structure Editor</u>	3-15
<u> Switching Between Editors</u>	3-16
<u> Packages</u>	3-16
<u> Starting a Lisp Editor</u>	3-16
<u> Mapping the Old Edit Interface to ED</u>	3-18
<u> Editing Values Directly</u>	3-18
<u> Section 16.18 Editor Functions</u>	3-19
<u>Chapter 17 File Package</u>	3-19
<u> Reader Environments and the File Manager</u>	3-20
<u> Modifying Standard Readtables</u>	3-22
<u> Programmer's Interface to Reader Environments</u>	3-23
<u> Section 17.1 Loading Files</u>	3-24
<u> Integration of Interlisp and Common Lisp LOAD Functions</u>	3-24
<u> Section 17.2 Storing Files</u>	3-25
<u> Section 17.8.2 Defining New File Manager Types</u>	3-26
<u> Definers: A New Facility for Extending the File Manager</u>	3-26
<u>Chapter 18 Compiler</u>	3-31
<u> Warning when Loading Compiled Files</u>	3-32
<u> Warning with Declarations</u>	3-32
<u> Section 18.3 Local Variables and Special Variables</u>	3-33
<u>Chapter 19 Masterscope</u>	3-33
<u>Chapter 21 CLISP</u>	3-33
<u>Chapter 22 Performance Issues</u>	3-36
<u> Section 22.3 Performance Measuring</u>	3-36
<u>Chapter 24 Streams and Files</u>	3-37
<u> Section 24.15 Deleting, Copying, and Renaming Files</u>	3-38
<u>Chapter 25 Input/Output Functions</u>	3-38
<u> Variables Affecting Input/Output</u>	3-38
<u> Integration of Common Lisp and Interlisp Input/Output Functions</u>	3-40
<u> Section 25.2 Input Functions</u>	3-40
<u> Section 25.3 Output Functions</u>	3-41
<u> Printing Differences Between IL:PRIN2 and CL:PRIN1</u>	3-42
<u> Internal Printing Functions</u>	3-42
<u> Printing Differences Between Koto and Lyric</u>	3-42

<u>Bitmap Syntax</u>	3-43
<u>Section 25.8 Readtables</u>	3-43
<u>Differences Between Interlisp and Common Lisp Readtables</u>	3-44
<u>Section 25.8.2 New Readtable Syntax Classes</u>	3-45
<u>Additional Readtable Properties</u>	3-45
<u>Section 25.8 Predefined Readtables</u>	3-47
<u>Koto Compatibility Considerations</u>	3-48
<u>Specifying Readtables and Packages</u>	3-48
<u>The T Readtable</u>	3-48
<u>PQUOTE Printed Files</u>	3-49
<u>Back-Quote Facility</u>	3-49
<u>Chapter 28 Windows and Menus</u>	3-49
<u>Section 28.5.1 Menu Fields</u>	3-49
4. Changes to Interlisp-D in Lyric/Medley	4-1
<u>Chapter 3 Lists</u>	4-1
<u>Section 3.2 Building Lists From Left To Right</u>	4-1
<u>Section 3.10 Sorting Lists</u>	4-1
<u>Chapter 6 Hash Arrays</u>	4-1
<u>Section 6.1 Hash Overflow</u>	4-2
<u>Chapter 7 Integer Arithmetic</u>	4-2
<u>Section 7.3 Logical Arithmetic Functions</u>	4-3
<u>Section 7.5 Other Arithmetic Functions</u>	4-3
<u>Chapter 8 Record Package</u>	4-3
<u>Chapter 9 Conditionals and Iterative Statements</u>	4-3
<u>Section 9.2 Equality Predicates</u>	4-3
<u>Section 9.8.3 Condition I.s. oprs</u>	4-3
<u>Chapter 10 Function Definition, Manipulation, and Evaluation</u>	4-4
<u>Section 10.2 Defining Functions</u>	4-4
<u>Section 10.5 Functional Arguments</u>	4-4
<u>Section 10.6.2 Interpreting Macros</u>	4-4
<u>Chapter 11 Variable Bindings and the Interlisp Stack</u>	4-4
<u>Section 11.2.1 Searching the Stack</u>	4-5
<u>Section 11.2.2 Variable Bindings in Stack Frames</u>	4-5
<u>Section 11.2.5 Releasing and Reusing Stack Pointers</u>	4-5
<u>Section 11.2.7 Other Stack Functions</u>	4-5
<u>Chapter 12 Miscellaneous</u>	4-6
<u>Section 12.2 Idle Mode</u>	4-6
<u>Section 12.3 Saving Virtual Memory State</u>	4-7
<u>Section 12.4 System Version Information</u>	4-7
<u>Chapter 13 Interlisp Executive</u>	4-8

TABLE OF CONTENTS

<u>Chapter 14 Errors and Breaks</u>	4-8
<u>Section 14.5 Break Window Variables</u>	4-8
<u>Section 14.8 Catching Errors</u>	4-8
<u>Chapter 17 File Package</u>	4-9
<u>Section 17.8.1 Functions for Manipulating Typed Definitions</u>	4-9
<u>Section 17.8.2 Defining New File Package Types</u>	4-9
<u>Section 17.9.2 Variables</u>	4-9
<u>Section 17.9.8 Defining New File Package Commands</u>	4-9
<u>Section 17.11 Symbolic File Format</u>	4-9
<u>Section 17.11.3 File Maps</u>	4-10
<u>Chapter 18 Compiler</u>	4-10
<u>Chapter 21 CLISP</u>	4-10
<u>Section 21.8 Miscellaneous Functions and Variables</u>	4-10
<u>Chapter 22 Performance Issues</u>	4-11
<u>Section 22.1 Storage Allocation and Garbage Collection</u>	4-11
<u>Section 22.5 Using Data Types Instead of Records</u>	4-11
<u>Chapter 23 Processes</u>	4-12
<u>Section 23.6 Typein and the TTY Process</u>	4-12
<u>Section 23.8 Process Status Window</u>	4-12
<u>Chapter 24 Streams and Files</u>	4-13
<u>Section 24.7 File Attributes</u>	4-13
<u>Section 24.9 Local Hard Disk Device</u>	4-13
<u>Section 24.10 Floppy Disk Device</u>	4-13
<u>Section 24.12 Temporary Files and CORE Device</u>	4-13
<u>Section 24.18.1 Pup File Server Protocols</u>	4-14
<u>Section 24.18.1-2 Use of BREAKCONNECTION withFile Servers</u>	4-14
<u>Section 24.18.2 NS File Server Protocols</u>	4-15
<u>Section 24.18.3 Operating System Designations</u>	4-15
<u>Chapter 25 Input/Output Functions</u>	4-15
<u>Section 25.2 Input Functions</u>	4-15
<u>Section 25.3.2 Printing Numbers</u>	4-15
<u>Section 25.3.4 Printing Unusual Data Structures</u>	4-15
<u>Section 25.4 Random Access File Operations</u>	4-16
<u>Section 25.6 PRINTOUT</u>	4-16
<u>Section 25.8.3 READ Macros</u>	4-16
<u>Chapter 26 User Input/Output Packages</u>	4-16
<u>Section 26.3 ASKUSER</u>	4-16
<u>Section 26.4 TTYIN Display Typein Editor</u>	4-16
<u>Section 26.4.3 Display Editing Commands</u>	4-17
<u>Section 26.4.5 Useful Macros</u>	4-18

<u>Chapter 27 Graphic Output Operations</u>	4-18
<u>Section 27.1.3 Bitmaps</u>	4-18
<u>Section 27.3 Accessing Image Stream Fields</u>	4-18
<u>Section 27.6 Drawing Lines</u>	4-19
<u>Section 27.7 Drawing Curves</u>	4-19
<u>Section 27.8 Miscellaneous Drawing and Printing Operations</u>	4-19
<u>Section 27.12 Fonts</u>	4-21
<u>Section 27.13 Font Files and Font Directories</u>	4-23
<u>Section 27.14 Font Classes</u>	4-23
<u>Section 27.14 Font Profiles</u>	4-23
<u>Chapter 28 Windows and Menus</u>	4-24
<u>Section 28.4 Windows</u>	4-24
<u>Section 28.4.5 Reshaping Windows</u>	4-24
<u>Section 28.4.8 Shrinking Windows Into Icons</u>	4-24
<u>Section 28.4.11 Terminal I/O and Page Holding</u>	4-25
<u>Section 28.5 Menus</u>	4-26
<u>Section 28.6.2 Attached Prompt Windows</u>	4-28
<u>Section 28.6.3 Window Operations and Attached Windows</u>	4-28
<u>Chapter 29 Hardcopy Facilities</u>	4-29
<u>Chapter 30 Terminal Input/Output</u>	4-29
<u>Section 30.1 Interrupt Characters</u>	4-29
<u>Section 30.2.3 Line Buffering</u>	4-30
<u>Section 30.4.1 Changing the Cursor Image</u>	4-30
<u>Section 30.5 Keyboard Interpretation</u>	4-31
<u>Section 30.6 Display Screen</u>	4-31
<u>Section 30.7 Miscellaneous Terminal I/O</u>	4-31
<u>Chapter 31 Ethernet</u>	4-32
<u>Section 31.3.1 Name and Address Conventions</u>	4-32
<u>Section 31.3.2 Clearinghouse Functions</u>	4-33
<u>Section 31.3.3 NS Printing</u>	4-34
<u>Section 31.3.5.3 Performing Courier Transactions</u>	4-34
<u>Section 31.3.5.3.3 Using Bulk Data Transfer</u>	4-34
<u>Section 31.5 Pup Level One Functions</u>	4-34
<u>Section 31.6.1 Creating and Managing XIPs</u>	4-35
5. Library Modules	5-1
<u>Modules That are New, Moved, or Replaced</u>	5-1
<u>Modules Moved From the Library to LispUsers</u>	5-1
<u>Modules Moved From LispUsers to the Library</u>	5-1
<u>Modules Moved to Their Own Manuals</u>	5-1

TABLE OF CONTENTS

Modules Moved From the Sysout into the Library	5-1
Modules Moved From the Library into the Sysout	5-2
Modules Replaced	5-2
New Modules	5-2
Details of Change	5-2
4045XLPStream	5-2
Cash-File	5-2
Centronics	5-3
Chat	5-3
CopyFiles	5-3
DataBaseFns	5-3
EditBitMap	5-3
FileBrowser	5-3
FTPServer	5-4
FX-80Driver	5-4
GCHax	5-5
Grapher	5-5
Hash	5-5
Hash-File	5-5
Kermit	5-5
MasterScope	5-5
NSMaintain	5-5
RS232	5-6
Spy	5-6
TableBrowser	5-6
TCP- IP	5-7
TExec	5-8
TextModules	5-8
Virtual Keyboards	5-8
Where-Is	5-8
Additional Notes	5-8
Koto CML Library Module	5-8

6. User's Guides

6-1

A User's Guide to TEdit—Release Notes	6-1
Expanded Characters	6-1
Put Submenu	6-1
Get Submenu	6-2
Clarified Paragraph Looks Menu Options	6-2
New Page: Before After	6-3

<u>Displaymode: Hardcopy</u>	6-3
<u>Clarified Page Layout Menu Options</u>	6-3
<u>Added Items to Programmer's Interface</u>	6-3
<u>Corrected the AFTERQUITFN Property</u>	6-3
<u>Corrected the eTEXTOBJ Data Structure</u>	6-4
<u>Corrected the eTITLEMENUFN Property</u>	6-4
<u>Expanded the TEDIT.INCLUDE Function</u>	6-4
<u>Expanded the TEDIT.PARALOOKS Function</u>	6-4
<u>Expanded the TEXTPROP Function</u>	6-5
<u>Added Documentation for Global Variables</u>	6-5
<u>Changes to Programmer's Interface to TEdit</u>	6-5
<u>STREAM and TEXTOBJ</u>	6-5
<u>Changes, Additions and Corrections to TEdit Functions</u>	6-5
<u>Changes in Documentation of TEdit Functions</u>	6-7
<u>New Features</u>	6-8
<u>A User's Guide to Sketch—Release Notes</u>	6-10
<u>Manipulating Sketch Elements</u>	6-10
<u>Adding and Deleting Control Points</u>	6-10
<u>Deleting Control Points</u>	6-10
<u>Defaults Command</u>	6-10
<u>Better Feedback for Creating Wires, Circles and Ellipses</u>	6-10
<u>Arrowheads</u>	6-10
<u>Deleting Characters During Type-in</u>	6-10
<u>Using Bit Maps in a Sketch</u>	6-11
<u>Zooming Bitmaps</u>	6-11
<u>Changing Bitmaps</u>	6-11
<u>Freezing Sketch Elements</u>	6-11
<u>Aligning Sketch Elements</u>	6-11
<u>Placing Multiple Copies of Elements</u>	6-11
<u>Making the Window Fit the Sketch</u>	6-12
<u>Overlaying Figure Elements</u>	6-12
<u>Changing How Elements Overlap</u>	6-12
<u>Loading the Sketch Library Module</u>	6-12
<u>The Programmer's Interface</u>	6-13
<u>New Behavior for the Get Command</u>	6-13
<u>Establishing Initial Defaults for Sketch</u>	6-13
<u>1108 User's Guide Release Notes</u>	6-14
<u>What to Look For</u>	6-14
<u>File System</u>	6-14
<u>System Tools</u>	6-14

TABLE OF CONTENTS

<u>Input/Output</u>	6-15
<u>Machine Diagnostics</u>	6-15
<u>1186 User's Guide Release Notes</u>	6-16
<u>What to Look For</u>	6-16
<u>File System</u>	6-16
<u>Software Installation</u>	6-16
<u>System Tools</u>	6-17
<u>Input/Output</u>	6-17
<u>Diagnostics</u>	6-17

7. Common Lisp Implementation

<u>New Features Since Lyric</u>	7-1
<u>Common Lisp Definers</u>	7-1
<u>Compile-Definer</u>	7-2
<u>Compile-Form</u>	7-2
<u>Define-File-Environment</u>	7-2
<u>Site-Name Special Uses</u>	7-3
<u>Record Access</u>	7-3
<u>Define-Record</u>	7-3
<u>Record-Fetch</u>	7-4
<u>Record-FFetch</u>	7-4
<u>Record-Create</u>	7-4
<u>Array Reference</u>	7-4
<u>Shadowing of Global Macros</u>	7-4
<u>Evaluating Load-time Expressions</u>	7-4
<u>Common Lisp Defstruct Options</u>	7-4
<u>Defstruct Options</u>	7-5
<u>Defstruct Slot Options</u>	7-5
<u>Warning When Using Defstruct</u>	7-6
<u>Macros for Collecting Objects</u>	7-6
<u>xcl:with-collection</u>	7-6
<u>Macros for Writing Macros</u>	7-7
<u>xcl:once-only</u>	7-7
<u>Common Lisp Append Datatypes</u>	7-8
<u>Closure Cache</u>	7-8
<u>Symbols and Packages</u>	7-8
<u>Pkg -goto and In -package</u>	7-8
<u>Defpackage Export Argument</u>	7-9
<u>Debugging Tools</u>	7-9
<u>Breaking</u>	7-9

<u>Advising</u>	7-9
<u>Argument Names Displayed for Interpreted Functions</u>	7-10
<u>Lexical Variables Evaluated by Debugger</u>	7-10
<u>Pathname Component Fixed in FS-ERROR</u>	7-10
<u>Compiler Optimizations</u>	7-10
<u>Warning when using LABELS Construct</u>	7-10
<u>COMS added to dfasl files</u>	7-11
<u>Loadflg argument</u>	7-11
<u>Changes in MAP, WRITE-STRING, COERCE, GENSYM, DEFERREDCONSTANT</u>	7-11
<u>Compiler keeps Special &REST arguments</u>	7-12
<u>Compiler ignores TEdit formatting</u>	7-12
<u>Compiler notices Tail-recursive Lexical Functions</u>	7-12
<u>Compiler Error Message</u>	7-12
<u>Format ~C and WRITE-CHAR</u>	7-13
<u>WITH-OUTPUT-TO-STRING / WITH-INPUT-FROM-STRING</u>	7-13

A. The Exec	A-1
Input Formats	A-2
Multiple Execs and the Exec's Type	A-4
Event Specification	A-4
Exec Commands	A-5
Variables	A-9
Fonts in the Exec	A-10
Changing the Exec	A-11
Defining New Commands	A-11
Undoing	A-12
Undoing in the Exec	A-13
Undoing in Programs	A-13
Undoable Versions of Common Functions	A-14
Modifying the UNDO Facility	A-14
Undoing Out of Order	A-16
Format and Use of the History List	A-16
Making or Changing an Exec	A-18
Editing Exec Input	A-20
Editing Your Input	A-21
Using the Mouse	A-21
Editing Commands	A-22

TABLE OF CONTENTS

<u>Cursor Movement Commands</u>	A-22
<u>Buffer Modification Commands</u>	A-23
<u>Miscellaneous Commands</u>	A-23
<u>Useful Macros</u>	A-24
<u>?= Handler</u>	A-24
<u>Assorted Flags</u>	A-24
B. SEdit—The Lisp Editor	B-1
16.1 SEDIT—The Structure Editor	B-1
16.1.1 An Edit Session	B-1
16.1.2 SEdit Carets	B-2
16.1.3 The Mouse	B-3
16.1.4 Gaps	B-4
16.1.5 Broken Atoms	B-4
16.1.6 Special Characters	B-5
16.1.7 Commands	B-6
16.1.8 Editing Commands	B-7
16.1.9 Completion Commands	B-7
16.1.10 Undo Commands	B-7
16.1.11 Find Commands	B-8
16.1.12 General Commands	B-9
16.1.13 Miscellaneous	B-11
16.1.14 Help Menu	B-11
16.1.15 Command Menu	B-12
16.1.16 SEdit Programmer's Interface	B-12
16.1.17 SEdit Window Region Manager	B-12
16.1.18 Options	B-13
16.1.19 Control Functions	B-14
Warning with Declarations	B-18
C. ICONW	C-1
28.4.16 Creating Icons with ICONW	C-1
28.4.16.1 Creating Icons	C-1
28.4.16.2 Modifying Icons	C-2
28.4.16.3 Default Icons	C-3
28.4.16.4 Sample Icons	C-3
D. Free Menu	D-1
28.7 Free Menus	D-1

<u>28.7.1 Making a Free Menu</u>	D-1
<u>28.7.2 Free Menu Formatting</u>	D-1
<u>28.7.3 Free Menu Descriptions</u>	D-2
<u>28.7.4 Free Menu Group Properties</u>	D-7
<u>28.7.5 Other Group Properties</u>	D-8
<u>28.7.6 Free Menu Items</u>	D-8
<u>28.7.7 Free Menu Item Description</u>	D-8
<u>28.7.8 Free Menu Item Properties</u>	D-9
<u>28.7.9 Mouse Properties</u>	D-10
<u>28.7.10 System Properties</u>	D-10
<u>28.7.11 Predefined Item Types</u>	D-11
<u>28.7.12 Free Menu Item Highlighting</u>	D-14
<u>28.7.13 Free Menu Item Links</u>	D-14
<u>28.7.14 Free Menu Window Properties</u>	D-15
<u>28.7.15 Free Menu Interface Functions</u>	D-15
<u>28.7.16 Accessing Functions</u>	D-15
<u>28.7.17 Changing Free Menus</u>	D-16
<u>28.7.18 Editor Functions</u>	D-17
<u>28.7.19 Miscellaneous Functions</u>	D-18
<u>28.7.20 Free Menu Macros</u>	D-18

E. Error System	E-1
<u>Summary of Error System Changes</u>	E-1
<u>Introduction to Error System Terminology</u>	E-3
<u>Program Interface to the Condition System</u>	E-5
<u>Defining and Creating Conditions</u>	E-5
<u>Signalling Conditions</u>	E-8
<u>Handling Conditions</u>	E-11
<u>Restarts</u>	E-13

TABLE OF CONTENTS

[This page intentionally left blank]