

INDEX

A

Access key 11,13
Asterisk 36
AUTHOR (*File Attribute*) 38

B

Back trace 40,42
BACKGROUNDPAGEFREQ (*Variable*) 25
BEEPOFF (*Function*) 27
BEEPON (*Function*) 27
\BeginDST (*Variable*) 12,22
Binary files 4,38,40
Binary image, executable A-2; 13
Brackets
 left angle 33
 right angle 31
 square 31

C

C-Shell 32
Carriage return 4,38,40
Case sensitivity 33,35,39,40,41,42
CHANGEBACKGROUND (*Function*) 27
Characters, special 32
CHDIR (*Function*) 35,37,44,45
checksum 1,3, B-1
chmod (*UNIX Command*) 38
CLOCK (*Function*) 28
Clocks 27
CNDIR (*Function*) 37
Compatibility
 compiled-file 4
 end-of-line convention 4
 sysout 4
Configuration
 changing 11
 software A-2
CONN (*Command*) 37
Console messages 28
Conventions
 common {DSK} and {UNIX} 32
 {DSK} naming 33
 fonts 3
 Medley devices 3,17,35
 notation 3
 URAIID 39,41
Copy protection 11
CREATIONDATE (*File Attribute*) 38
.cshrc file 13, A-1

D

Daylight Savings Time
 setting values for 12,22
DEFAULTFILETYPE (*Variable*) 38,39
DEFAULTFILETYPELIST (*Variable*) 38,39
DEFAULTPRINTERTYPE (*Variable*) 12,21
DEFAULTPRINTINGHOST (*Variable*) 12,21
DIRECTORIES (*Variable*) 12,21

Directory

 changing 32,37
 creation 36,37
 deletion 37
 enumeration 36
 home 32,37
 name delimiting 31
 parent 32
DISKFREEPAGES (*Function*) D-1
DISKPARTITION (*Function*) D-1
Display functions 27
Display fonts, how to find 12,21
DISPLAYFONTDIRECTORIES (*Variable*) 12,21
DLRS232C D-2
DLTTY D-2
{DSK} 26,32,36, 38
 special characters 32
 naming conventions 33
{DSK}INIT. 12, 16
DSKDISPLAY (*Function*) D-1

E

Emulator 2
\EndDST (*Variable*) 13,22
End-of-line convention 4,38,40
Environment variable A-1
 LDEDESTSYSOUT 23
 LDEINIT 11,16
 LDESOURCESYSOUT 14,15
 obtaining value of 26
EOL (*File Attribute*) 38
Errors
 fatal 44
 file system 39,41
 Lisp 44

F

fg (*UNIX Command*) 25
File attributes 38
File name
 conventions 31
 recognition 32
File protection bits, changing 38
file resources, exceeding 44
File streams 32
File system errors 39
File types 39
File variables 39
FILENAMEFROMID (*Function*) D-1
Files
 binary 4,38,40
 finding 12,21
 open 37, 44
 text 38
 transfer 38
 versionless 34
FINDFILE (*Function*) 35
FLOPPY.ARCHIVE (*Function*) D-1
FLOPPY.CAN.READP (*Function*) D-1
FLOPPY.CAN.WRITEP (*Function*) D-1
FLOPPY.FORMAT (*Function*) D-1
FLOPPY.FREE.PAGES (*Function*) D-1

- FLOPPY.FROM.FILE** (Function) D-1
FLOPPY.MODE (Function) D-1
FLOPPY.NAME (Function) D-1
FLOPPY.SCAVENGE (Function) D-1
FLOPPY.TO.FILE (Function) D-1
FLOPPY.UNARCHIVE (Function) D-1
FLOPPY.WAIT.FOR.FLOPPY (Function) D-1
Font directories C-3
Fonts 2
 font conventions 3
 Interpress 12,21
Frames, viewing 41,43
Functions
 display and keyboard 27
 environment inquiry 26
 Lisp-stopping 25
 login 26
 system environment 24
 timer and clock 27
 VM 25
- G**
GETFILEINFO (Function) 38
- H**
Hardware, requirements 1,24
Host access key 13
Host ID 11
 identifying 24
Host name, identifying 24
Hosts supported by Medley
 {CORE} 31
 {DSK} 31
 {LPT} 31
 {NULL} 31
 {UNIX} 31
- I**
Input/output devices, requirements 1
install.sunosX 1
Installation
 preparation 7
 script 9
 software 9
 tape layout C-1
 extracting files from C-4
Installation Options Menu 9
Interlisp package 39,41
InterPress files 39
InterPress fonts, finding 12,21
INTERPRESSFONTDIRECTORIES (Variable) 12,21
- K**
Kermit 38
KEYACTION (Function) 15,17
Keyboard functions 27
Keyboard template
 Sun 3 15,18
 Sun 4 15,18
Keyboard tone generator 27
KEYBOARDEDITOR D-2
KEYDOWNP (Function) 15,17
- kill** (UNIX Command) 42,44
- L**
lde 13,22, A-3
 killing 42,44
ldechecksum (Command) 1, B-1
LDEDESTSYSOUT (Variable) 23
ldeether 13, A-3
LDEFILETIMEOUT (Variable) 40
LDEINIT (Variable) 11,16
LDEKBDTYPE (Variable) 16,19
LDEKBDTYPE (Variable) 17
LDESRCESYSOUT (Variable) 14,15
Left angle bracket 33,35
Library files, finding 12,21
Line feed 4,38,40
Lisp symbols
 set in site initialization file 12,21
LISP-RELEASE-VERSION (Variable) 24
LispUsers' Modules 5
 finding 12,21
LISPUSERSDIRECTORIES (Variable) 12,21
litatom 39,41
LOGIN (Function) 26
Login functions 26
LOGOUT (Function) 22,23
LONG-SITE-NAME (Variable) 12, 22
LONG-SITE-NAME (Function) 12,22
- M**
MACHINE-INSTANCE (Function) 24
MACHINE-TYPE (Function) 24
MACHINE-VERSION (Function) 24
MACHINETYPE (Function) 24
Medley, exiting 23
Memory, requirements 1
MP errors 39,41
\MY.NSADDRESS (Variable) 24
- N**
Naming onventions 32, 33
Network address, identifying 24
NFS service 40
- O**
Object file A-2
OPENFILE (Function) 38
OPENSTREAM (Function) 38
Operating system requirements 2
Options, adding 11
- P**
Packages 3
Passwords, maintaining for access 26
Pathname, Lisp 31,35
Period
 single 32,37
 double 32,37
Personal init file, set up 22
PLAYTUNE (Function) 27

- Postscript 1
- Postscriptstream Module 5
- Press files 39
- Printers 1
 - default 12,21
- PROTECTION** (*File Attribute*) 38
- Protocol
 - Ethernet 2
 - PUP 13
- pstat** (*UNIX Command*) 8
- PUP protocol 13, 38
 - installation 3,8
- PURGEDSKDIRECTORY** (*Function*) D-1
- R**
- \RCLKMILLISECOND** (*Variable*) 28
- READSYS** 42,44
- REALMEMORYSIZE** (*Function*) 24
- Relative pathnames 33
- Release contents 4, 5
- Relinking A-3
- Right angle bracket 31
- RINGBELLS** (*Function*) 27
- rmdir** (*UNIX Command*) 37
- root** (*UNIX Command*) 13
- RPC 5
- S**
- SAVEVM** (*Function*) 22,23
- setenv** (*UNIX Command*) 23
- SETMAINTPANEL** (*Function*) 27
- SETPASSWORD** (*Function*) 26
- SETTIME** (*Function*) 28
- setuid** (*UNIX Command*) 26
- SETUSERNAME** (*Function*) 26
- *SHORT-SITE-NAME*** (*Variable*) 12, 22
- SHORT-SITE-NAME** (*Function*) 12,22
- Site initialization file 11,15
 - how to find 12,21
- site-init.lisp 11,16
- SIZE** (*File Attribute*) 38
- Sketch files 39
- Slash 31
- Software requirements 2, A-2
- Special characters 32
- Square brackets 31
- Stack 40,42
- Sun type 3 keyboard 17,18
- Sun type 4 keyboard 17, 19
- Sun Workstations, sharing 2
- SunOS
 - versions supported 2,37,38,39
 - Type 4 keyboard 16,19
 - console messages 28
 - directory notations 32
 - file system 31
 - username 26
- SunOS process
 - identifying username of 26
- SUSPEND-LISP** (*Function*) 25
- Swap space, allocating additional 8
- Symbols
 - set in site initialization file 12,21
- Sysout 2,13,39,41
 - files 37, 39
 - locations of 13,15
- SYSOUT** (*Function*) 24,45
- System administrator 9,13
- T**
- TCP D-1
- TCPCHAT D-1
- TCP/IP 38

- Teleraid 39,41
- Template
 Sun 3 keyboard 15,18
 Sun 4 keyboard 15,18
- Text files 4,38,40
- tilde 32
- tilde-slash 35,37
- TIME** (Function) 28
- Timers 27
- /tmp/XXXX-lisp.log 29
- TYPE** (File Attribute) 38,39
- U**
- {UNIX} 26,36,37,38
 naming conventions 35
- {UNIX} (Function) 32
- UNIX process, suspending 25
- UNIX-FULLNAME** (Function) 26
- UNIX-GETENV** (Function) 26
- UNIX-GETPARG** (Function) 26
- UNIX-USERNAME** (Function) 26
- URAIID 39,41
 commands 40,42
 quit 40,42
- /usr/share/lde 1, 2, B-1
- User IDs, maintaining for access 26
- USERGREETFILES** (Variable) 12,21
- USERNAME** (Function) 26
- V**
- Version
 identifying machine 24
 numbering 33
 numbers 32,35
- VIDEOLOR** (Function) 27
- VIDEORATE** (Function) 27
- VIRTUALKEYBOARD D-2
- Virtual memory
 saving 23,24,25
 saving with URAID 42,44
- VM functions 25
- VMEM.PURE.STATE** (Variable) 25
- VMEMSIZE** (Function) 23,25
- VOLUMES** (Function) D-1
- VOLUMESIZE** (Function) D-1
- VRAID 42,44
- W**
- WRITEDATE** (File Attribute) 38
- X**
- X Windows 16
 Medley window 17
 preparing to run Medley 13,16
 running Medley remotely 16
 starting 17
- XNS Ethernet protocol 2, 8,13
 enabling A-3
- [
- [] 31
- \
- \BeginDST (Variable) 12,22
- \EndDST (Variable) 13,22
- \MY.NSADDRESS (Variable) 24
- \RCLKMILLISECOND (Variable) 28
- {
- {CORE} 31
- {DSK} 26,32,36,38
 special characters 32
 naming conventions 33
- {DSK}INIT. 12,16
- {LPT} 31
- {NULL} 31
- {UNIX} 26,36,37,38
 naming conventions 35
- {UNIX} (Function) 32
- ~
- ~ 32
- ~/ 35,37
- ~/lisp.virtualmem 14,15,22,23
- *
- * 36
- *LONG-SITE-NAME* (Variable) 12,22
- *SHORT-SITE-NAME* (Variable) 12,22
- .
- . 32,37
- .. 32,37
- .cshrc file A-1; 13
- .login file 13
- /
- / 31
- /install.sunosx A-3
- /usr/share/lde 1, 2, B-1
- <
- < 33,35
- >
- > 31