

File created: 7-Apr-2024 09:25:49 {WMEDLEY}<doctools>IMINDEX.;6

edit by: rmk

changes to: (FNS IM.INDEX.PUTFN IM.INDEX.GETFN)

previous date: 4-Apr-2024 23:17:47 {WMEDLEY}<doctools>IMINDEX.;5

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

(RPAQQ IMINDEXCOMS

:: this file contains the functions used for creating and manipulating index image objects

```
(FNS IM.INDEX.CLOSEF IM.INDEX.COPYFN IM.INDEX.CREATEOBJ IM.INDEX.DISPLAY.STRING IM.INDEX.DISPLAYFN
IM.INDEX.EDIT IM.INDEX.LIST.FROM.STRING IM.INDEX.SIZEFN IM.INDEX.STRING.FROM.LIST IM.INDEX.PUTFN
IM.INDEX.GETFN IM.INDEX.BUTTONEVENTFN)
(FNS IM.INDEX.INIT)
(FNS IM.INDEX.MENU IM.INDEX.MENU.WHENSELECTEDFN IM.INDEX.OBJ.FREEMENU.SELECTEDFN)
(INITVARS (IM.INDEX.OBJECT.IMAGEFNS NIL)
          (IM.CHAP.OBJECT.IMAGEFNS NIL)
          (IM.INDEX.BUTTONEVENTFN.MENU NIL)
          [IM.INDEX.OBJECT.DISPLAY.FONT (FONTCREATE ' (MODERN 8 MRR 0 DISPLAY)
          (IM.INDEX.DEFAULT.SUBSEC))
(RECORDS IM.INDEX.DATA)
(VARS IM.INDEX.OBJ.FREEMENU.SPECS)
(COMS ; An image object to set the chapter number, on the TEXTOBJ's
; proplist, on the INDEXING-CHAPTER property.
(FNS IM.CHAP.COPYFN IM.CHAP.CREATEOBJ IM.CHAP.DISPLAYFN IM.CHAP.SIZEFN IM.CHAP.PUTFN IM.CHAP.GETFN
IM.CHAP.BUTTONEVENTFN)
(P (IM.INDEX.INIT)))
```

:: this file contains the functions used for creating and manipulating index image objects

(DEFINEQ

(IM.INDEX.CLOSEF

[LAMBDA (TEXTSTREAM)

; Edited 4-Apr-2024 22:51 by rmk
(* mjs " 4-Aug-86 17:02")

:: Closes the IMINDEX pointer file associated with the textstream TEXTSTREAM. This is called by means of advice to TEDIT.HARDCOPY.

```
(PROG [(PTRFILE (TEXTPROP TEXTSTREAM 'IM.INDEX.PTRFILE)
(if (AND PTRFILE (OPENP PTRFILE))
then (printout PROMPTWINDOW "Closing index pointer file: " (FULLNAME PTRFILE)
"..."
(CLOSEF PTRFILE)
(printout PROMPTWINDOW "done" T])
```

(IM.INDEX.COPYFN

[LAMBDA (OBJ SOURCE TARGET)

(* mjs " 4-Aug-86 16:29")

(IM.INDEX.CREATEOBJ (COPYALL (IMAGEOBJPROP OBJ 'OBJECTDATUM))

(IM.INDEX.CREATEOBJ

[LAMBDA (DATA)

(* mjs " 8-Aug-86 14:46")

```
(IMAGEOBJCREATE (if (type? IM.INDEX.DATA DATA)
then DATA
else (create IM.INDEX.DATA))
(if IM.INDEX.OBJECT.IMAGEFNS
else (SETQ IM.INDEX.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.INDEX.DISPLAYFN)
(FUNCTION IM.INDEX.SIZEFN)
(FUNCTION IM.INDEX.PUTFN)
(FUNCTION IM.INDEX.GETFN)
(FUNCTION IM.INDEX.COPYFN)
(FUNCTION IM.INDEX.BUTTONEVENTFN)
'NIL
'NIL
'NIL
'NIL
'NIL
'NIL
'NIL
'NIL
'NIL
'NIL
'IM.INDEX.OBJECT]))
```

(IM.INDEX.DISPLAY.STRING

[LAMBDA (OBJ)

(* mjs " 5-Aug-86 12:29")

```
(PROG [(NAM (fetch (IM.INDEX.DATA NAME) of (IMAGEOBJPROP OBJ 'OBJECTDATUM)
(RETURN (if (ILESSP (NCHARS NAM)
10)
then NAM
else (CONCAT (SUBATOM NAM 1 7)
```

' |...|])

(IM.INDEX.DISPLAYFN

[LAMBDA (OBJ STREAM STREAMTYPE HOSTSTREAM)

; Edited 4-Apr-2024 23:17 by rmk
; Edited 8-Dec-91 15:12 by jds

:: only print index if you are going to display

```
(COND
  ((DISPLAYSTREAMP STREAM)
   ;; display index by printing name with box around it <code stolen from HELPSYS>
   (DSPFONT IM.INDEX.OBJECT.DISPLAY.FONT STREAM)
   (LET* ((STRING (IM.INDEX.DISPLAY.STRING OBJ))
          (STRING.REGION (STRINGREGION STRING STREAM))
          (LEFT (ADD1 (fetch (REGION LEFT) of STRING.REGION)))
          (BOTTOM (ADD1 (fetch (REGION BOTTOM) of STRING.REGION)))
          (REGION (create REGION
                        LEFT _ LEFT
                        BOTTOM _ BOTTOM
                        HEIGHT _ (IPLUS (fetch (REGION HEIGHT) of STRING.REGION)
                                       2)
                        WIDTH _ (IPLUS (fetch (REGION WIDTH) of STRING.REGION)
                                       4)))
          (TOP (fetch (REGION TOP) of REGION))
          (RIGHT (fetch (REGION RIGHT) of REGION)))
         (CENTERPRINTINREGION STRING REGION STREAM)
         (DRAWLINE LEFT BOTTOM LEFT (SUB1 TOP)
                   1
                   'INVERT STREAM)
         (DRAWLINE LEFT TOP (SUB1 RIGHT)
                   TOP 1 'INVERT STREAM)
         (DRAWLINE RIGHT TOP RIGHT (ADD1 BOTTOM)
                   1
                   'INVERT STREAM)
         (DRAWLINE RIGHT BOTTOM (ADD1 LEFT)
                   BOTTOM 1 'INVERT STREAM)
         (IMAGEOBJPROP OBJ 'REGION REGION)))
    ((AND (BOUNDP 'TEXTOBJ)
          (TYPENAMEP (SETQ HOSTSTREAM TEXTOBJ)
                     'TEXTOBJ)))
```

::: note: have to reset HOSTSTREAM above because Koto Tedit doesn't pass HOSTSTREAM to imageobj displayfn.

```
(PROG ((*READTABLE* *TEDIT-FILE-READTABLE*)
      PTRFILE PTRFILENAME TXTFILE)
  ;; RMK: THIS SHOULD REALLY SAVE THE OPENSTREAM, NOT DEPEND ON ATOMIC FILENAME
  (SETQ PTRFILE (TEXTPROP HOSTSTREAM 'IM.INDEX.PTRFILE))
  (CL:UNLESS (AND PTRFILE (OPENP PTRFILE))
    (SETQ PTRFILENAME (TEXTPROP HOSTSTREAM 'IM.INDEX.PTRFILENAME))
    (CL:UNLESS PTRFILENAME
      (SETQ TXTFILE (fetch (TEXTOBJ TXTFILE) of (TEXTOBJ HOSTSTREAM)))
      [SETQ PTRFILENAME (PACKFILENAME 'EXTENSION 'IMPTR 'VERSION NIL 'BODY (COND
                                                                              (TXTFILE
                                                                               (FULLNAME TXTFILE
                                                                              )
                                                                              )
                                                                              (T 'NONAME])]
      (SETQ PTRFILENAME (PACKFILENAME 'BODY PTRFILENAME 'BODY (DIRECTORYNAME T)))
      (printout PROMPTWINDOW "Opening index pointer file: " PTRFILENAME "...")
      (SETQ PTRFILE (OPENSTREAM PTRFILENAME 'OUTPUT 'NEW))
      (printout PROMPTWINDOW "done" T)
      (TEXTPROP HOSTSTREAM 'IM.INDEX.PTRFILE PTRFILE)
      (TEXTPROP HOSTSTREAM 'AFTERHARDCOPYFN (FUNCTION IM.INDEX.CLOSEF)))
    (replace (IM.INDEX.DATA PAGE#) of (IMAGEOBJPROP OBJ 'OBJECTDATUM) with (fetch (PAGEFORMATTINGSTATE
                                                                              PAGE#)
                                                                              of FORMATTINGSTATE)))
  ;; (OR (FETCH (IM.INDEX.DATA SUBSEC) OF (IMAGEOBJPROP OBJ 'OBJECTDATUM)) (REPLACE (IM.INDEX.DATA SUBSEC) OF
  ;; (IMAGEOBJPROP OBJ 'OBJECTDATUM) WITH (LIST (TEXTPROP HOSTSTREAM 'INDEXING-CHAPTER)))
  ;; for now, always set the chapter/subsection from the document:
  [REPLACE (IM.INDEX.DATA SUBSEC) OF (IMAGEOBJPROP OBJ 'OBJECTDATUM)
   WITH (LIST (TEXTPROP HOSTSTREAM 'INDEXING-CHAPTER)
              (PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
                    PTRFILE)
              (TERPRI PTRFILE])
```

(IM.INDEX.EDIT

[LAMBDA (OBJ TEXTSTREAM)

; Edited 18-Jul-88 14:10 by burns

```
(PROG* ((W (FREEMENU IM.INDEX.OBJ.FREEMENU.SPECS))
        (REGION (WINDOWREGION W))
        [TEDIT.WINDOW (CAR (fetch \WINDOW of (TEXTOBJ TEXTSTREAM)
                                TEDIT.REGION (AND TEDIT.WINDOW (WINDOWREGION TEDIT.WINDOW)))
        OBJ.DATA OBJ.DATA.PROPLIST)
        (WINDOWPROP W 'IM.INDEX.OBJ OBJ)
        (WINDOWPROP W 'IM.INDEX.TEXTSTREAM TEXTSTREAM)
```

```

(SETQ OBJ.DATA (IMAGEOBJPROP OBJ 'OBJECTDATUM))
(SETQ OBJ.DATA.PROPLIST (fetch (IM.INDEX.DATA PROPLIST) of OBJ.DATA))
(for ITEM in (WINDOWPROP W 'FM.ITEMS) when (EQ (FM.ITEMPROP ITEM 'TYPE)
'EDIT)
do (FM.CHANGESTATE ITEM (with IM.INDEX.DATA OBJ.DATA (SELECTQ (FM.ITEMPROP ITEM 'ID)
(IM.INDEX.NAME
NAME)
(IM.INDEX.TYPE
(IM.INDEX.STRING.FROM.LIST TYPE))
(IM.INDEX.TEXT
SAV)
(IM.INDEX.INFO
(IM.INDEX.STRING.FROM.LIST INFO))
(IM.INDEX.SUBSEC
(IM.INDEX.STRING.FROM.LIST SUBSEC))
(IM.INDEX.PAGE
PAGE#)
(IM.INDEX.SUBNAME
(LISTGET OBJ.DATA.PROPLIST
'SUBNAME))
(IM.INDEX.SUBTYPE
(IM.INDEX.STRING.FROM.LIST
(LISTGET OBJ.DATA.PROPLIST
'SUBTYPE)))
(IM.INDEX.SUBTEXT
(LISTGET OBJ.DATA.PROPLIST
'SUBTEXT))
(IM.INDEX.SUBSUBNAME
(LISTGET OBJ.DATA.PROPLIST
'SUBSUBNAME))
(IM.INDEX.SUBSUBTYPE
(IM.INDEX.STRING.FROM.LIST
(LISTGET OBJ.DATA.PROPLIST
'SUBSUBTYPE)))
(IM.INDEX.SUBSUBTEXT
(LISTGET OBJ.DATA.PROPLIST
'SUBSUBTEXT))
NIL))
W))
(AND TEDIT.WINDOW (MOVEW W (MAX (- (fetch (REGION LEFT) of TEDIT.REGION)
(fetch (REGION WIDTH) of REGION))
0)
(MAX (- (fetch (REGION TOP) of TEDIT.REGION)
(fetch (REGION HEIGHT) of REGION))
0)))
(OPENW W])

```

(IM.INDEX.LIST.FROM.STRING

(* mjs " 6-Aug-86 08:21")

```

[LAMBDA (STR)
(if (OR (EQUAL STR "")
(EQUAL STR NIL))
then NIL
else (PROG ((ELIST NIL)
(CLIST NIL)
C)
[for N from 1 to (NCHARS STR) do (SETQ C (NTHCHARCODE STR N))
(if (FMEMB C (CHARCODE (SP TAB CR)))
then (if CLIST
then (SETQ ELIST (CONS (PACKC (DREVERSE CLIST))
ELIST))
(SETQ CLIST NIL))
else (SETQ CLIST (CONS C CLIST))
(RETURN (DREVERSE (if CLIST
then (CONS (PACKC (DREVERSE CLIST))
ELIST)
else ELIST]))

```

(IM.INDEX.SIZEFN

(* mjs " 5-Aug-86 14:49")

```

[LAMBDA (OBJ STREAM CURX RIGHTMARGIN)
(if (DISPLAYSTREAMP STREAM)
then (create IMAGEBOX
XSIZE _ (IPLUS (STRINGWIDTH (IM.INDEX.DISPLAY.STRING OBJ)
IM.INDEX.OBJECT.DISPLAY.FONT)
6)
YSIZE _ (IPLUS (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'HEIGHT)
4)
YDESC _ (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'DESCENT)
XKERN _ 0)
else (create IMAGEBOX
XSIZE _ 0
YSIZE _ 0
YDESC _ 0
XKERN _ 0])

```

(IM.INDEX.STRING.FROM.LIST

```
[LAMBDA (LST) ; (* mjs " 5-Aug-86 16:50")
  (if (NULL LST)
      then ""
      else (CONCATLIST (CDR (for X in LST join (LIST " " X))
```

(IM.INDEX.PUTFN

```
[LAMBDA (OBJ STREAM) ; Edited 7-Apr-2024 09:14 by rmk
; Edited 7-Apr-87 18:44 by jds
  (PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
    STREAM
    (FIND-READTABLE "OLD-INTERLISP-FILE"])
```

(IM.INDEX.GETFN

```
[LAMBDA (FILE TEXTSTREAM) ; Edited 7-Apr-2024 09:14 by rmk
; (* mjs " 4-Aug-86 16:26")
  (IM.INDEX.CREATEOBJ (READ FILE (FIND-READTABLE "OLD-INTERLISP-FILE"])
```

(IM.INDEX.BUTTONEVENTFN

```
[LAMBDA (OBJ WINDOWSTREAM SEL RELX RELY WIN HOSTSTREAM BUTTON) (* mjs " 8-Aug-86 15:23")
  (COND
    ([MENU (COND
      (IM.INDEX.BUTTONEVENTFN.MENU)
      (T (SETQ IM.INDEX.BUTTONEVENTFN.MENU (create MENU
        ITEMS _ ' ((Edit% Index 'Edit% Index "Selecting this
          item will create a window editing
            the contents of this index image
              object."))
        MENUOFFSET _ (CREATEPOSITION -5 -5]
      (IM.INDEX.EDIT OBJ HOSTSTREAM])
    )
  )
```

(DEFINEQ

(IM.INDEX.INIT

```
[LAMBDA NIL ; Edited 8-Dec-91 14:40 by jds
;; Set up the IMAGEFNS for index objects, so that TEdit will know about them.
```

```
[COND
  ((NOT IM.INDEX.OBJECT.IMAGEFNS)
    (SETQ IM.INDEX.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.INDEX.DISPLAYFN)
      (FUNCTION IM.INDEX.SIZEFN)
      (FUNCTION IM.INDEX.PUTFN)
      (FUNCTION IM.INDEX.GETFN)
      (FUNCTION IM.INDEX.COPYFN)
      (FUNCTION IM.INDEX.BUTTONEVENTFN)
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'IM.INDEX.OBJECT])
  )
```

```
[COND
  ((NOT IM.CHAP.OBJECT.IMAGEFNS)
    (SETQ IM.CHAP.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.CHAP.DISPLAYFN)
      (FUNCTION IM.CHAP.SIZEFN)
      (FUNCTION IM.CHAP.PUTFN)
      (FUNCTION IM.CHAP.GETFN)
      (FUNCTION IM.CHAP.COPYFN)
      (FUNCTION IM.CHAP.BUTTONEVENTFN)
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'IM.CHAP.OBJECT])
  )
```

(DEFINEQ

(IM.INDEX.MENU

```
[LAMBDA (WINDOW.OR.REGION) ; Edited 8-Dec-91 15:22 by jds
  (PROG (MENU MENUW)
    (SETQ MENU (create MENU
      ITEMS _ ' ("Index Selection as Term" NIL "Add an index object indexing the current
        selection as a term."
      (>>Add% Type<< NIL "Prompts the user to specify an IM Index type, and adds
        it to the menu")
```


(T (printout PROMPTWINDOW "Current window is not a Tedit textstream." T])

(IM.INDEX.OBJ.FREEMENU.SELECTEDFN

; Edited 18-Jul-88 14:14 by burns

```

[LAMBDA (ITEM WINDOW BUTTONS)
  (SELECTQ (FM.ITEMPROP ITEM 'LABEL)
    (Close% Window
      (CLOSEW WINDOW))
    (Store% Props (PROG* [(STATE (FM.GETSTATE WINDOW))
      (OBJ (WINDOWPROP WINDOW 'IM.INDEX.OBJ))
      (TEXTSTREAM (WINDOWPROP WINDOW 'IM.INDEX.TEXTSTREAM))
      (OBJ.DATA (IMAGEOBJPROP OBJ 'OBJECTDATUM))
      (OBJ.DATA.PROPLIST (fetch (IM.INDEX.DATA PROPLIST) of OBJ.DATA))
      (NAME.CHANGED (NEQ (fetch (IM.INDEX.DATA NAME) of OBJ.DATA)
        (MKATOM (LISTGET STATE 'IM.INDEX.NAME)
          [with IM.INDEX.DATA OBJ.DATA [SETQ NAME (MKATOM (LISTGET STATE 'IM.INDEX.NAME)
            [SETQ TYPE (IM.INDEX.LIST.FROM.STRING (LISTGET STATE 'IM.INDEX.TYPE)
              [SETQ SAV (MKATOM (LISTGET STATE 'IM.INDEX.TEXT)
                [SETQ INFO (IM.INDEX.LIST.FROM.STRING (LISTGET STATE 'IM.INDEX.INFO)
                  [SETQ SUBSEC (SETQ IM.INDEX.DEFAULT.SUBSEC (IM.INDEX.LIST.FROM.STRING
                    (LISTGET STATE 'IM.INDEX.SUBSEC)
                      [SETQ PAGE# (MKATOM (LISTGET STATE 'IM.INDEX.PAGE)
                        [SETQ PROPLIST (LIST 'SUBNAME (MKATOM (LISTGET STATE 'IM.INDEX.SUBNAME))
                          'SUBTYPE
                            (IM.INDEX.LIST.FROM.STRING (LISTGET STATE
                              'IM.INDEX.SUBTYPE))
                                'SUBTEXT
                                  (MKATOM (LISTGET STATE 'IM.INDEX.SUBTEXT))
                                    'SUBSUBNAME
                                      (MKATOM (LISTGET STATE 'IM.INDEX.SUBSUBNAME))
                                        'SUBSUBTYPE
                                          (IM.INDEX.LIST.FROM.STRING (LISTGET STATE
                                            'IM.INDEX.SUBSUBTYPE))
                                              'SUBSUBTEXT
                                                (MKATOM (LISTGET STATE 'IM.INDEX.SUBSUBTEXT)
                                                  (SETQ PROPLIST (for X on PROPLIST by (CDDR X) when (CADR X)
                                                    join (LIST (CAR X)
                                                                (CADR X)
                                                                  (if (AND NAME.CHANGED (TEXTSTREAMP TEXTSTREAM))
                                                                    then (TEDIT.OBJECT.CHANGED TEXTSTREAM OBJ))))
                                                                NIL]))
                )
          (RPAQ? IM.INDEX.OBJECT.IMAGEFNS NIL)
          (RPAQ? IM.CHAP.OBJECT.IMAGEFNS NIL)
          (RPAQ? IM.INDEX.BUTTONEVENTFN.MENU NIL)
          (RPAQ? IM.INDEX.OBJECT.DISPLAY.FONT (FONTCREATE '(MODERN 8 MRR 0 DISPLAY)))
          (RPAQ? IM.INDEX.DEFAULT.SUBSEC )
          (DECLARE%: EVAL@COMPILE
            [RECORD IM.INDEX.DATA (NAME TYPE SAV INFO SUBSEC PAGE# . PROPLIST)
              SUBSEC _ IM.INDEX.DEFAULT.SUBSEC (TYPE? (AND (LISTP DATUM)
                (IGEQ (LENGTH DATUM)
                  6]
            )
          (RPAQ? IM.INDEX.OBJ.FREEMENU.SPECS
            ((TYPE MOMENTARY LABEL Store% Props SELECTEDFN IM.INDEX.OBJ.FREEMENU.SELECTEDFN MESSAGE "Stores property
              values in index image object")
            (TYPE MOMENTARY LABEL Close% Window SELECTEDFN IM.INDEX.OBJ.FREEMENU.SELECTEDFN MESSAGE "Closes IM
              index editor window")
            ((TYPE DISPLAY LABEL " "))
            (TYPE EDITSTART LABEL Name%: ITEMS (IM.INDEX.NAME))
            (TYPE EDIT ID IM.INDEX.NAME LABEL "")
            (TYPE EDITSTART LABEL |Type():| ITEMS (IM.INDEX.TYPE))
            (TYPE EDIT ID IM.INDEX.TYPE LABEL "")
            (TYPE EDITSTART LABEL Text%: ITEMS (IM.INDEX.TEXT))
            (TYPE EDIT ID IM.INDEX.TEXT LABEL "")
            (TYPE EDITSTART LABEL |Info():| ITEMS (IM.INDEX.INFO))
            (TYPE EDIT ID IM.INDEX.INFO LABEL "")
            (TYPE EDITSTART LABEL |SubSub():| ITEMS (IM.INDEX.SUBSEC))
            (TYPE EDIT ID IM.INDEX.SUBSEC LABEL "")
            (TYPE EDITSTART LABEL Page%: ITEMS (IM.INDEX.PAGE))
            (TYPE EDIT ID IM.INDEX.PAGE LABEL "")
            (TYPE EDITSTART LABEL SubName%: ITEMS (IM.INDEX.SUBNAME))
            (TYPE EDIT ID IM.INDEX.SUBNAME LABEL "")
            (TYPE EDITSTART LABEL |SubType():| ITEMS (IM.INDEX.SUBTYPE))
            (TYPE EDIT ID IM.INDEX.SUBTYPE LABEL "")
            (TYPE EDITSTART LABEL SubText%: ITEMS (IM.INDEX.SUBTEXT))
            (TYPE EDIT ID IM.INDEX.SUBTEXT LABEL "")
            (TYPE EDITSTART LABEL SubSubName%: ITEMS (IM.INDEX.SUBSUBNAME))

```

```

(TYPE EDIT ID IM.INDEX.SUBSUBNAME LABEL "")
((TYPE EDITSTART LABEL |SubSubType():| ITEMS (IM.INDEX.SUBSUBTYPE))
(TYPE EDIT ID IM.INDEX.SUBSUBTYPE LABEL ""))
((TYPE EDITSTART LABEL SubSubText%: ITEMS (IM.INDEX.SUBSUBTEXT))
(TYPE EDIT ID IM.INDEX.SUBSUBTEXT LABEL "")))

```

:: An image object to set the chapter number, on the TEXTOBJ's proplist, on the INDEXING-CHAPTER property.

(DEFINEQ

(IM.CHAP.COPYFN

```

[LAMBDA (OBJ SOURCE TARGET) (* mjs " 4-Aug-86 16:29")
  (IM.INDEX.CREATEOBJ (COPYALL (IMAGEOBJPROP OBJ 'OBJECTDATUM))

```

(IM.CHAP.CREATEOBJ

```

[LAMBDA (DATA) ; Edited 8-Dec-91 14:40 by jds
  (IMAGEOBJCREATE DATA (if IM.CHAP.OBJECT.IMAGEFNS
    else (SETQ IM.CHAP.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.CHAP.DISPLAYFN)
      (FUNCTION IM.CHAP.SIZEFN)
      (FUNCTION IM.CHAP.PUTFN)
      (FUNCTION IM.CHAP.GETFN)
      (FUNCTION IM.CHAP.COPYFN)
      (FUNCTION IM.CHAP.BUTTONEVENTFN)
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'NIL
      'IM.CHAP.OBJECT]))

```

(IM.CHAP.DISPLAYFN

```

[LAMBDA (OBJ STREAM STREAMTYPE HOSTSTREAM) ; Edited 12-Feb-92 12:28 by jds

```

:: only print CHAPTER MARKER if you are going to display

```

(COND
  ((DISPLAYSTREAMP STREAM)
    ;; display index by printing name with box around it <code stolen from HELPSYS>
    (DSPFONT IM.INDEX.OBJECT.DISPLAY.FONT STREAM)
    (LET* ([STRING (CONCAT "CHAPTER " (MKSTRING (IMAGEOBJPROP OBJ 'OBJECTDATUM)
      (STRING.REGION (STRINGREGION STRING STREAM))
      (LEFT (ADD1 (fetch (REGION LEFT) of STRING.REGION)))
      (BOTTOM (ADD1 (fetch (REGION BOTTOM) of STRING.REGION)))
      (REGION (create REGION
        LEFT _ LEFT
        BOTTOM _ BOTTOM
        HEIGHT _ (IPLUS (fetch (REGION HEIGHT) of STRING.REGION)
          2)
        WIDTH _ (IPLUS (fetch (REGION WIDTH) of STRING.REGION)
          4))
      (TOP (fetch (REGION TOP) of REGION))
      (RIGHT (fetch (REGION RIGHT) of REGION)))
      (CENTERPRINTINREGION STRING REGION STREAM)
      (DRAWLINE LEFT BOTTOM LEFT (SUB1 TOP)
        1
        'INVERT STREAM)
      (DRAWLINE LEFT TOP (SUB1 RIGHT)
        TOP 1 'INVERT STREAM)
      (DRAWLINE RIGHT TOP RIGHT (ADD1 BOTTOM)
        1
        'INVERT STREAM)
      (DRAWLINE RIGHT BOTTOM (ADD1 LEFT)
        BOTTOM 1 'INVERT STREAM)
      (IMAGEOBJPROP OBJ 'REGION REGION)))
    (T ;; HARDCOPYING; DO NOTHING BUT SET
      (TEXTPROP (TEXTOBJ (OR HOSTSTREAM TEXTOBJ))
        'INDEXING-CHAPTER
        (IMAGEOBJPROP OBJ 'OBJECTDATUM))

```

(IM.CHAP.SIZEFN

```

[LAMBDA (OBJ STREAM CURX RIGHTMARGIN) ; Edited 8-Dec-91 14:38 by jds
  (if (DISPLAYSTREAMP STREAM)
    then (create IMAGEBOX
      XSIZE _ (IPLUS (STRINGWIDTH [CONCAT "CHAPTER " (MKSTRING (IMAGEOBJPROP OBJ 'OBJECTDATUM)
        IM.INDEX.OBJECT.DISPLAY.FONT)
        6)
      YSIZE _ (IPLUS (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'HEIGHT)
        4)
      YDESC _ (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'DESCENT)
      XKERN _ 0)
    else (create IMAGEBOX

```

```
XSIZE _ 0
Ysize _ 0
YDESC _ 0
XKERN _ 0])
```

(IM.CHAP.PUTFN

```
[LAMBDA (OBJ STREAM)
  (PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
    STREAM])
```

; Edited 7-Apr-87 18:44 by jds

(IM.CHAP.GETFN

```
[LAMBDA (FILE TEXTSTREAM)
  (IM.CHAP.CREATEOBJ (READ FILE])
```

; Edited 8-Dec-91 14:40 by jds

(IM.CHAP.BUTTONEVENTFN

```
[LAMBDA (OBJ WINDOWSTREAM SEL RELX RELY WIN HOSTSTREAM BUTTON) ; Edited 8-Dec-91 14:40 by jds
  T])
```

)

(IM.INDEX.INIT)

FUNCTION INDEX

IM.CHAP.BUTTONEVENTFN	8	IM.INDEX.CLOSEF	1	IM.INDEX.LIST.FROM.STRING	3
IM.CHAP.COPYFN	7	IM.INDEX.COPYFN	1	IM.INDEX.MENU	4
IM.CHAP.CREATEOBJ	7	IM.INDEX.CREATEOBJ	1	IM.INDEX.MENU.WHENSELECTEDFN	5
IM.CHAP.DISPLAYFN	7	IM.INDEX.DISPLAY.STRING	1	IM.INDEX.OBJ.FREEMENU.SELECTEDFN	6
IM.CHAP.GETFN	8	IM.INDEX.DISPLAYFN	2	IM.INDEX.PUTFN	4
IM.CHAP.PUTFN	8	IM.INDEX.EDIT	2	IM.INDEX.SIZEFN	3
IM.CHAP.SIZEFN	7	IM.INDEX.GETFN	4	IM.INDEX.STRING.FROM.LIST	4
IM.INDEX.BUTTONEVENTFN	4	IM.INDEX.INIT	4		

VARIABLE INDEX

IM.CHAP.OBJECT.IMAGEFNS	6	IM.INDEX.DEFAULT.SUBSEC	6	IM.INDEX.OBJECT.DISPLAY.FONT	6
IM.INDEX.BUTTONEVENTFN.MENU	6	IM.INDEX.OBJ.FREEMENU.SPECS	6	IM.INDEX.OBJECT.IMAGEFNS	6

RECORD INDEX

IM.INDEX.DATA	6
---------------------	---
