

# CASH-FILE

---

Cash-File is a front end to Hash-File which uses a hash table to cache accesses to hash files. This can provide a significant performance improvement in applications which access a small number of keys repeatedly. For example, the Where-Is library module uses this module to achieve acceptable interactive performance.

Cash-File is similar to but not compatible with the LispUsers' module, HASHBUFFER.

All of the code for Cash-File is in a package called Cash-File. Throughout this document Lisp symbols are printed as though in a package which uses the packages Cash-File, Hash-File, and Lisp.

## Installation

---

Load `CASH-FILE.DFASL` and `HASH-FILE.DFASL` from the library.

## Functions

---

The functional interface is designed to closely resemble that of Hash-File, which was in turn designed to resemble the Common Lisp hash table facility.

`(make-cash-file file-name size cache-size)` [Function]

Creates and returns an empty cash file in *file-name*. *Size* is passed as the *size* argument to `make-hash-file`, while *cache-size* is passed as the *size* argument to `make-hash-table` and determines the maximum number of entries to be cached.

`(get-cash-file key cash-file &optional default)` [Function]

Just like `get-hash-file` and `gethash`. Retrieves the value stored under *key* in *cash-file* or *default* if there is none. Also returns a second value which is true if a value was found for *key*.

A `setf` method is also defined for `get-cash-file`.

`(open-cash-file file-name cache-size &key direction)` [Function]

Open the existing hash file in *file-name* in *direction* (`:input` or `:io`). *Cache-size* is passed as the *size* argument to `make-hash-table` and determines the maximum number of entries which will ever be cached.

`(rem-cash-file key cash-file)` [Function]

Like `rem-hash-file` and `remhash`. Deletes *key* from the hash file and the cache. Returns true if and only if there was a value stored under *key*.

`(cash-file-p object)` [Function]

Returns true if and only if *object* is a cash file.

`(cash-file-p object)`  $\equiv$  `(typep object 'cash-file)`

(cash-file-hash-file *cash-file*)

[Function]

Returns the hash file object to which *cash-file* is a front end.

There are no cash file specific equivalents for `close-hash-file`, `map-hash-file` and `hash-file-count`. For these use the hash file functions on the `cash-file-hash-file`.

## Implementation Notes

---

A queue is maintained to enable cache deletion when the cache is full. This queue is implemented as a list. Each time a key is accessed, it is moved to the head of the queue. The last element of the queue is deleted when a new key is accessed and the queue is full.

## Limitations

---

The cache time is not constant but grows linearly with the size of the cache. For this reason, huge caches are not recommended.

[This page intentionally left blank]