

File created: 11-Jun-90 16:42:16 {DSK}<usr>local>lde>lispcore>library>LOAD-SKETCH.;2

changes to: (VARS LOAD-SKETCHCOMS)

previous date: 10-May-88 15:04:43 {DSK}<usr>local>lde>lispcore>library>LOAD-SKETCH.;1

Read Table: XCL

Package: INTERLISP

Format: XCCS

; Copyright (c) 1988, 1990 by Venue & Xerox Corporation. All rights reserved.

```
(RPAQQ LOAD-SKETCHCOMS ( ;; file that loads Sketch from multiple floppies
                        (FNS LOAD-SKETCH)
                        (P (LOAD-SKETCH))))
```

;; file that loads Sketch from multiple floppies

```
(DEFINEQ
```

```
(LOAD-SKETCH
```

```
(LAMBDA NIL
```

```
; Edited 10-May-88 15:04 by jds
```

```
;; function that loads sketch from multiple floppies. Floppy 1 should contain SKETCHBMELT SKETCHEDIT SKETCHOPS SCALEBITMAP
;; MATMULT. Floppy 2 should contain SKETCH SKETCHEDIT and SKETCHOBJ
```

```
(FILESLOAD SKETCHBMELT SKETCHEDIT SKETCHOPS MATMULT)
(PRIN1 "Please put in the second Sketch floppy ..." T)
(UNTIL (OR (INFILEP 'SKETCH.LCOM)
           (INFILEP 'SKETCH.DFASL))
       DO (DISMISS 3000))
(TERPRI T)
(FILESLOAD SKETCH))
```

```
)
```

```
(LOAD-SKETCH
```

```
(PUTPROPS LOAD-SKETCH COPYRIGHT ("Venue & Xerox Corporation" 1988 1990))
```

FUNCTION INDEX

LOAD-SKETCH1
