

File created: 12-Jun-90 10:07:44 {DSK}<usr>local>lde>lispcore>library>MATMULT.;2

changes to: (VARS MATMULTCOMS)

previous date: 22-Apr-87 09:55:51 {DSK}<usr>local>lde>lispcore>library>MATMULT.;1

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

;;
;; Copyright (c) 1985, 1986, 1987, 1990 by Venue & Xerox Corporation. All rights reserved.

(RPAQQ **MATMULTCOMS**
(

;;; User entry points

```
(DECLARE%: DONTCOPY DOEVAL@COMPILE (FILES FLOAT-ARRAY-SUPPORT))
(FUNCTIONS %%MATMULT-N33 %%MATMULT-N44 DEGREES-TO-RADIANS IDENTITY-3-BY-3 IDENTITY-4-BY-4
  MAKE-HOMOGENEOUS-3-BY-3 MAKE-HOMOGENEOUS-3-VECTOR MAKE-HOMOGENEOUS-4-BY-4
  MAKE-HOMOGENEOUS-4-VECTOR MAKE-HOMOGENEOUS-N-BY-3 MAKE-HOMOGENEOUS-N-BY-4 MATMULT-133 MATMULT-144
  MATMULT-331 MATMULT-333 MATMULT-441 MATMULT-444 MATMULT-N33 MATMULT-N44 PERSPECTIVE-4-BY-4
  PROJECT-AND-FIX-3-VECTOR PROJECT-AND-FIX-4-VECTOR PROJECT-AND-FIX-N-BY-3 PROJECT-AND-FIX-N-BY-4
  ROTATE-3-BY-3 ROTATE-4-BY-4-ABOUT-X ROTATE-4-BY-4-ABOUT-Y ROTATE-4-BY-4-ABOUT-Z SCALE-3-BY-3
  SCALE-4-BY-4 TRANSLATE-3-BY-3 TRANSLATE-4-BY-4)
```

;;; Compiler options

```
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY (LOCALVARS . T))
(PROP FILETYPE MATMULT))
```

;;; User entry points

```
(DECLARE%: DONTCOPY DOEVAL@COMPILE
(FILESLoad FLOAT-ARRAY-SUPPORT)
)
```

```
(DEFMACRO %%MATMULT-N33 (N A-BASE B-BASE RESULT-BASE)
  `(CL:DO ((I 0 (CL:1+ I))
    (SOURCE-BASE ,A-BASE (\ADDBASE SOURCE-BASE 6))
    (DEST-BASE ,RESULT-BASE (\ADDBASE DEST-BASE 6))
    (MATRIX-BASE ,B-BASE))
    ((EQ I ,N))
    (%%MATMULT-133 SOURCE-BASE MATRIX-BASE DEST-BASE)))
```

```
(DEFMACRO %%MATMULT-N44 (N A-BASE B-BASE RESULT-BASE)
  `(CL:DO ((I 0 (CL:1+ I))
    (SOURCE-BASE ,A-BASE (\ADDBASE SOURCE-BASE 8))
    (DEST-BASE ,RESULT-BASE (\ADDBASE DEST-BASE 8))
    (MATRIX-BASE ,B-BASE))
    ((EQ I ,N))
    (%%MATMULT-144 SOURCE-BASE MATRIX-BASE DEST-BASE)))
```

```
(CL:DEFUN DEGREES-TO-RADIANS (DEGREES)
  (CL:* (FLOAT DEGREES)
    (CONSTANT (/ CL:PI 180.0))))
```

```
(CL:DEFUN IDENTITY-3-BY-3 (&OPTIONAL RESULT)
  (LET [(MATRIX (%%INSURE-ARRAY RESULT (3 3)
    (FILL-ARRAY MATRIX 0.0)
    (CL:DOTIMES (I 3)
      (ASET 1.0 MATRIX I I))
    MATRIX))
```

```
(CL:DEFUN IDENTITY-4-BY-4 (&OPTIONAL RESULT)
  (LET [(MATRIX (%%INSURE-ARRAY RESULT (4 4)
    (FILL-ARRAY MATRIX 0.0)
    (CL:DOTIMES (I 4)
      (ASET 1.0 MATRIX I I))
    MATRIX))
```

```
(CL:DEFUN MAKE-HOMOGENEOUS-3-BY-3 (&KEY A00 A01 A10 A11 A20 A21)
  (LET [(MATRIX (CL:MAKE-ARRAY ' (3 3)
    :ELEMENT-TYPE
```

```

      'CL:SINGLE-FLOAT]
(CL:IF A00
  (ASET (FLOAT A00)
    MATRIX 0 0))
(CL:IF A01
  (ASET (FLOAT A01)
    MATRIX 0 1))
(CL:IF A10
  (ASET (FLOAT A10)
    MATRIX 1 0))
(CL:IF A11
  (ASET (FLOAT A11)
    MATRIX 1 1))
(CL:IF A20
  (ASET (FLOAT A20)
    MATRIX 2 0))
(CL:IF A21
  (ASET (FLOAT A21)
    MATRIX 2 1))
(ASET 1.0 MATRIX 2 2)
MATRIX))

```

```

(CL:DEFUN MAKE-HOMOGENEOUS-3-VECTOR (&OPTIONAL X Y)
  (LET [(V (MAKE-VECTOR 3 :ELEMENT-TYPE 'CL:SINGLE-FLOAT]
    (CL:IF X
      (ASET (FLOAT X)
        V 0))
    (CL:IF Y
      (ASET (FLOAT Y)
        V 1))
    (ASET 1.0 V 2)
    V))

```

```

(CL:DEFUN MAKE-HOMOGENEOUS-4-BY-4 (&KEY A00 A01 A02 A03 A10 A11 A12 A13 A20 A21 A22 A23 A30 A31 A32)
  (LET [(MATRIX (CL:MAKE-ARRAY '(4 4)
    :ELEMENT-TYPE
    'CL:SINGLE-FLOAT]
    (CL:IF A00
      (ASET (FLOAT A00)
        MATRIX 0 0))
    (CL:IF A01
      (ASET (FLOAT A01)
        MATRIX 0 1))
    (CL:IF A02
      (ASET (FLOAT A02)
        MATRIX 0 2))
    (CL:IF A03
      (ASET (FLOAT A03)
        MATRIX 0 3))
    (CL:IF A10
      (ASET (FLOAT A10)
        MATRIX 1 0))
    (CL:IF A11
      (ASET (FLOAT A11)
        MATRIX 1 1))
    (CL:IF A12
      (ASET (FLOAT A12)
        MATRIX 1 2))
    (CL:IF A13
      (ASET (FLOAT A13)
        MATRIX 1 3))
    (CL:IF A20
      (ASET (FLOAT A20)
        MATRIX 2 0))
    (CL:IF A21
      (ASET (FLOAT A21)
        MATRIX 2 1))
    (CL:IF A22
      (ASET (FLOAT A22)
        MATRIX 2 2))
    (CL:IF A23
      (ASET (FLOAT A23)
        MATRIX 2 3))
    (CL:IF A30
      (ASET (FLOAT A30)
        MATRIX 3 0))
    (CL:IF A31
      (ASET (FLOAT A31)
        MATRIX 3 1))
    (CL:IF A32
      (ASET (FLOAT A32)
        MATRIX 3 2))
    (ASET 1.0 MATRIX 3 3)
    MATRIX))

```

```
(CL:DEFUN MAKE-HOMOGENEOUS-4-VECTOR (&OPTIONAL X Y Z)
  (LET [(V (MAKE-VECTOR 4 :ELEMENT-TYPE 'CL:SINGLE-FLOAT)
    (CL:IF X
      (ASET (FLOAT X)
        V 0))
    (CL:IF Y
      (ASET (FLOAT Y)
        V 1))
    (CL:IF Z
      (ASET (FLOAT Z)
        V 2))
    (ASET 1.0 V 3)
    V))
```

```
(CL:DEFUN MAKE-HOMOGENEOUS-N-BY-3 (N &KEY INITIAL-ELEMENT)
  (LET [(MATRIX (CL:MAKE-ARRAY (LIST N 3)
    :ELEMENT-TYPE
    'CL:SINGLE-FLOAT)
    (CL:IF INITIAL-ELEMENT
      (FILL-ARRAY MATRIX (FLOAT INITIAL-ELEMENT)))
    (CL:DOTIMES (I N)
      (ASET 1.0 MATRIX I 2))
    MATRIX))
```

```
(CL:DEFUN MAKE-HOMOGENEOUS-N-BY-4 (N &KEY INITIAL-ELEMENT)
  (LET [(MATRIX (CL:MAKE-ARRAY (LIST N 4)
    :ELEMENT-TYPE
    'CL:SINGLE-FLOAT)
    (CL:IF INITIAL-ELEMENT
      (FILL-ARRAY MATRIX (FLOAT INITIAL-ELEMENT)))
    (CL:DOTIMES (I N)
      (ASET 1.0 MATRIX I 3))
    MATRIX))
```

```
(CL:DEFUN MATMULT-133 (VECTOR MATRIX &OPTIONAL RESULT)
  (%%TEST-ARRAY VECTOR (3))
  (%%TEST-ARRAY MATRIX (3 3))
  (SETQ RESULT (%%INSURE-ARRAY RESULT (3)))
  (CL:IF (EQ VECTOR RESULT)
    (CL:ERROR "Results undefined if VECTOR reused"))
  (%%MATMULT-133 (%%GET-FLOAT-ARRAY-BASE VECTOR)
    (%%GET-FLOAT-ARRAY-BASE MATRIX)
    (%%GET-FLOAT-ARRAY-BASE RESULT))
  RESULT)
```

```
(CL:DEFUN MATMULT-144 (VECTOR MATRIX &OPTIONAL RESULT)
  (%%TEST-ARRAY VECTOR (4))
  (%%TEST-ARRAY MATRIX (4 4))
  (SETQ RESULT (%%INSURE-ARRAY RESULT (4)))
  (CL:IF (EQ VECTOR RESULT)
    (CL:ERROR "Results undefined if VECTOR reused"))
  (%%MATMULT-144 (%%GET-FLOAT-ARRAY-BASE VECTOR)
    (%%GET-FLOAT-ARRAY-BASE MATRIX)
    (%%GET-FLOAT-ARRAY-BASE RESULT))
  RESULT)
```

```
(CL:DEFUN MATMULT-331 (MATRIX VECTOR &OPTIONAL RESULT)
  (%%TEST-ARRAY MATRIX (3 3))
  (%%TEST-ARRAY VECTOR (3))
  (SETQ RESULT (%%INSURE-ARRAY RESULT (3)))
  (CL:IF (EQ MATRIX RESULT)
    (CL:ERROR "Results undefined if MATRIX reused"))
  (%%MATMULT-331 (%%GET-FLOAT-ARRAY-BASE MATRIX)
    (%%GET-FLOAT-ARRAY-BASE VECTOR)
    (%%GET-FLOAT-ARRAY-BASE RESULT))
  RESULT)
```

```
(CL:DEFUN MATMULT-333 (MATRIX-1 MATRIX-2 &OPTIONAL RESULT)
  (%%TEST-ARRAY MATRIX-1 (3 3))
  (%%TEST-ARRAY MATRIX-2 (3 3))
  (SETQ RESULT (%%INSURE-ARRAY RESULT (3 3)))
  (CL:IF (EQ MATRIX-1 RESULT)
    (CL:ERROR "Results undefined if MATRIX-1 reused"))
  (%%MATMULT-333 (%%GET-FLOAT-ARRAY-BASE MATRIX-1)
    (%%GET-FLOAT-ARRAY-BASE MATRIX-2)
    (%%GET-FLOAT-ARRAY-BASE RESULT))
  RESULT)
```

```
(CL:DEFUN MATMULT-441 (MATRIX VECTOR &OPTIONAL RESULT)
```

```
(%TEST-ARRAY MATRIX (4 4))
(%TEST-ARRAY VECTOR (4))
(SETQ RESULT (%INSURE-ARRAY RESULT (4)))
(CL:IF (EQ MATRIX RESULT)
  (CL:ERROR "Results undefined if MATRIX reused"))
(%MATMULT-441 (%GET-FLOAT-ARRAY-BASE MATRIX)
  (%GET-FLOAT-ARRAY-BASE VECTOR)
  (%GET-FLOAT-ARRAY-BASE RESULT))
RESULT)
```

```
(CL:DEFUN MATMULT-444 (MATRIX-1 MATRIX-2 &OPTIONAL RESULT)
  (%TEST-ARRAY MATRIX-1 (4 4))
  (%TEST-ARRAY MATRIX-2 (4 4))
  (SETQ RESULT (%INSURE-ARRAY RESULT (4 4)))
  (CL:IF (EQ MATRIX-1 RESULT)
    (CL:ERROR "Results undefined if MATRIX-1 reused"))
  (%MATMULT-444 (%GET-FLOAT-ARRAY-BASE MATRIX-1)
    (%GET-FLOAT-ARRAY-BASE MATRIX-2)
    (%GET-FLOAT-ARRAY-BASE RESULT))
  RESULT)
```

```
(CL:DEFUN MATMULT-N33 (MATRIX-1 MATRIX-2 &OPTIONAL RESULT)
  (%TEST-ARRAY MATRIX-1 (CL:* 3))
  (%TEST-ARRAY MATRIX-2 (3 3))
  (SETQ RESULT (%INSURE-ARRAY RESULT (CL:* 3)
    (CL:ARRAY-DIMENSIONS MATRIX-1)))
  (CL:IF (EQ MATRIX-1 RESULT)
    (CL:ERROR "Results undefined if MATRIX-1 reused"))
  (LET ((N (CL:ARRAY-DIMENSION MATRIX-1 0)))
    (CL:IF (NOT (EQ N (CL:ARRAY-DIMENSION RESULT 0)))
      (CL:ERROR "Dimensional mismatch")))
    (%MATMULT-N33 N (%GET-FLOAT-ARRAY-BASE MATRIX-1)
      (%GET-FLOAT-ARRAY-BASE MATRIX-2)
      (%GET-FLOAT-ARRAY-BASE RESULT))
    RESULT))
```

```
(CL:DEFUN MATMULT-N44 (MATRIX-1 MATRIX-2 &OPTIONAL RESULT)
  (%TEST-ARRAY MATRIX-1 (CL:* 4))
  (%TEST-ARRAY MATRIX-2 (4 4))
  (SETQ RESULT (%INSURE-ARRAY RESULT (CL:* 4)
    (CL:ARRAY-DIMENSIONS MATRIX-1)))
  (CL:IF (EQ MATRIX-1 RESULT)
    (CL:ERROR "Results undefined if MATRIX-1 reused"))
  (LET ((N (CL:ARRAY-DIMENSION MATRIX-1 0)))
    (CL:IF (NOT (EQ N (CL:ARRAY-DIMENSION RESULT 0)))
      (CL:ERROR "Dimensional mismatch")))
    (%MATMULT-N44 N (%GET-FLOAT-ARRAY-BASE MATRIX-1)
      (%GET-FLOAT-ARRAY-BASE MATRIX-2)
      (%GET-FLOAT-ARRAY-BASE RESULT))
    RESULT))
```

```
(CL:DEFUN PERSPECTIVE-4-BY-4 (PX PY PZ &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-4-BY-4 RESULT)))
    (ASET (FLOAT PX)
      MATRIX 0 3)
    (ASET (FLOAT PY)
      MATRIX 1 3)
    (ASET (FLOAT PZ)
      MATRIX 2 3)
    MATRIX))
```

```
(CL:DEFUN PROJECT-AND-FIX-3-VECTOR (3-VECTOR &OPTIONAL 2-VECTOR)
  (%TEST-ARRAY 3-VECTOR (3))
  (COND
    [(NULL 2-VECTOR)
      (SETQ 2-VECTOR (CL:MAKE-ARRAY ' (2)
        ([NOT (TYPEP 2-VECTOR ' (CL:ARRAY CL:* (2)
          (CL:ERROR "Not a 2 vector: ~s" 2-VECTOR)))))
      (LET ((3-VECTOR-BASE (%GET-FLOAT-ARRAY-BASE 3-VECTOR)))
        (CL:DOTIMES (J 2)
          (ASET (UFIX (\GETBASEFLOATP 3-VECTOR-BASE (LLSH J 1)))
            2-VECTOR J))
          2-VECTOR))
    ]
```

```
(CL:DEFUN PROJECT-AND-FIX-4-VECTOR (4-VECTOR &OPTIONAL 2-VECTOR)
  (%TEST-ARRAY 4-VECTOR (4))
  (COND
    [(NULL 2-VECTOR)
      (SETQ 2-VECTOR (CL:MAKE-ARRAY ' (2)
        ([NOT (TYPEP 2-VECTOR ' (CL:ARRAY CL:* (2)
          (CL:ERROR "Not a 2 vector: ~s" 2-VECTOR)))))
    ]
```

```
(LET* ((4-VECTOR-BASE (%GET-FLOAT-ARRAY-BASE 4-VECTOR))
      (DIVISOR (\GETBASEFLOATP 4-VECTOR-BASE 6)))
  (DECLARE (TYPE FLOATP DIVISOR))
  (CL:IF (UFEQP DIVISOR 1.0)
    (CL:DOTIMES (J 2)
      (ASET (UFIX (\GETBASEFLOATP 4-VECTOR-BASE (LLSH J 1)))
        2-VECTOR J))
    (CL:DOTIMES (J 2)
      (ASET (UFIX (FQUOTIENT (\GETBASEFLOATP 4-VECTOR-BASE (LLSH J 1))
        DIVISOR))
        2-VECTOR J)))
  2-VECTOR))
```

```
(CL:DEFUN PROJECT-AND-FIX-N-BY-3 (N-3-MATRIX &OPTIONAL N-2-MATRIX)
  (%%TEST-ARRAY N-3-MATRIX (CL:* 3))
  (COND
    [(NULL N-2-MATRIX)
      (SETQ N-2-MATRIX (CL:MAKE-ARRAY (LIST (CL:ARRAY-DIMENSION N-3-MATRIX 0)
        2]
      ([NOT (TYPEP N-2-MATRIX '(CL:ARRAY CL:* (CL:* 2]
        (CL:ERROR "Not an N by 2 array: ~s" N-2-MATRIX)))
      (LET ((N (CL:ARRAY-DIMENSION N-3-MATRIX 0)))
        (CL:IF (NOT (EQ N (CL:ARRAY-DIMENSION N-2-MATRIX 0)))
          (CL:ERROR "Dimensional mismatch"))
          (CL:DO ((I 0 (CL:1+ I))
            (N-3-BASE (%GET-FLOAT-ARRAY-BASE N-3-MATRIX)
              (\ADDBASE N-3-BASE 6)))
            ((EQ I N))
            (CL:DOTIMES (J 2)
              (ASET (UFIX (\GETBASEFLOATP N-3-BASE (LLSH J 1)))
                N-2-MATRIX I J)))
          N-2-MATRIX))
```

```
(CL:DEFUN PROJECT-AND-FIX-N-BY-4 (N-4-MATRIX &OPTIONAL N-2-MATRIX)
  (%%TEST-ARRAY N-4-MATRIX (CL:* 4))
  (COND
    [(NULL N-2-MATRIX)
      (SETQ N-2-MATRIX (CL:MAKE-ARRAY (LIST (CL:ARRAY-DIMENSION N-4-MATRIX 0)
        2]
      ([NOT (TYPEP N-2-MATRIX '(CL:ARRAY CL:* (CL:* 2]
        (CL:ERROR "Not an N by 2 array: ~s" N-2-MATRIX)))
      (LET ((N (CL:ARRAY-DIMENSION N-4-MATRIX 0)))
        (CL:IF (NOT (EQ N (CL:ARRAY-DIMENSION N-2-MATRIX 0)))
          (CL:ERROR "Dimensional mismatch"))
          (CL:DO ((I 0 (CL:1+ I))
            (N-4-BASE (%GET-FLOAT-ARRAY-BASE N-4-MATRIX)
              (\ADDBASE N-4-BASE 8)))
            ((EQ I N))
            [LET ((DIVISOR (\GETBASEFLOATP N-4-BASE 6)))
              (DECLARE (TYPE FLOATP DIVISOR))
              (CL:IF (UFEQP DIVISOR 1.0)
                (CL:DOTIMES (J 2)
                  (ASET (UFIX (\GETBASEFLOATP N-4-BASE (LLSH J 1)))
                    N-2-MATRIX I J))
                (CL:DOTIMES (J 2)
                  (ASET (UFIX (FQUOTIENT (\GETBASEFLOATP N-4-BASE (LLSH J 1))
                    DIVISOR))
                    N-2-MATRIX I J))))])
          N-2-MATRIX))
```

```
(CL:DEFUN ROTATE-3-BY-3 (RADIANS &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-3-BY-3 RESULT))
        (COSPHI (CL:COS RADIANS))
        (SINPHI (CL:SIN RADIANS)))
    (ASET COSPHI MATRIX 0 0)
    (ASET (- SINPHI)
      MATRIX 0 1)
    (ASET SINPHI MATRIX 1 0)
    (ASET COSPHI MATRIX 1 1)
    MATRIX))
```

```
(CL:DEFUN ROTATE-4-BY-4-ABOUT-X (RADIANS &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-4-BY-4 RESULT))
        (COSPHI (CL:COS RADIANS))
        (SINPHI (CL:SIN RADIANS)))
    (ASET COSPHI MATRIX 1 1)
    (ASET (- SINPHI)
      MATRIX 1 2)
    (ASET SINPHI MATRIX 2 1)
    (ASET COSPHI MATRIX 2 2)
    MATRIX))
```

```
(CL:DEFUN ROTATE-4-BY-4-ABOUT-Y (RADIANS &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-4-BY-4 RESULT))
        (COSPHI (CL:COS RADIANS))
        (SINPHI (CL:SIN RADIANS)))
    (ASET COSPHI MATRIX 0 0)
    (ASET (- SINPHI
           MATRIX 2 0)
          (ASET SINPHI MATRIX 0 2)
          (ASET COSPHI MATRIX 2 2)
          MATRIX))
```

```
(CL:DEFUN ROTATE-4-BY-4-ABOUT-Z (RADIANS &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-4-BY-4 RESULT))
        (COSPHI (CL:COS RADIANS))
        (SINPHI (CL:SIN RADIANS)))
    (ASET COSPHI MATRIX 0 0)
    (ASET (- SINPHI
           MATRIX 0 1)
          (ASET SINPHI MATRIX 1 0)
          (ASET COSPHI MATRIX 1 1)
          MATRIX))
```

```
(CL:DEFUN SCALE-3-BY-3 (SX SY &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-3-BY-3 RESULT))
        (ASET (FLOAT SX)
              MATRIX 0 0)
        (ASET (FLOAT SY)
              MATRIX 1 1)
        MATRIX))
```

```
(CL:DEFUN SCALE-4-BY-4 (SX SY SZ &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-4-BY-4 RESULT))
        (ASET (FLOAT SX)
              MATRIX 0 0)
        (ASET (FLOAT SY)
              MATRIX 1 1)
        (ASET (FLOAT SZ)
              MATRIX 2 2)
        MATRIX))
```

```
(CL:DEFUN TRANSLATE-3-BY-3 (TX TY &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-3-BY-3 RESULT))
        (ASET (FLOAT TX)
              MATRIX 2 0)
        (ASET (FLOAT TY)
              MATRIX 2 1)
        MATRIX))
```

```
(CL:DEFUN TRANSLATE-4-BY-4 (TX TY TZ &OPTIONAL RESULT)
  (LET ((MATRIX (IDENTITY-4-BY-4 RESULT))
        (ASET (FLOAT TX)
              MATRIX 3 0)
        (ASET (FLOAT TY)
              MATRIX 3 1)
        (ASET (FLOAT TZ)
              MATRIX 3 2)
        MATRIX))
```

;;; Compiler options

```
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY
```

```
(DECLARE%: DOEVAL@COMPILE DONTCOPY
```

```
(LOCALVARS . T)
```

```
)
```

```
(PUTPROPS MATMULT FILETYPE CL:COMPILE-FILE)
```

```
(PUTPROPS MATMULT COPYRIGHT ("Venue & Xerox Corporation" 1985 1986 1987 1990))
```

FUNCTION INDEX

DEGREES-TO-RADIANS	1	MATMULT-144	3	PROJECT-AND-FIX-N-BY-3	5
IDENTITY-3-BY-3	1	MATMULT-331	3	PROJECT-AND-FIX-N-BY-4	5
IDENTITY-4-BY-4	1	MATMULT-333	3	ROTATE-3-BY-3	5
MAKE-HOMOGENEOUS-3-BY-3	1	MATMULT-441	3	ROTATE-4-BY-4-ABOUT-X	5
MAKE-HOMOGENEOUS-3-VECTOR	2	MATMULT-444	4	ROTATE-4-BY-4-ABOUT-Y	6
MAKE-HOMOGENEOUS-4-BY-4	2	MATMULT-N33	4	ROTATE-4-BY-4-ABOUT-Z	6
MAKE-HOMOGENEOUS-4-VECTOR	3	MATMULT-N44	4	SCALE-3-BY-3	6
MAKE-HOMOGENEOUS-N-BY-3	3	PERSPECTIVE-4-BY-4	4	SCALE-4-BY-4	6
MAKE-HOMOGENEOUS-N-BY-4	3	PROJECT-AND-FIX-3-VECTOR	4	TRANSLATE-3-BY-3	6
MATMULT-133	3	PROJECT-AND-FIX-4-VECTOR	4	TRANSLATE-4-BY-4	6

MACRO INDEX

%%MATMULT-N33	1	%%MATMULT-N44	1
---------------------	---	---------------------	---

PROPERTY INDEX

MATMULT	6
---------------	---
