

File created: 2-Nov-2022 10:13:59 {DSK}<home>larry>ilisp>medley>library>MSCOMMON.;3

changes to: (VARS MSCOMMONCOMS)  
(TEMPLATES CL:UNLESS CL:WHEN)

previous date: 15-Jan-2022 20:17:21 {DSK}<home>larry>ilisp>medley>library>MSCOMMON.;1

Read Table: XCL

Package: INTERLISP

Format: XCCS

; Copyright (c) 1988, 1990, 1992, 2022 by Venue & Xerox Corporation.

(RPAQQ **MSCOMMONCOMS**

```
((PROP FILETYPE MSCOMMON)
(DECLARE\ : EVAL@COMPILE (GLOBALVARS USERTEMPLATES MSTEMPLATES))
(FNS FUNCTIONSMSGETDEF FUNCTIONSMSMC VARIABLESMSGETDEF)
;; Templates for CL stuff that need them.
(TEMPLATES ADD-EXEC CL:ADJOIN CL:ADJUST-ARRAY CL:APPLY CL:APPLYHOOK ASET CL:ASSOC CL:CLOSE CLRHASH
CL:COMPILE CL:COMPILE-FILE CL:COMPILER-LET CL:COUNT CL:COUNT-IF CL:COUNT-IF-NOT CL:DECF DECLARE
CL:DELETE CL:DELETE-DUPLICATES CL:DELETE-IF CL:DELETE-IF-NOT CL:EVAL-WHEN CL:EVALHOOK EXEC
EXEC-EVAL CL:FILL FILL-VECTOR CL:FIND CL:FIND-IF CL:FIND-IF-NOT CL:FLET CL:FUNCTION CL:GETF
CL:IN-PACKAGE CL:INCF CL:INTERSECTION CL:LABELS CL:LOAD CL:MACROLET CL:MAKE-ARRAY
COMPILER:MAKE-CONTEXT CL:MAKE-HASH-TABLE CL:MAKE-LIST CL:MAKE-PACKAGE CL:MAKE-PATHNAME
CL:MAKE-SEQUENCE CL:MAKE-STRING CL:MAPC CL:MAPCAN CL:MAPCAR CL:MAPCON CL:MAPHASH CL:MAPL
CL:MAPLIST CL:MEMBER CL:MEMBER-IF CL:MEMBER-IF-NOT CL:MERGE CL:MISMATCH CL:MULTIPLE-VALUE-CALL
CL:MULTIPLE-VALUE-PROG1 CL:MULTIPLE-VALUE-SETQ CL:NINTERSECTION CL:NRECONC CL:NREVERSE
CL:NSET-DIFFERENCE CL:NSET-EXCLUSIVE-OR CL:NSTRING-CAPITALIZE CL:NSTRING-DOWNCASE
CL:NSTRING-UPCASE CL:NSUBLIS CL:NSUBST CL:NSUBST-IF CL:NSUBST-IF-NOT CL:NSUBSTITUTE
CL:NSUBSTITUTE-IF CL:NSUBSTITUTE-IF-NOT CL:NUNION OPEN CL:PARSE-INTEGGER CL:PARSE-NAMESTRING
CL:POP CL:POSITION CL:POSITION-IF CL:POSITION-IF-NOT CL:PROGV CL:PSETF CL:PSETQ CL:PUSH
CL:PUSHNEW CL:RASSOC CL:READ-FROM-STRING CL:REDUCE CL:REMF CL:REMOVE CL:REMOVE-DUPLICATES
CL:REMOVE-IF CL:REMOVE-IF-NOT CL:REPLACE CL:ROTATEF CL:SEARCH CL:SET-DIFFERENCE
CL:SET-EXCLUSIVE-OR CL:SHIFTF CL:SORT CL:STABLE-SORT CL:STRING-CAPITALIZE CL:STRING-DOWNCASE
STRING-EQUAL CL:STRING-GREATERP CL:STRING-LESSP CL:STRING-NOT-EQUAL CL:STRING-NOT-GREATERP
CL:STRING-NOT-LESSP CL:STRING-UPCASE CL:STRING/= CL:STRING< CL:STRING<= CL:STRING= CL:STRING>
CL:STRING>= CL:SUBLIST CL:SUBSETP CL:SUBST CL:SUBST-IF CL:SUBST-IF-NOT CL:SUBSTITUTE
CL:SUBSTITUTE-IF CL:SUBSTITUTE-IF-NOT CL:TREE-EQUAL CL:UNION CL:UNLESS CL:VECTOR-PUSH
CL:VECTOR-PUSH-EXTEND CL:WHEN WRITE CL:WRITE-LINE CL:WRITE-STRING CL:WRITE-TO-STRING)
```

<sup>(P)</sup> ;; First tell Masterscope how to find FUNCTIONS and VARIABLES

```
(MSADDANALYZE 'VARIABLES 'VARIABLE 'VARIABLES 'VARIABLESMSGETDEF)
(MSADDANALYZE 'FUNCTIONS 'FUNCTION 'FUNCTIONS 'FUNCTIONSMSGETDEF 'FUNCTIONSMSMC)
```

;; Then add KEYWORD support. Templates may now contain the following as their last element:

;; ... KEYWORDS list of keywords accepted)

;; No (list of keywords accepted) means use keywords gathered from analyzed source. This must naturally be last in a template.

```
(MSADDRELATION '(ACCEPT ACCEPTS ACCEPTING ACCEPTED)
' (KEYACCEPT))
(MSADDRELATION '(SPECIFY SPECIFIES SPECIFYING SPECIFIED)
' (KEYSPECIFY))
(MSADDRELATION '(KEYCALL KEYCALLS KEYCALLING KEYCALLED))
(MSADDMODIFIER 'ACCEPT 'KEYWORD 'KEYACCEPT)
(MSADDMODIFIER 'ACCEPT 'KEYWORDS 'KEYACCEPT)
(MSADDMODIFIER 'SPECIFY 'KEYWORD 'KEYSPECIFY)
(MSADDMODIFIER 'SPECIFY 'KEYWORDS 'KEYSPECIFY)
```

;; Stuff for locally-defined things. We don't attempt to handle them (\*sigh\*), just record them.

```
(MSADDRELATION '(FLET FLETS FLETTING FLET))
(MSADDRELATION '(LABEL LABELS LABELLING LABELLED))
(MSADDRELATION '(MACROLET MACROLETS MACROLETTING MACROLET))
(MSADDRELATION '(LOCAL-DEFINE LOCAL-DEFINES LOCAL-DEFINING LOCAL-DEFINED)
' (FLET LABEL MACROLET))
```

;; What the heck, track COMPILER-LETS.

```
(MSADDRELATION '(COMPILER-LET COMPILER-LETS COMPILER-LETTING COMPILER-LETTED))
```

;; Finally, copy the templates over into MSTEMPLATES and clear the USERTEMPLATES table now; no need for the Common Lisp  
;; templates to live there.

```
(MAPHASH USERTEMPLATES #'(LAMBDA (VAL KEY)
(PUTHASH KEY VAL MSTEMPLATES)))
(CLRHASH USERTEMPLATES)))
```

(PUTPROPS **MSCOMMON FILETYPE** :COMPILE-FILE)

(DECLARE\ : EVAL@COMPILE

(DECLARE\ : DOEVAL@COMPILE DONTCOPY

(GLOBALVARS USERTEMPLATES MSTEMPLATES)

)  
)

(DEFINEQ

**(FUNCTIONSMSGETDEF**

```
(LAMBDA (NAME TYPE SOURCE OPTIONS) ; Edited 31-Mar-88 17:31 by jrb:
  (LET ((BODY (REMOVE-COMMENTS (GETDEF NAME 'FUNCTIONS SOURCE OPTIONS))))
    (AND BODY (SELECTQ (CAR BODY)
      (DEFMACRO (OR (GETTEMPLATE NAME)
        (SETTEMPLATE NAME 'MACRO))
        NIL)
      (CL:DEFUN ; Body is of the form:
        ; (DEFUN name (args...) bodies...)
        ; We want to hand Masterscope a massaged form it will understand.
        ; Which I believe is of this form:
        ` (CL:LAMBDA , (CADDR BODY)
          , @ (CDDDR BODY)))
      NIL))))))
```

**(FUNCTIONSMSMC**

```
(LAMBDA (NAME TYPE REASON) ; Edited 1-Apr-88 13:47 by jrb:
  ;; Trick here is we don't want to mark FUNCTIONS macros as changed because they really don't get analyzed, but we do want to call
  ;; CHANGEMACRO for them
  (|if| (EQ (CAR (GETDEF NAME 'FUNCTIONS NIL ' (NOERROR)))
    'DEFMACRO)
    |then| (CHANGEMACRO NAME TYPE REASON)
    NIL
  |else| T)))
```

**(VARIABLESMSGETDEF**

```
(LAMBDA (NAME TYPE SOURCE OPTIONS) ; Edited 19-Feb-88 19:46 by jrb:
  (LET ((BODY (GETDEF NAME 'VARIABLES SOURCE OPTIONS))
    SPECVARP)
    (AND BODY
      ;; We have to return something here so Masterscope can get hold of the init form, and so It'll stop looking for other things
      `(CL:LAMBDA NIL , (IF (CADDR BODY)
        THEN `(SETQ , (CADR BODY)
          , (CADDR BODY)))))))
```

;; Templates for CL stuff that need them.

```
(SETTEMPLATE 'ADD-EXEC ' (KEYWORDS :PROFILE :REGION :TTY :EXEC :ID))
(SETTEMPLATE 'CL:ADJOIN ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))
(SETTEMPLATE 'CL:ADJUST-ARRAY ' (SMASH EVAL KEYWORDS :ELEMENT-TYPE :INITIAL-ELEMENT :INITIAL-CONTENTS
  :FILL-POINTER :DISPLACED-TO :DISPLACED-INDEX-OFFSET :FATP
  :DISPLACED-TO-BASE))
(SETTEMPLATE 'CL:APPLY ' ((! NIL EXPR (|if| (LITATOM (CAR EXPR))
  |then| (LIST 'SET 'EVAL)
  |else| (LIST 'SMASH 'EVAL))))))
(SETTEMPLATE 'CL:APPLYHOOK ' ((! NIL EXPR (|if| (LITATOM (CAR EXPR))
  |then| (LIST 'SET 'EVAL)
  |else| (LIST 'SMASH 'EVAL))))))
(SETTEMPLATE 'ASET ' (EVAL SMASH |..| EVAL))
(SETTEMPLATE 'CL:ASSOC ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT))
(SETTEMPLATE 'CL:CLOSE ' (EVAL KEYWORDS :ABORT))
(SETTEMPLATE 'CL:CLRHASH ' ((! NIL EXPR (|if| (LITATOM (CAR EXPR))
  |then| (LIST 'SET 'EVAL)
  |else| (LIST 'SMASH 'EVAL))))))
(SETTEMPLATE 'CL:COMPILE ' (EVAL EVAL KEYWORDS :LAP))
(SETTEMPLATE 'CL:COMPILE-FILE ' (EVAL KEYWORDS :OUTPUT-FILE :ERROR-FILE :ERRORS-TO-TERMINAL :LAP-FILE :LOAD
  :FILE-MANAGER-FORMAT :PROCESS-ENTIRE-FILE))
(SETTEMPLATE 'CL:COMPILER-LET ' (! NIL (BOTH (|..| (IF LISTP (NIL EVAL |..| EFFECT)
  NIL))
  (|..| (IF LISTP ((BOTH BIND COMPILER-LET))
    (BOTH BIND COMPILER-LET))))
  |..| EFFECT RETURN))
(SETTEMPLATE 'CL:COUNT ' (EVAL EVAL KEYWORDS :FROM-END :TEST :TEST-NOT :START :END :KEY))
(SETTEMPLATE 'CL:COUNT-IF ' (EVAL EVAL KEYWORDS :FROM-END :START :END :KEY))
```

```

(SETTEMPLATE 'CL:COUNT-IF-NOT ' (EVAL EVAL KEYWORDS :FROM-END :START :END :KEY))
(SETTEMPLATE 'CL:DECF ' (! NIL @ EXPR (|if| (LITATOM (CAR EXPR))
      |then| ' (SET EVAL)
      |else| ' (SMASH EVAL)))
(SETTEMPLATE 'DECLARE ' (|..| (@ EXPR (CONS NIL (SELECTQ (CAR (LISTP EXPR))
      (LOCALVARS ' (IF LISTP (|..| LOCALVARS)
      LOCALVARS))
      ((SPECVARS CL:SPECIAL)
      ' (IF LISTP (|..| SPECVARS)
      SPECVARS))
      NIL))))
(SETTEMPLATE 'CL:DELETE ' (EVAL SMASH KEYWORDS :FROM-END :TEST :TEST-NOT :START :END :COUNT :KEY))
(SETTEMPLATE 'CL:DELETE-DUPPLICATES ' (SMASH KEYWORDS :FROM-END :TEST :TEST-NOT :START :END :KEY))
(SETTEMPLATE 'CL:DELETE-IF ' (CL:FUNCTION EVAL KEYWORDS :FROM-END :START :END :COUNT :KEY))
(SETTEMPLATE 'CL:DELETE-IF-NOT ' (CL:FUNCTION EVAL KEYWORDS :FROM-END :START :END :COUNT :KEY))
(SETTEMPLATE 'CL:EVAL-WHEN ' (NIL |..| EFFECT RETURN))
(SETTEMPLATE 'CL:EVALHOOK ' ((! NIL EXPR (|if| (LITATOM (CAR EXPR))
      |then| (LIST 'SET 'EVAL)
      |else| (LIST 'SMASH 'EVAL))))
(SETTEMPLATE 'EXEC ' (KEYWORDS :TOP-LEVEL-P :WINDOW :TITLE :COMMAND-TABLES :ENVIRONMENT :PROMPT :FUNCTION
      :PROFILE :ID))
(SETTEMPLATE 'EXEC-EVAL ' (EVAL EVAL KEYWORDS :PROMPT :ID :TYPE))
(SETTEMPLATE 'CL:FILL ' (SMASH EVAL KEYWORDS :START :END))
(SETTEMPLATE 'FILL-VECTOR ' (SMASH EVAL KEYWORDS :START :END))
(SETTEMPLATE 'CL:FIND ' (EVAL EVAL KEYWORDS :FROM-END :TEST :TEST-NOT :START :END :KEY))
(SETTEMPLATE 'CL:FIND-IF ' (EVAL EVAL KEYWORDS :FROM-END :START :END :KEY))
(SETTEMPLATE 'CL:FIND-IF-NOT ' (EVAL EVAL KEYWORDS :FROM-END :START :END :KEY))
(SETTEMPLATE 'CL:FLET ' ((|..| (FLET)
      |..| EFFECT RETURN))
(SETTEMPLATE 'CL:FUNCTION ' ((REMOTE (IF LITATOM CALL LAMBDA)
      (IF LITATOM EVAL NIL)))
(SETTEMPLATE 'CL:GETF ' (EVAL PROP EVAL))
(SETTEMPLATE 'CL:IN-PACKAGE ' (EVAL KEYWORDS :NICKNAMES :USE))
(SETTEMPLATE 'CL:INCF ' (! NIL @ EXPR (|if| (LITATOM (CAR EXPR))
      |then| ' (SET EVAL)
      |else| ' (SMASH EVAL)))
(SETTEMPLATE 'CL:INTERSECTION ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))
(SETTEMPLATE 'CL:LABELS ' ((|..| (LABEL)
      |..| EFFECT RETURN))
(SETTEMPLATE 'CL:LOAD ' (EVAL KEYWORDS :VERBOSE :PRINT :IF-DOES-NOT-EXIST :PACKAGE :LOADFLG))
(SETTEMPLATE 'CL:MACROLET ' ((|..| (MACROLET)
      |..| EFFECT RETURN))
(SETTEMPLATE 'CL:MAKE-ARRAY ' (EVAL KEYWORDS :ELEMENT-TYPE :INITIAL-ELEMENT :INITIAL-CONTENTS :ADJUSTABLE
      :FILL-POINTER :DISPLACED-TO :DISPLACED-INDEX-OFFSET :FATP :EXTENDABLE
      :READ-ONLY-P :DISPLACED-TO-BASE))
(SETTEMPLATE 'COMPILER:MAKE-CONTEXT ' (KEYWORDS :TOP-LEVEL-P :VALUES-USED :PREDICATE-P))
(SETTEMPLATE 'CL:MAKE-HASH-TABLE ' (KEYWORDS :TEST :SIZE :REHASH-SIZE :REHASH-THRESHOLD))
(SETTEMPLATE 'CL:MAKE-LIST ' (EVAL KEYWORDS :INITIAL-ELEMENT))
(SETTEMPLATE 'CL:MAKE-PACKAGE ' (EVAL KEYWORDS :NICKNAMES :USE :PREFIX-NAME :INTERNAL-SYMBOLS :EXTERNAL-SYMBOLS
      :EXTERNAL-ONLY))
(SETTEMPLATE 'CL:MAKE-PATHNAME ' (KEYWORDS :HOST :DEVICE :DIRECTORY :NAME :TYPE :VERSION :DEFAULTS))
(SETTEMPLATE 'CL:MAKE-SEQUENCE ' (EVAL EVAL KEYWORDS :INITIAL-ELEMENT))
(SETTEMPLATE 'CL:MAKE-STRING ' (EVAL KEYWORDS :INITIAL-ELEMENT))

```



```

      (|if| (LITATOM (CAR X))
      |then| (LIST 'SET 'EVAL)
      |else| (LIST 'SMASH 'EVAL)))
(FUNCTION (LAMBDA (X)
  (CDDR X))))))

(SETTEMPLATE 'CL:PSETQ '(! @ EXPR (CONS NIL (MAPCON (CDR EXPR)
  (FUNCTION (LAMBDA (X)
    (|if| (LITATOM (CAR X))
    |then| (LIST 'SET 'EVAL)
    |else| (LIST 'SMASH 'EVAL))))
  (FUNCTION (LAMBDA (X)
    (CDDR X)))))))

(SETTEMPLATE 'CL:PUSH '(! NIL @ EXPR (IF (ATOM (CADR EXPR))
  THEN '(EVAL SET)
  ELSE '(EVAL SMASH)))

(SETTEMPLATE 'CL:PUSHNEW '(@ EXPR `(EVAL ,(IF (ATOM (CADDR EXPR))
  THEN 'SET
  ELSE 'SMASH)
  KEYWORDS :TEST :TEST-NOT :KEY)))

(SETTEMPLATE 'CL:RASSOC '(EVAL EVAL KEYWORDS :TEST :TEST-NOT))

(SETTEMPLATE 'CL:READ-FROM-STRING '(EVAL EVAL EVAL KEYWORDS :START :END :PRESERVE-WHITESPACE))

(SETTEMPLATE 'CL:REDUCE '(FUNCTION EVAL KEYWORDS :FROM-END :START :END :INITIAL-VALUE))

(SETTEMPLATE 'CL:REMF '(@ EXPR (IF (ATOM (CAR EXPR))
  THEN '(SET PROP)
  ELSE '(SMASH PROP)))

(SETTEMPLATE 'CL:REMOVE '(EVAL EVAL KEYWORDS :FROM-END :TEST :TEST-NOT:START :END :COUNT :KEY))

(SETTEMPLATE 'CL:REMOVE-DUPLICATES '(EVAL KEYWORDS :FROM-END :TEST :TEST-NOT :START :END :KEY))

(SETTEMPLATE 'CL:REMOVE-IF '(EVAL EVAL KEYWORDS :FROM-END :START :END :COUNT :KEY))

(SETTEMPLATE 'CL:REMOVE-IF-NOT '(EVAL EVAL KEYWORDS :FROM-END :START :END :COUNT :KEY))

(SETTEMPLATE 'CL:REPLACE '(SMASH EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:ROTATEF '(|..| (IF (ATOM EXPR)
  SET SMASH)))

(SETTEMPLATE 'CL:SEARCH '(EVAL EVAL KEYWORDS :FROM-END :TEST :TEST-NOT :KEY :START1 :START2 :END1 :END2))

(SETTEMPLATE 'CL:SET-DIFFERENCE '(EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))

(SETTEMPLATE 'CL:SET-EXCLUSIVE-OR '(EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))

(SETTEMPLATE 'CL:SHIFTF '(|..| (IF (ATOM EXPR)
  SET SMASH)
  EVAL))

(SETTEMPLATE 'CL:SORT '(EVAL FUNCTION KEYWORDS :KEY))

(SETTEMPLATE 'CL:STABLE-SORT '(EVAL FUNCTION KEYWORDS :KEY))

(SETTEMPLATE 'CL:STRING-CAPITALIZE '(EVAL KEYWORDS :START :END))

(SETTEMPLATE 'CL:STRING-DOWNCASE '(EVAL KEYWORDS :START :END))

(SETTEMPLATE 'STRING-EQUAL '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING-GREATERP '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING-LESSP '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING-NOT-EQUAL '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING-NOT-GREATERP '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING-NOT-LESSP '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING-UPCASE '(EVAL KEYWORDS :START :END))

(SETTEMPLATE 'CL:STRING/= '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING< '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING<= '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING= '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

(SETTEMPLATE 'CL:STRING> '(EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))

```

```
(SETTEMPLATE 'CL:STRING>= ' (EVAL EVAL KEYWORDS :START1 :END1 :START2 :END2))
(SETTEMPLATE 'CL:SUBLIS ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))
(SETTEMPLATE 'CL:SUBSETP ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))
(SETTEMPLATE 'CL:SUBST ' (EVAL EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))
(SETTEMPLATE 'CL:SUBST-IF ' (EVAL EVAL EVAL KEYWORDS :KEY))
(SETTEMPLATE 'CL:SUBST-IF-NOT ' (EVAL EVAL EVAL KEYWORDS :KEY))
(SETTEMPLATE 'CL:SUBSTITUTE ' (EVAL EVAL EVAL KEYWORDS :FROM-END :TEST :TEST-NOT :START :END :COUNT :KEY))
(SETTEMPLATE 'CL:SUBSTITUTE-IF ' (EVAL EVAL EVAL KEYWORDS :FROM-END :START :END :COUNT :KEY))
(SETTEMPLATE 'CL:SUBSTITUTE-IF-NOT ' (EVAL EVAL EVAL KEYWORDS :FROM-END :START :END :COUNT :KEY))
(SETTEMPLATE 'CL:TREE-EQUAL ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT))
(SETTEMPLATE 'CL:UNION ' (EVAL EVAL KEYWORDS :TEST :TEST-NOT :KEY))
(SETTEMPLATE 'CL:UNLESS ' (TEST |..| EFFECT RETURN))
(SETTEMPLATE 'CL:VECTOR-PUSH ' (EVAL SMASH))
(SETTEMPLATE 'CL:VECTOR-PUSH-EXTEND ' (EVAL SMASH EVAL))
(SETTEMPLATE 'CL:WHEN ' (TEST |..| EFFECT RETURN))
(SETTEMPLATE 'WRITE ' (EVAL KEYWORDS :STREAM :ESCAPE :RADIX :BASE :CIRCLE :PRETTY :LEVEL :LENGTH :CASE :GENSYM :ARRAY))
(SETTEMPLATE 'CL:WRITE-LINE ' (EVAL EVAL KEYWORDS :START :END))
(SETTEMPLATE 'CL:WRITE-STRING ' (EVAL EVAL KEYWORDS :START :END))
(SETTEMPLATE 'CL:WRITE-TO-STRING ' (EVAL KEYWORDS :ESCAPE :RADIX :BASE :CIRCLE :PRETTY :LEVEL :LENGTH :CASE :GENSYM :ARRAY))
```

:: First tell Masterscope how to find FUNCTIONS and VARIABLES

```
(MSADDANALYZE 'VARIABLES 'VARIABLE 'VARIABLES 'VARIABLESMSGETDEF)
(MSADDANALYZE 'FUNCTIONS 'FUNCTION 'FUNCTIONS 'FUNCTIONSMSGETDEF 'FUNCTIONSMSMC)
```

:: Then add KEYWORD support. Templates may now contain the following as their last element:

:: ... KEYWORDS list of keywords accepted)

:: No (list of keywords accepted) means use keywords gathered from analyzed source. This must naturally be last in a template.

```
(MSADDRELATION ' (ACCEPT ACCEPTS ACCEPTING ACCEPTED)
' (KEYACCEPT))
(MSADDRELATION ' (SPECIFY SPECIFIES SPECIFYING SPECIFIED)
' (KEYSPECIFY))
(MSADDRELATION ' (KEYCALL KEYCALLS KEYCALLING KEYCALLED))
(MSADDMODIFIER 'ACCEPT 'KEYWORD 'KEYACCEPT)
(MSADDMODIFIER 'ACCEPT 'KEYWORDS 'KEYACCEPT)
(MSADDMODIFIER 'SPECIFY 'KEYWORD 'KEYSPECIFY)
(MSADDMODIFIER 'SPECIFY 'KEYWORDS 'KEYSPECIFY)

:: Stuff for locally-defined things. We don't attempt to handle them (*sigh*), just record them.
(MSADDRELATION ' (FLET FLETS FLETTING FLET))
(MSADDRELATION ' (LABEL LABELS LABELLING LABELLED))
(MSADDRELATION ' (MACROLET MACROLETS MACROLETTING MACROLET))
(MSADDRELATION ' (LOCAL-DEFINE LOCAL-DEFINES LOCAL-DEFINING LOCAL-DEFINED)
' (FLET LABEL MACROLET))
```

:: What the heck, track COMPILER-LETS.

```
(MSADDRELATION ' (COMPILER-LET COMPILER-LETS COMPILER-LETTING COMPILER-LETTED))
```

:: Finally, copy the templates over into MSTEMPLATES and clear the USERTEMPLATES table now; no need for the Common Lisp templates to live there.

{MEDLEY}<library>MSCOMMON.;1

Page 7

(MAPHASH USERTEMPLATES #' (LAMBDA (VAL KEY)  
 (PUTHASH KEY VAL MTEMPLATES)))

(CLRHASH USERTEMPLATES)

(PUTPROPS **MSCOMMON COPYRIGHT** ("Venue & Xerox Corporation" 1988 1990 1992 2022))

FUNCTION INDEX

FUNCTIONSMSGETDEF .....2 FUNCTIONSMSMC .....2 VARIABLESMSGETDEF .....2

TEMPLATE INDEX

ADD-EXEC .....2 CL:INTERSECTION .....3 CL:NSUBLIS .....4 CL:STABLE-SORT .....5
CL:ADJOIN .....2 CL:LABELS .....3 CL:NSUBST .....4 CL:STRING-CAPITALIZE .....5
CL:ADJUST-ARRAY .....2 CL:LOAD .....3 CL:NSUBST-IF .....4 CL:STRING-DOWNCASE .....5
CL:APPLY .....2 CL:MACROLET .....3 CL:NSUBST-IF-NOT .....4 STRING-EQUAL .....5
CL:APPLYHOOK .....2 CL:MAKE-ARRAY .....3 CL:NSUBSTITUTE .....4 CL:STRING-GREATERP .....5
ASET .....2 COMPILER:MAKE-CONTEXT .....3 CL:NSUBSTITUTE-IF .....4 CL:STRING-LESSP .....5
CL:ASSOC .....2 CL:MAKE-HASH-TABLE .....3 CL:NSUBSTITUTE-IF-NOT .....4 CL:STRING-NOT-EQUAL .....5
CL:CLOSE .....2 CL:MAKE-LIST .....3 CL:NUNION .....4 CL:STRING-NOT-GREATERP .....5
CLRHASH .....2 CL:MAKE-PACKAGE .....3 OPEN .....4 CL:STRING-NOT-LESSP .....5
CL:COMPILE .....2 CL:MAKE-PATHNAME .....3 CL:PARSE-INTEGGER .....4 CL:STRING-UPCASE .....5
CL:COMPILE-FILE .....2 CL:MAKE-SEQUENCE .....3 CL:PARSE-NAMESTRING .....4 CL:STRING/= .....5
CL:COMPILER-LET .....2 CL:MAKE-STRING .....3 CL:POP .....4 CL:STRING< .....5
CL:COUNT .....2 CL:MAPC .....4 CL:POSITION .....4 CL:STRING<= .....5
CL:COUNT-IF .....2 CL:MAPCAN .....4 CL:POSITION-IF .....4 CL:STRING= .....5
CL:COUNT-IF-NOT .....3 CL:MAPCAR .....4 CL:POSITION-IF-NOT .....4 CL:STRING> .....5
CL:DECF .....3 CL:MAPCON .....4 CL:PROGV .....4 CL:STRING>= .....6
DECLARE .....3 CL:MAPHASH .....4 CL:PSETF .....4 CL:SUBLIS .....6
CL:DELETE .....3 CL:MAPL .....4 CL:PSETQ .....5 CL:SUBSETP .....6
CL:DELETE-DUPPLICATES .....3 CL:MAPLIST .....4 CL:PUSH .....5 CL:SUBST .....6
CL:DELETE-IF .....3 CL:MEMBER .....4 CL:PUSHNEW .....5 CL:SUBST-IF .....6
CL:DELETE-IF-NOT .....3 CL:MEMBER-IF .....4 CL:RASSOC .....5 CL:SUBST-IF-NOT .....6
CL:EVALWHEN .....3 CL:MEMBER-IF-NOT .....4 CL:READ-FROM-STRING .....5 CL:SUBSTITUTE .....6
CL:EVALHOOK .....3 CL:MERGE .....4 CL:REDUCE .....5 CL:SUBSTITUTE-IF .....6
EXEC .....3 CL:MISMATCH .....4 CL:REMF .....5 CL:SUBSTITUTE-IF-NOT .....6
EXEC-EVAL .....3 CL:MULTIPLE-VALUE-CALL .....4 CL:REMOVE .....5 CL:TREE-EQUAL .....6
CL:FILL .....3 CL:MULTIPLE-VALUE-PROG1 .....4 CL:REMOVE-DUPPLICATES .....5 CL:UNION .....6
FILL-VECTOR .....3 CL:MULTIPLE-VALUE-SETQ .....4 CL:REMOVE-IF .....5 CL:UNLESS .....6
CL:FIND .....3 CL:NINTERSECTION .....4 CL:REMOVE-IF-NOT .....5 CL:VECTOR-PUSH .....6
CL:FIND-IF .....3 CL:NRECONC .....4 CL:REPLACE .....5 CL:VECTOR-PUSH-EXTEND .....6
CL:FIND-IF-NOT .....3 CL:NREVERSE .....4 CL:ROTATEF .....5 CL:WHEN .....6
CL:FLET .....3 CL:NSET-DIFFERENCE .....4 CL:SEARCH .....5 WRITE .....6
CL:FUNCTION .....3 CL:NSET-EXCLUSIVE-OR .....4 CL:SET-DIFFERENCE .....5 CL:WRITE-LINE .....6
CL:GETF .....3 CL:NSTRING-CAPITALIZE .....4 CL:SET-EXCLUSIVE-OR .....5 CL:WRITE-STRING .....6
CL:IN-PACKAGE .....3 CL:NSTRING-DOWNCASE .....4 CL:SHIFTF .....5 CL:WRITE-TO-STRING .....6
CL:INCF .....3 CL:NSTRING-UPCASE .....4 CL:SORT .....5

PROPERTY INDEX

MSCOMMON .....1