

READNUMBER

ReadNumber contains functions for implementing a calculator-type menu for entering numbers with the mouse.

Installation

Load `READNUMBER.LCOM` from the library.

Functions

ReadNumber functions are called either from the Executive window or programmatically from another process.

The numbers captured by ReadNumber are passed to whatever process currently has the TTY.

Create a Key Pad

(*RNUMBER MSG POSITION MSGFONT DIGITFONT INCLUDEABORTFLG
FLOATINGPTFLG POSITIVEONLYFLG ACCEPTTYPEINFLG*) [Function]

Brings up a menu that looks like a ten-key calculator pad. Your selections, made by pressing the left mouse button when the cursor is on a digit, are accumulated in a displayed total. The key pad includes a backspace key (BS), a clear key (CLR), and a +/- key (-). When OK is selected, the total is returned.

If *MSG* is given, it is displayed at the top of the menu.

If *POSITION* is given, the menu is put there; otherwise it is put at the cursor.

If *MSGFONT* is given, *MSG* is printed in it. If *MSGFONT* is *NIL*, *DEFAULTFONT* is used.

If *DIGITFONT* is given, the labels on the keys is printed in that font. If *DIGITFONT* is *NIL*, *BOLDFONT* is used.

If *INCLUDEABORTFLG* is non-*NIL*, the menu also includes an abort key (abt). If the abort key is pressed, *RNUMBER* returns *NIL*.

Note: If this option is set, you will not be able to use the backspace to correct mistakes. You will have to use *CLEAR* and begin the number again.

If *FLOATINGPTFLG* is non-*NIL*, the menu includes a decimal point, and the value returned may be a floating point number.

If *POSITIVEONLYFLG* is non-*NIL*, the menu does not include a +/- key (-) and you can only input positive numbers (but see *ACCEPTTYPEINFLG*).

If *ACCEPTTYPEINFLG* is non-*NIL*, the menu also responds to user-typed input (i.e., numbers typed in on the keyboard, rather than selected with the mouse). In this mode, carriage return corresponds to OK.

Note: The decimal point (.) and the minus sign (-) are also accepted, even though they are not options in the key pad menu.

If you close the key pad window, the action taken by `RNUMBER` depends upon the value of `INCLUDEABORTFLG`. If `INCLUDEABORTFLG` is `NIL`, `RNUMBER` generates an error (i.e., calls (ERROR!)). If `INCLUDEABORTFLG` is non-`NIL`, `RNUMBER` returns `NIL` (the same thing it does if the abort key is pressed).

Create a Key Pad for Repeated Use

For some applications, it may be beneficial to avoid the creation of the key pad menu window each time a number is asked for. The following functions allow you to create a key pad menu window and use it repeatedly to get values from you.

Note: When used in this manner, a key pad menu window can only be used by one process at a time.

```
(CREATE .NUMBERPAD .READER MSG WPOSITION MSGFONT DIGITFONT
      INCLUDEABORTFLG FLOATINGPTFLG POSITIVEONLYFLG) [Function]
```

Creates a window suitable for use by `NUMBERPAD .READ` (see below). Its arguments are the same as for the function `RNUMBER`.


```
(NUMBERPAD .READ NUMBERPAD/READER ACCEPTTYPEINFLG) [Function]
```

`NUMBERPAD/READER` should be a window returned by the function `CREATE .NUMBERPAD .READER` (see above). `NUMBERPAD .READ` uses the window in the same manner as the function `RNUMBER`.

Examples

```
(RNUMBER "How many WIDGITS would you like?")
```

results in the following pop-up menu:



```
(RNUMBER "How far to the left?") NIL '(CLASSIC 12) '(MODERN 14) T T)
```

results in the following pop-up menu:

How far to the left?	
<input type="text" value="0"/>	- AB CLE ORI AR
	1 2 3
	4 5 6
	7 8 9
	. 0 ok

Limitations

If you choose both `FLOATNGPOINTFLG` and `INCLUDEABORTFLG`, there is no room for the backspace key (see the illustration above). Correct your input by selecting `CLEAR` and starting over. However, if `ACCEPTTYPEINFLG` is `T`, you can use the keyboard's backspace key.

[This page intentionally left blank]