

A

Abort command, 45, 47, 87
 Active Mail folder. *See* folders, Active Mail
 addresses, recipient, 28–29, 71–73
 Answer command, 38–39, 86
 Answer form. *See* forms, Answer
 authentication, of users, 3, 7, 51

B

bit maps, including in messages, 36–37, 46
 Body command, 64
 Browse command, 9, 22–23, 42, 85
 Browse Laurel File command, 23, 85
 browser window. *See* windows, browser

C

CC field, 26, 28–29
 Close command, 16
 commands

- invoking, 8
- Lafite, 85–87. *See also* individual
 command names

D

DEFAULTMAILFOLDERNAME [variable], 56
 Delete command, 15, 86
 Deliver command, 45, 87
 Display command, 11–12, 86
 distribution lists, 28–31, 39, 45, 76–77
 Don't Quit command, 49
 Don't Update File command, 16, 49

E

electronic mail

- cost structure, 75
- need for etiquette, 70–71, 73–74, 79

 Expunge Deleted Messages command, 16, 49, 53, 87

F

fields, header, 26–31, 38–42. *See also* individual
 field names

files

- including in messages, 33–34
- loading, 5–6
- mail. *See* folders
- necessary, 5

Find Again command, 63, 65

Find command, 63–65

Find Next All command, 63–65

Find Next One command, 63–65

Find Previous All command, 64

Find Previous One command, 63–65

Find Related Backward command, 65

Find Related command, 63–65

folder menu, 9, 21–24

folders

- Active Mail, 3, 7, 9, 17, 21, 52, 56
- creating, 21–22
- default, 23, 56
- deleting, 23–24
- naming, 21–22, 56
- parsing, 52–53
- repairing, 66–67
- storing, 3, 51–52, 55
- structure of, 3
- updating, 16–17, 49

fonts, 36, 57

Forget Folder command, 23–24, 85

Forget Message Form command, 42–43, 85

forms

- Answer, 38–39
- creating, 41–42, 59–61
- deleting, 42–43

- directory search path for, 55
- extension for names, 56
- Forward, 39
- kinds of, 25–26
- menu, 38, 42–43
- Standard, 26–27, 38, 86
- Report, 40–41, 56–57

Forward

- command, 39, 86
- form. *See* forms, Forward

Frequency field, 40

From

- command, 64–65
- field, 29–30

G

Get command, 34–35

Get Mail command, 10, 87

H

Hardcopy command

- Lafite, 19, 86
- window menu, 19, 36

headers. *See* message headers

I

Impact field, 41

in-box, 3, 7, 10, 51, 58

Include command, 33–34

In-Reply-To field, 31

J

Just Close command, 17

L

Lafite

- capabilities of, 1, 3
- quitting, 49
- starting, 7

LAFITEBROWSERFONT [variable], 57

LAFITEBROWSERREGION [variable], 56

LAFITEBUFFERSIZE [variable], 59

LAFITEDEFAULTHOST&DIR [variable], 55

LAFITEDISPLAYAFTERDELETEFLG [variable], 59

LAFITEDISPLAYFONT [variable], 57

LAFITEDISPLAYREGION [variable], 56

LAFITEEDITORFONT [variable], 57

LAFITEEDITORREGION [variable], 56

LAFITEENDOFMESSAGEFONT [variable], 57

LAFITEENDOFMESSAGESTR [variable], 58

Lafite Find, 5–6, 63–65

LAFITEFLUSHMAILFLG [variable], 58

LAFITEFORMDIRECTORIES [variable], 55

LAFITEFORM.EXT [variable], 56

LAFITEFORMSMENU [variable], 60

LAFITEGETMAILTUNE [variable], 59

LAFITEHARDCOPYBATCHFLG [variable], 58

LAFITEHARDCOPYFONT [variable], 57

LAFITEHARDCOPY.MIN.TOC [variable], 58

LAFITEIFFROMMETHENSEENFLG [variable], 58

LAFITEMAIL.EXT [variable], 56

LAFITEMENUFONT [variable], 57

LAFITEMOVETOCONFIRMFLG [variable], 59

LAFITENEWMAILTUNE [variable], 59

LAFITENEWPAGEFLG [variable], 58

(LAFITE 'OFF) [function], 49

(LAFITE 'ON 'MAILFOLDER) [function], 7

LAFITEOUTBOXSIZE [variable], 59

Lafite Report

- command, 86

- form. *See* forms, Report

LAFITESPECIALFORMS [variable], 60

LAFITESTATUSWINDOWPOSITION [variable], 56

LAFITESUPPORT [variable], 57

LAFITETITLEFONT [variable], 57

LAFITETOC.EXT [variable], 56

Lisp Report

- command, 86

- form. *See* forms, Report

LISPSUPPORT [variable], 56

log-in procedures, 5

M

(MAILSCAVENGE 'FILENAME 'ERRORMSGSTREAM

'TEMPDIR) [function], 66–67
 (MAILSCAVENGE.IN.PLACE 'FILENAME) [function], 67
 Mail Scavenger, 5–6, 53, 63, 66–67
 MAILWATCHWAITTIME [variable], 58
 (MAKEXXXSUPPORTFORM 'SYSTEMNAME
 'ADDRESS 'SYSTEMDATE) [function], 60–61
 menus, 8, 34, 36, 63. *See also* individual
 command names

message

body, 25–26
 forms. *See* forms
 headers, 3, 25–31, 38–41, 63–64
 marks, 10–11, 19, 21, 39, 58, 85

messages

answering, 38–39
 deleting, 15
 delivering, 45–47
 displaying, 9–14, 59
 expunging, 16
 filing, 21–24. *See also* folders
 forwarding, 39
 misaddressed, 71–73
 moving, 21–22, 59
 printing, 19, 36, 57–58
 and privacy, 71–72, 78
 retrieving, 10, 35
 saving, 34–35, 41–42
 searching for, 63–65
 selecting, 11–12
 structure of, 3
 undeleting, 15
 writing, 25–43

Move To command, 21–22, 53, 86

N

NS Mail

service, 3
 protocols, 5–6

O

Other Folder command, 21–24
 out-box, 8, 46, 59

P

protocols. *See* NS Mail
 Put command, 34–35

Q

Quit command, 49, 86

R

Related command, 64–65
 Reply-To field, 30–31
 Report forms. *See* forms, Report
 Restart command, 49, 86

S

Saved Form command, 38, 42, 86
 Save Form command, 41–42, 87
 scroll bars. *See* windows, scrolling
 selection pointer. *See* messages, selecting
 Sender field, 29–30
 Send Formatted Message command, 46
 Send Mail command, 38, 42, 85
 Send Plain Text command, 46–47
 Shrink command, 16
 Standard form. *See* forms, Standard
 start-up procedures. *See* Lafite, starting
 status window. *See* windows, status
 Subject
 command, 64
 field, 26–27

T

table of contents, Lafite, 3, 9–12, 15–17, 21–22, 24,
 52–53, 56, 58

TEdit, 1, 31–37, 53

TEdit Report

command, 38, 86
 form. *See* forms, Report

TEDITSUPPORT [variable], 57, 60

TEDITSYSTEMDATE [variable], 60

text

copying, 33
 deleting, 33
 inserting, 31–32

- moving, 33
- selecting, 32–33

To field, 26, 28–29

U

Undelete command, 15, 86

Update command, 16–17, 53, 86

Update Table of Contents command, 17

users

- authenticating. *See* authentication of users
- fictitious, 78–79

V

variables, 55–60

W

window menu, 36

windows

- browser, 9–10, 22, 56, 86–87
- closing, 16–17, 35, 46
- message composition, 25–26, 31–33, 35, 56, 87
- message display, 11–14, 56
- scrolling, 12–13
- shrinking, 16–17, 35
- status, 7–8, 46, 49, 56, 85–86
- thumbing, 13–14

Write Out Changes Only command, 16, 49, 53, 87