

File created: 8-Jul-88 16:36:22 {FS8:PARC:XEROX}<BOBROW>LISP>ADDRESSBOOK.;2

changes to: (FILES LOOKUPINFILES)

previous date: 19-Nov-86 15:02:45 {FS8:PARC:XEROX}<BOBROW>LISP>ADDRESSBOOK.;1

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

::
:: Copyright (c) 1986, 1988 by Xerox Corporation. All rights reserved.

(RPAQQ **ADDRESSBOOKCOMS**

```
((FNS MakeAddressBook)
 [INITVARS (*Address-Book-Pos* (create POSITION XCOORD _ 970 YCOORD _ (DIFFERENCE SCREENHEIGHT 90)))
  (*Address-Book-Region* (CREATEREGION 300 (DIFFERENCE SCREENHEIGHT 500)
  400 200))
  (*AddressBookFiles* (COND ((BOUNDP 'PHONELISTFILES)
  PHONELISTFILES)
  (VARS AddressBookBM AddressBookMask)
  (FILES LOOKUPINFILES)
  (P (MakeAddressBook))))
```

(DEFINEQ

(MakeAddressBook

[LAMBDA NIL

(* dgb%: "19-Nov-86 10:34")

(* * Create a lookup window for address books)

```
(MakeLookupWindow *AddressBookFiles* 'Address% Book *Address-Book-Region* AddressBookBM AddressBookMask
 *Address-Book-Pos*])
```


)

(RPAQ? ***Address-Book-Pos*** (create POSITION XCOORD _ 970 YCOORD _ (DIFFERENCE SCREENHEIGHT 90)))


(RPAQ? ***Address-Book-Region*** (CREATEREGION 300 (DIFFERENCE SCREENHEIGHT 500)
400 200))

(RPAQ? ***AddressBookFiles*** (COND ((BOUNDP 'PHONELISTFILES)
PHONELISTFILES)))

(RPAQQ **AddressBookBM**



(RPAQQ **AddressBookMask**



(FILESLOAD LOOKUPINFILES)

(MakeAddressBook)

(PUTPROPS **ADDRESSBOOK COPYRIGHT** ("Xerox Corporation" 1986 1988))

FUNCTION INDEX

MakeAddressBook1

VARIABLE INDEX

Address-Book-Pos1 *AddressBookFiles*1 AddressBookMask1
Address-Book-Region1 AddressBookBM1
