

File created: 8-Jul-88 16:36:22 {FS8:PARC:XEROX}<BOBROW>LISP>ADDRESSBOOK.;2

changes to: (FILES LOOKUPINFILES)

previous date: 19-Nov-86 15:02:45 {FS8:PARC:XEROX}<BOBROW>LISP>ADDRESSBOOK.;1

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

::  
:: Copyright (c) 1986, 1988 by Xerox Corporation. All rights reserved.

(RPAQQ **ADDRESSBOOKCOMS**

```
((FNS MakeAddressBook)
 [INITVARS (*Address-Book-Pos* (create POSITION XCOORD _ 970 YCOORD _ (DIFFERENCE SCREENHEIGHT 90)))
 (*Address-Book-Region* (CREATEREGION 300 (DIFFERENCE SCREENHEIGHT 500)
 400 200))
 (*AddressBookFiles* (COND ((BOUNDP 'PHONELISTFILES)
 PHONELISTFILES)
 (VARS AddressBookBM AddressBookMask)
 (FILES LOOKUPINFILES)
 (P (MakeAddressBook))))
```

(DEFINEQ

**(MakeAddressBook**

[LAMBDA NIL

(\* dgb%: "19-Nov-86 10:34")

(\* \* Create a lookup window for address books)

```
(MakeLookupWindow *AddressBookFiles* 'Address% Book *Address-Book-Region* AddressBookBM AddressBookMask
 *Address-Book-Pos*])
```


)

```
(RPAQ? *Address-Book-Pos* (create POSITION XCOORD _ 970 YCOORD _ (DIFFERENCE SCREENHEIGHT 90)))
```

```
(RPAQ? *Address-Book-Region* (CREATEREGION 300 (DIFFERENCE SCREENHEIGHT 500)
400 200))
```

```
(RPAQ? *AddressBookFiles* (COND ((BOUNDP 'PHONELISTFILES)
PHONELISTFILES)))
```

(RPAQQ **AddressBookBM**



(RPAQQ **AddressBookMask**



(FILESLOAD LOOKUPINFILES)

**(MakeAddressBook)**

(PUTPROPS **ADDRESSBOOK COPYRIGHT** ("Xerox Corporation" 1986 1988))

---

**FUNCTION INDEX**

MakeAddressBook .....1

---

**VARIABLE INDEX**

\*Address-Book-Pos\* .....1      \*AddressBookFiles\* .....1      AddressBookMask .....1  
\*Address-Book-Region\* .....1      AddressBookBM .....1

---