

File created: 14-Jan-87 17:50:00 [MCS:MCS:STANFORD]<LANE>BMENCODE.;13

previous date: 19-Dec-86 14:46:44 {MCS:MCS:STANFORD}<LANE>BMENCODE.;11

Read Table: OLD-INTERLISP-FILE

Package: INTERLISP

Format: XCCS

(\* \* Copyright (c) 1986, 1987 by Stanford University. All rights reserved.)

(RPAQQ **BMENCODECOMS**

```
(( * User function)
 (FNS BITMAP. ENCODE)
 (* Internal functions)
 (FNS FILE. TO. BITMAP BITMAP. TO. FILE)
 (ADDVARS (BMC. MAKEFILE. OPTIONS NEW))
 (INITVARS (BMC. EXTENSION 'BMC)
            (BMC. BYTESPERLINE 64))
 (GLOBALVARS BMC. MAKEFILE. OPTIONS BMC. EXTENSION BMC. BYTESPERLINE)))
```

(\* \* User function)

(DEFINEQ

(**BITMAP. ENCODE**

```
[LAMBDA (FILES)
 (LET [FILENAME (FILENAME (bind NAME for FILE inside FILES collect (PROG1 (SETQ NAME (NAMEFIELD FILE T))
 (SETATOMVAL NAME (FILE. TO. BITMAP FILE))))]
 (DECLARE (SPECVARS FILENAME))
 [SETATOMVAL [FILECOMS (NAMEFIELD (SETQ FILENAME (PACKFILENAME 'EXTENSION BMC. EXTENSION 'BODY
 (CAR FILENAMES)
 (BQUOTE ((BITMAPS ,@ FILENAMES)
 (P (for FILE in (QUOTE , FILENAMES) do (PRIN1 "Restoring file ")
 (PRIN1 (BITMAP. TO. FILE (EVALV FILE)
 FILE))
 (TERPRI]
 (RESETVAR FONTCHANGEFLG NIL (MAKEFILE FILENAME BMC. MAKEFILE. OPTIONS])
```

)

(\* \* Internal functions)

(DEFINEQ

(**FILE. TO. BITMAP**

```
[LAMBDA (FILE)
 (DECLARE (SPECVARS FILE))
 (LET (STREAM)
 (DECLARE (SPECVARS STREAM))
 (RESETLST
 [RESETSAVE NIL (BQUOTE (CLOSEF? , (SETQ STREAM (OPENSTREAM FILE 'INPUT)
 (LET (BITMAP (LENGTH (GETFILEINFO STREAM 'LENGTH))
 (BYTESPERLINE (QUOTIENT BMC. BYTESPERLINE 2)))
 (with BITMAP (SETQ BITMAP (BITMAPCREATE (TIMES BYTESPERLINE BITS PER BYTE)
 (QUOTIENT (PLUS (TIMES 2 BYTESPERWORD)
 BYTESPERLINE LENGTH)
 BYTESPERLINE)))
 (\PUTBASE BITMAPBASE 0 LENGTH)
 (\PUTBASE BITMAPBASE 1 (RSH LENGTH BITS PER WORD))
 (\BINS STREAM BITMAPBASE (TIMES 2 BYTESPERWORD)
 LENGTH))
 BITMAP))])
```

(**BITMAP. TO. FILE**

```
[LAMBDA (BITMAP FILE)
 (DECLARE (SPECVARS BITMAP FILE))
 (LET (STREAM)
 (DECLARE (SPECVARS STREAM))
 (RESETLST
 [RESETSAVE NIL (BQUOTE (CLOSEF? , (SETQ STREAM (OPENSTREAM FILE 'OUTPUT)
 [with BITMAP (\DTEST BITMAP 'BITMAP)
 (\BOUITS STREAM BITMAPBASE (TIMES 2 BYTESPERWORD)
 (PLUS (\GETBASE BITMAPBASE 0)
 (LSH (\GETBASE BITMAPBASE 1)
 BITS PER WORD]
 (FULLNAME STREAM))])
```

)

(ADDTOVAR **BMC. MAKEFILE. OPTIONS** NEW)

(RPAQ? **BMC. EXTENSION** 'BMC)

```
{MEDLEY}<lispusers>BMENCODE.;1
```

Page 2

```
(RPAQ? BMC.BYTESPERLINE 64)
```

```
(DECLARE: DOEVAL@COMPILE DONTCOPY
```

```
(GLOBALVARS BMC.MAKEFILE.OPTIONS BMC.EXTENSION BMC.BYTESPERLINE)  
)
```

```
(PUTPROPS BMENCODE COPYRIGHT ("Stanford University" 1986 1987))
```

---

**FUNCTION INDEX**

BITMAP.\_ENCODE .....1    BITMAP.TO.FILE .....1    FILE.TO.BITMAP .....1

---

**VARIABLE INDEX**

BMC.BYTESPERLINE .....2    BMC.EXTENSION .....1    BMC.MAKEFILE.OPTIONS .....1

---