
COMPILEBANG

By: Nick Briggs (Briggs.pa@Xerox.com)

Required by TRILLIUM

This provides an interface to the compiler that avoids the interview for the common cases of in-core compilation. It contains a single function `COMPILE!`, and the Lisp_x and edit macros `C`:

`(COMPILE! X NOSAVE NOREDEFINE PRINTLAP)` [Function]

Calls the compiler to compile *X*. If *X* is a litatom, its definition is compiled and stored in the function cell unless *NOREDEFINE*, and the old definition if any is saved on the property list unless *NOSAVE*. No printing of lap or machine code is done unless *PRINTLAP*.

Thus, to simply compile the function `BAR`, do `COMPILE!(BAR)`.

X may also be a list form. In this case, `COMPILE!` assumes that the user is interested just in seeing how that form would compile. The form is embedded in a Lambda expression and compiled. Of course, there is no function-cell to be stored into or saved.

`C` [Lisp_x Macro]

The LISP_xMACRO `C` calls `COMPILE!`, with *PRINTLAP* on, on the next element of the input line. Thus, `C BAR` will compile, redefine, and save the old definition for `BAR`.

`C (CONS)` will show how a call to `CONS` would compile.

The editmacro `C` calls `COMPILE!` on the current expression if it is a list, or on the form of which the current expression is an element.