

*File created:* 4-May-87 11:52:50 {DSK}<LISPFIES>MATT>INSPECTCODE-TEDIT.;10

*changes to:* (ADVICE OPENTEXTSTREAM-IN-\TEDIT.INSPECTCODE)  
(FILEVARS INSPECTCODE-TEDITCOMS)  
(FNS TITLEMENU-FN OPENTEXTSTREAM-FOR-\TEDIT.INSPECTCODE)

*previous date:* 7-Apr-87 16:03:12 {DSK}<LISPFIES>MATT>INSPECTCODE-TEDIT.;9

*Read Table:* INTERLISP

*Package:* INSPECTCODE-TEDIT

*Format:* XCCS

:: Copyright (c) 1985, 1986, 1987 by Beckman Instruments, Inc.. All rights reserved.

**(RPAQQ INSPECTCODE-TEDITCOMS**

```
((FNS BUILD.TITLEMENU ICON-FN INSP.ERROR KILL.TEDIT.PROCESS NOSELFN OPENTEXTSTREAM-FOR-\TEDIT.INSPECTCODE  
    TITLEMENU-FN)  
(UGLYVARS ICON.TEMPLATE)  
(P (CHANGENAME '\TEDIT.INSPECTCODE 'TEXTICON 'ICON-FN)  
    (CHANGENAME '\TEDIT.INSPECTCODE 'OPENTEXTSTREAM 'OPENTEXTSTREAM-FOR-\TEDIT.INSPECTCODE))  
(COMMANDS IC)  
(PROP (FILETYPE MAKEFILE-ENVIRONMENT)  
    INSPECTCODE-TEDIT)))
```

(DEFINEQ

**(BUILD.TITLEMENU**

```
[LAMBDA NIL ; Edited 30-Mar-87 16:32 by Matt Heffron  
(DECLARE (GLOBALVARS TITLEMENU))  
(SETQ TITLEMENU (create MENU  
    ITEMS _ '(((GraphCalls 'GC "Invoke GRAPHCALLS on the current selection")  
        (InspectCode 'IC "INSPECTCODE the current selection")  
        (Inspect 'INSP "INSPECT the current selection" (SUBITEMS  
            (Freely 'INSP "INSPECT the  
                free-reference value  
                of the selection")  
            (Globally 'INSP.GLOB  
                "INSPECT the Global  
                (Top Level) value of  
                the selection")  
            ("In Process Context"  
                'INSP.PROC "INSPECT the  
                value of the selection in  
                a process' context"))  
            ("Pretty Print Value" 'PPV "Pretty Print the value of the current  
                selection" (SUBITEMS (Freely 'PPV "Pretty Print the free-reference  
                    value of the selection")  
                (Globally 'PPV.GLOB "Pretty Print the Global (Top  
                    Level) value of the selection")  
                ("In Process Context" 'PPV.PROC "Pretty Print the  
                    value of the selection in a process'  
                    context")))  
            (Quit 'QUIT "Terminates this INSPECTCODE"))))
```

**(ICON-FN**

```
[LAMBDA (W)  
(DECLARE (GLOBALVARS ICON.TEMPLATE))  
(LET ((ICON (TITLEICONW ICON.TEMPLATE (WINDOWPROP W 'FNNAME)  
        (FONTCREATE 'HELVETICA 8 'MRR NIL NIL T)  
        NIL T)))  
    (WINDOWPROP W 'ICON ICON)  
    (WINDOWPROP W 'ICONWINDOW ICON)  
    (WINDOWPROP W 'ICONFN NIL)  
    ICON))
```

; Edited 30-Mar-87 15:59 by Matt Heffron

**(INSP.ERROR**

```
[LAMBDA (MESS1 MESS2 MESS3) ; Edited 30-Mar-87 16:00 by Matt Heffron  
(CLRPROMPT)  
(if (NOT MESS2)  
    then (PROMPTPRINT MESS1)  
  elseif (NOT MESS3)  
    then (PROMPTPRINT MESS1 MESS2)  
  else (PROMPTPRINT MESS1 MESS2 MESS3))  
(RINGBELLS])
```

; Edited 30-Mar-87 16:00 by Matt Heffron

**(KILL.TEDIT.PROCESS**

```
[LAMBDA (W)  
(DEL.PROCESS (WINDOWPROP W 'PROCESS))
```

; Edited 30-Mar-87 16:00 by Matt Heffron

## (NOSELFN

```
[LAMBDA NIL
  (CLRPROMPT)
  (PROMPTPRINT "No current selection")
  (RINGBELLS)]
```

; Edited 30-Mar-87 16:01 by Matt Heffron

## (OPENTEXTSTREAM-FOR-\TEDIT.INSPECTCODE

```
[LAMBDA (TEXT WINDOW START END PROPS)
  [PROG1 [OPENTEXTSTREAM TEXT WINDOW START END (APPEND PROPS '(QUITFN T TITLEMENUFN TITLEMENU-FN NOTITLE T]
    (WINDOWADDPROP WINDOW 'CLOSEFN (FUNCTION KILL.TEDIT.PROCESS))
    (WINDOWPROP WINDOW 'FNNAME FN)
    (WINDOWPROP WINDOW '*PACKAGE* *PACKAGE*)
    (WINDOWPROP WINDOW '*READTABLE* *READTABLE*))]])
```

## (TITLEMENU-FN

```
[LAMBDA (W)
```

; Edited 4-May-87 11:32 by  
; Edited 4-May-87 11:25 by  
; Edited 4-May-87 11:19 by

```
(DECLARE (GLOBALVARS TITLEMENU))
(if (OR (NOT (BOUNDP 'TITLEMENU))
        (NOT (type? MENU TITLEMENU)))
  then (BUILD:TITLEMENU))
[LET* ((STREAM (TEXTSTREAM W))
      (W*PACKAGE* (WINDOWPROP W '*PACKAGE*))
      (W*READTABLE* (WINDOWPROP W '*READTABLE*))
      (SELLLEN (fetch (SELECTION DCH) of (TEDIT.GETSEL STREAM)))
      (MENUCHOICE (MENU TITLEMENU))
      (SpecifyRegionString "Specify a region for the value pretty print window")
      INSPVAL SELSTR DISPLAYWINDOW)
  (if (NOT MENUCHOICE)
    then
    elseif (EQ MENUCHOICE 'QUIT)
      then (TEDIT.QUIT STREAM)
      (if (OPENWP W)
        then (CLOSEW W))
    else [if (EQ SELLLEN 0)
      then (NOSELFN)
      elseif (GREATERP SELLLEN 255)
        then (INSP.ERROR "Selection is too long (> 255 characters)")
        (TEDIT.SHOWSEL STREAM NIL NIL)
        (TEDIT.SETSEL STREAM 0 0 'LEFT)
      else (SETQ SELSTR (LET [*PACKAGE* W*PACKAGE*]
                            (*READTABLE* W*READTABLE*)
                            (STRM (OPENSTRINGSTREAM (TEDIT.SEL.AS.STRING STREAM NIL)
                                         'INPUT])
                            (READ STRM)
                            (SELECTQ MENUCHOICE
                              (IC (LET ((*PACKAGE* W*PACKAGE*)
                                        (*READTABLE* W*READTABLE*))
                                (INSPECTCODE SELSTR)))
                              (GC (if (FGETD 'GRAPHCALLSW)
                                then (if (NOT (LET ((*PACKAGE* W*PACKAGE*)
                                              (*READTABLE* W*READTABLE*))
                                  (GRAPHCALLS SELSTR)))
                                  then (INSP.ERROR "Nothing to graph!!!"))
                                else (INSP.ERROR "The GRAPHCALLS package is not loaded. Cannot graph " SELSTR)))
                            ((INSP PPV)
                              (if (BOUNDP SELSTR)
                                then (if (EQ MENUCHOICE 'PPV)
                                  then (PROMPTPRINT SpecifyRegionString)
                                  (SETQ DISPLAYWINDOW (CREATEW (GETREGION (WIDTHIFWINDOW 72)
                                            (HEIGHTIFWINDOW 72 T))
                                         SELSTR))
                                  (CLRPROMPT)
                                  (printout DISPLAYWINDOW .PPV (EVAL SELSTR))
                                else (INSPECT (EVALV SELSTR)))
                              else (INSP.ERROR SELSTR " has no value to " (if (EQ MENUCHOICE 'PPV)
                                then "print"
                                else "inspect")))))
                            ((INSP.GLOB PPV.GLOB)
                              (if (NEQ (SETQ INSPVAL (GETTOPVAL SELSTR))
                                    'NOBIND)
                                then (if (EQ MENUCHOICE 'PPV.GLOB)
                                  then (PROMPTPRINT SpecifyRegionString)
                                  (SETQ DISPLAYWINDOW (CREATEW (GETREGION (WIDTHIFWINDOW 72)
                                            (HEIGHTIFWINDOW 72 T))
                                         SELSTR))
                                  (CLRPROMPT)
                                  (printout DISPLAYWINDOW .PPV INSPVAL)
                                else (INSPECT INSPVAL)))
                            else (INSP.ERROR SELSTR " has no Global value to " (if (EQ MENUCHOICE 'PPV.GLOB)
                                then "print"
                                else "inspect")))))
                            ((INSP.PROC PPV.PROC)
                              (LET (PROCESSLIST PROC)
```

```

(DECLARE (SPECVARS PROCESSLIST))
[MAP.PROCESSES (FUNCTION (LAMBDA (PHANDLE PNAME PFORM)
(DECLARE (SPECVARS PROCESSLIST))
(push PROCESSLIST (LIST PNAME PHANDLE]
(SETQ PROC (MENU (create MENU
ITEMS _ PROCESSLIST
CENTERFLG _ T)))
(if PROC
then [if (NEQ (SETQ INSPVAL (PROCESS.EVALV PROC SELSTR))
'NOBIND)
then (if (EQ MENUCHOICE 'PPV.PROC)
then (PROMPTPRINT SpecifyRegionString)
(SETQ DISPLAYWINDOW (CREATEW (GETREGION (WIDTHIFWINDOW
72)
(HEIGHTIFWINDOW
72 T))
SELSTR))
(CLRPROMPT)
(prinout DISPLAYWINDOW .PPV INSPVAL)
else (INSPECT INSPVAL))
else (INSP.ERROR SELSTR (if (EQ MENUCHOICE 'PPV.PROC)
then " has no value to print in process "
else " has no value to inspect in process ")
(PROCESSPROP PROC 'NAME]
else (INSP.ERROR "No process selected. Will not "
(if (EQ MENUCHOICE 'PPV.PROC)
then "print "
else "inspect ")
SELSTR)))
; Shouldn't happen, but ignore it.
(PROGN
])
NIL])

(READVAR-FROM-STRING 'ICON.TEMPLATE "({(READBITMAP) (87 91
%"OooooooooooooooooooooON@@%
%"OooooooooooooooooooooON@@%
%"LoooooooooooooF@@%
%"LoooooooooooooF@@%
%"LoooooooooooooF@@%
%"LoooooooooooooF@@%
%"LoooooooooooooF@@%
%"LoooooooooooooCO@@%
%"LooooooooooooAOON@F@@%
%"LooooooooooooGNC@OH@F@@%
%"LooooooooooooAO@@CN@F@@%
%"Loooooooooooo@CL@F@@%
%"Loooooooooooo@C@AN@F@@%
%"LooooooooooooCH@F@@%
%"LooooooooooooC@C@@F@@%
%"LooooooooooooG@CH@F@@%
%"LooooooooooooN@AL@F@@%
%"LooooooooooooL@L@F@@%
%"LooooooooooooAL@N@F@@%
%"LooooooooooooAH@F@@%
%"LooooooooooooCH@G@F@@%
%"LooooooooooooC@C@F@@%
%"LooooooooooooC@C@F@@%
%"LooooooooooooGGL@OHG@OOHF@@%
%"LooooooooooooGLFCHNALLAHF@@%
%"LooooooooooooGHCC@FF@LLAHF@@%
%"LooooooooooooG@CF@FLAHF@@%
%"LBIGKMLNO@@F@CF@FOOHF@@%
%"LBMDBEA@BG@F@CF@FLAHF@@%
%"LBOGKMM@BG@F@CF@FLAHF@@%
%"LBK@JAA@BGHCC@FF@LLAHF@@%
%"LBIGJALNBGLFCHNALLAHF@@%
%"LooooooooooooGGL@OHG@OOHF@@%
%"LooooooooooooC@C@F@@%
%"LooooooooooooC@C@F@@%
%"LooooooooooooCH@G@F@@%
%"LooooooooooooAH@F@@%
%"LooooooooooooAL@N@F@@%
%"LooooooooooooL@L@F@@%
%"LooooooooooooCN@AL@F@@%
%"LooooooooooooG@C@CH@F@@%
%"LooooooooooooC@C@F@@%
%"LooooooooooooOL@C@F@@%
%"LooooooooooooON@C@F@@%
%"LooooooooooooAGO@@CL@F@@%
%"LooooooooooooCKCL@C@F@@%
%"LooooooooooooGLAO@@CN@F@@%
%"LooooooooooooOH@GNC@OH@F@@%
%"LooooooooooooAO@AOON@F@@%
%"LooooooooooooFN@CO@F@@%
%"LooooooooooooOD@F@@%

```



#### FUNCTION INDEX

BUILD.TITLEMENU .....	1	NOSELFN .....	2
ICON-FN .....	1	OPENTEXTSTREAM-FOR-\TEDIT.INSPECTCODE .....	2
INSP.ERROR .....	1	TITLEMENU-FN .....	2
KILL.TEDIT.PROCESS .....	1		

---

#### PROPERTY INDEX

INSPECTCODE-TEDIT .....	4
-------------------------	---

---

#### COMMAND INDEX

IC .....	4
----------	---

---