

File created: 20-Apr-88 18:04:32 {EG:PARC:XEROX}<LANNING>LISP>USERS>LOADMENUITEMS.;6
 changes to: (FNS LoadUtilityPackage)
 previous date: 3-Dec-87 11:38:28 {EG:PARC:XEROX}<LANNING>LISP>USERS>LOADMENUITEMS.;5
 Read Table: INTERLISP
 Package: INTERLISP
 Format: XCCS

::
 :: Copyright (c) 1986, 1987, 1988 by Xerox Corporation. All rights reserved.

(RPAQQ LOADMENUITEMSCOMS
[

:: Defines a new FILEPKGCOM called LOADMENUITEMS that can be used to add entries onto the background menu for easy loading of utility files

```
(FNS AddLoadMenuItem LoadUtilityPackage PickLoadUtilityItem LOADMENUITEMSCOMS)
(FILEPKGCOMS LOADMENUITEMS)

;; Make the Filemanager happy
(DECLARE%: DONTCOPY (PROP MAKEFILE-ENVIRONMENT LOADMENUITEMS))
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILE_VARS (ADDVARS (NLAMA)
(NLAML)
(LAMA PickLoadUtilityItem))
```

:: Defines a new FILEPKGCOM called LOADMENUITEMS that can be used to add entries onto the background menu for easy loading of utility files

(DEFINEQ

AddLoadMenuItem

[LAMBDA (group fileDescr startUpForm) ; Edited 2-Dec-87 11:00 by smL

:: Add a menu item to the background menu that will load the file(s) --- group is the submenu name for this file, default is Misc --- fileDescr is a list that can be passed to DOFILESLOAD to load the file(s) --- startUpForm is an optional form that will be evaluated after the LOAD, default will print a nice msg in the prompt window

```
(DECLARE (GLOBALVARS BackgroundMenu BackgroundMenuCommands))
(LET* [(group (OR group "Misc"))
       (fileDescr (MKLIST fileDescr))
       [fileName (for x in fileDescr thereis (NOT (LISTP x)
                                                 (startUpFormProvided (NOT (NULL startUpForm)))
                                                 [startUpForm (OR startUpForm `(PROMPTPRINT ',fileName " loaded")]
                                                 [loadForm `'(LISPXEVAL '(LoadUtilityPackage ',fileDescr ',startUpForm)
                                                 "<mouse event>_")]
                                                 (topLevelItem (OR (for item in BackgroundMenuCommands thereis (STRING-EQUAL (CAR item)
                                                                                                     "Load utility"))
                                                 (LET [(topLevelItem (LIST "Load utility" NIL "Load a utility file"
                                                 (LIST 'SUBITEMS)
                                                 (/push BackgroundMenuCommands topLevelItem)
                                                 topLevelItem)))
                                                 (groupItem (OR (for item in (CDAR (LAST topLevelItem)) thereis (STRING-EQUAL group (CAR item)))
                                                 (LET [(groupList (LIST group NIL "Load a utility file" (LIST 'SUBITEMS)
                                                 (/push (CDAR (LAST topLevelItem))
                                                 groupList)
                                                 (SORT (CDAR (LAST topLevelItem))
                                                 (FUNCTION (LAMBDA (x y)
                                                 (ALPHORDER (CAR x)
                                                 (CAR y)
                                                 groupList)))
                                                 newItem (LIST fileName loadForm (CONCAT "Load " fileName)
                                                 (COND
                                                   ((for item in (CAR (LAST groupItem)) thereis (EQUAL item newItem))
                                                    ; Don't bother to add the item if it's already there
                                                   NIL)
                                                   ([AND (NOT startUpFormProvided)
                                                       (for file in fileDescr when (NOT (LISTP file))
                                                       always (NOT (NULL (GETPROP (ROOTFILENAME (U-CASE file)
                                                       T)
                                                       'FILEDATES) ; If there is no start-up form and all the files are already loaded,
                                                       ; don't bother adding the item
                                                       NIL)
                                                       (T
                                                       (/NCONC1 (CAR (LAST groupItem))
                                                       newItem)
                                                       [SORT (CDAR (LAST groupItem))
                                                       (FUNCTION (LAMBDA (x y)
                                                       (ALPHORDER (CAR x)
                                                       (CAR y)
                                                       (SETQ BackgroundMenu NIL)
                                                       (UNDOSAVE `(SETQ ,BackgroundMenu NIL)]
```

(LoadUtilityPackage

[LAMBDA (fileDescr startUpForm)

; Edited 20-Apr-88 18:04 by smL

;;; Load the package. See the function AddLoadMenuItem.

(PickLoadUtilityItem

[CL:LAMBDA (XCL-USER::UTILITY-NAME &OPTIONAL XCL-USER::GROUP-NAME XCL-USER::NO-ERRORS-P)
; Edited 3-Dec-87 11:29 by sml

;;; Many thanks to Andy Cameron for this function.

;; Provides a way to programatically chose items from the LoadUtility Menu item

;;; Eg: (PickLoadUtilityItem "FileWatch")

```

(CL:LABELS ((XCL-USER::ITEM-LABEL (XCL-USER::MENU-ITEM)
          (CL:FIRST XCL-USER::MENU-ITEM))
            (XCL-USER::ITEM-BODY (XCL-USER::MENU-ITEM)
          (CL:SECOND XCL-USER::MENU-ITEM))
            (XCL-USER::ITEM-SUB-ITEMS (XCL-USER::MENU-ITEM)
          (CL:REST (CL:FOURTH XCL-USER::MENU-ITEM)))
[XCL-USER::DO-ITEM (XCL-USER::MENU-ITEM)
          (CL:EVAL (CL:EVAL (XCL-USER::ITEM-BODY XCL-USER::MENU-ITEM)
(XCL-USER::LOOKUP (XCL-USER::X XCL-USER::ALIST)
          (CL:ASSOC XCL-USER::X XCL-USER::ALIST :TEST #'STRING-EQUAL))
(XCL-USER::MAKE-MENU (&KEY XCL-USER::ITEMS XCL-USER::TITLE)
          (create MENU
                  TITLE _ XCL-USER::TITLE
                  ITEMS _ XCL-USER::ITEMS
                  CENTERFLG _ T)))
;;
;; Find all the matching utilities
(LET [(XCL-USER::GROUP-ITEMS (CL:REMOVE-IF-NOT #'[CL:LAMBDA (XCL-USER::GROUP-ITEM)
          (AND (XCL-USER::LOOKUP
                  XCL-USER::UTILITY-NAME
                  (XCL-USER::ITEM-SUB-ITEMS
                  XCL-USER::GROUP-ITEM))
          (OR (NULL XCL-USER::GROUP-NAME)
              (STRING-EQUAL
                  XCL-USER::GROUP-NAME
                  (XCL-USER::ITEM-LABEL
                  XCL-USER::GROUP-ITEM]
                  (XCL-USER::ITEM-SUB-ITEMS (XCL-USER::LOOKUP "Load utility"
BackgroundMenuCommands]
(COND
  ((= 1 (CL:LENGTH XCL-USER::GROUP-ITEMS))
;; Exactly one applicable item, so use it
  [XCL-USER::DO-ITEM (XCL-USER::LOOKUP XCL-USER::UTILITY-NAME (XCL-USER::ITEM-SUB-ITEMS
          (CL:FIRST
          XCL-USER::GROUP-ITEMS
        ]
T)
(XCL-USER::NO-ERRORS-P
  ;; Forget it.
  NIL)
  (NULL XCL-USER::GROUP-ITEMS)
  ;; Not found anywhere.
  (CL:CERROR "Forget loading the utility." "~%%Utility ~A not found under ~A on the
LoadUtility menu." XCL-USER::UTILITY-NAME (OR XCL-USER::GROUP-NAME "any group"))
NIL)

```

```
(T ;; Found in more than one place.
(CL:CERROR "Pick one of them to load." "~%%Utility ~A found under multiple groups on
the LoadUtility menu.~%~{ ~A~}" XCL-USER::UTILITY-NAME (CL:MAPCAR
#'
XCL-USER::ITEM-LABEL
XCL-USER::GROUP-ITEMS
))
(LET [ (XCL-USER::GROUP-ITEM (MENU (XCL-USER::MAKE-MENU
:TITLE "Load utility from which group?" :ITEMS
(CL:MAPCAR #'(CL:LAMBDA (XCL-USER::GROUP-ITEM)
(LIST (XCL-USER::ITEM-LABEL
XCL-USER::GROUP-ITEM)
XCL-USER::GROUP-ITEM) )
XCL-USER::GROUP-ITEMS
)
(CL:WHEN XCL-USER::GROUP-ITEM
(XCL-USER::DO-ITEM (XCL-USER::LOOKUP XCL-USER::UTILITY-NAME (
XCL-USER::ITEM-SUB-ITEMS
XCL-USER::GROUP-ITEM
)))
T)])
)
```

LOADMENUITEMSCOMS

[LAMBDA (GROUP X)

(* smL "16-Sep-86 18:37")

(* * Expand the LOADMENUITEMS filepackage command)

```
(LIST (CONS 'P (for packageDescr in X collect (if (LITATOM packageDescr)
then '(AddLoadMenuItem ,GROUP ,packageDescr)
elseif (EQLLENGTH packageDescr 1)
then '[AddLoadMenuItem ,GROUP ,(CAR packageDescr]
elseif (EQLLENGTH packageDescr 2)
then '[AddLoadMenuItem ,GROUP ,(CAR packageDescr)
',(CADR packageDescr]
else (ERROR "Utility description has too many arguments"
packageDescr)))
)
)
[PUTDEF 'LOADMENUITEMS 'FILEPKGCOMS ((COM MACRO [(GROUP . X)
(COMS * (LOADMENUITEMSCOMS 'GROUP 'X]
CONTENTS NIL])
;; Make the Filemanager happy
(DECLARE%: DONTCOPY
(PUTPROPS LOADMENUITEMS MAKEFILE-ENVIRONMENT (:PACKAGE "IL" :READTABLE "INTERLISP" :BASE 10))
)
(DECLARE%: DONTINVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS
(ADDTOVAR NLAMA )
(ADDTOVAR NLAML )
(ADDTOVAR LAMA PickLoadUtilityItem)
)
(PUTPROPS LOADMENUITEMS COPYRIGHT ("Xerox Corporation" 1986 1987 1988))
```

FUNCTION INDEX

AddLoadMenuItem1 LOADMENUITEMSCOMS3 LoadUtilityPackage2 PickLoadUtilityItem2

PROPERTY INDEX

LOADMENUITEMS3
