

File created: 21-May-2024 18:45:54 {LU}MANAGER.;4

edit by: mth

changes to: (FNS Manager.DO.COMMAND)

previous date: 20-May-2024 11:16:10 {LU}MANAGER.;3

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

(RPAQQ MANAGERCOMS

```
[.; The Manager : a menu based interface to the file manager.
;; Originally written by: Jay Ferguson of Ford Aerospace & Communications Corp and Robert Noble of Intellicorp.
;; Rewritten by Larry Masinter, winter of 1986.
;; Further modifications & significant enhancements by Andrew J. Cameron III, summer of 1987.
;; Ongoing maintenance and performance tuning by Ron Fischer at Xerox AI Systems.
;;
;; There are two patches in here that should be removed if Xerox Lisp is fixed. The first is the advice (MARKASCHANGED :IN
;; DEFAULT.EDITDEFA0001) that removes a (mostly) redundant call to MARKASCHANGED in the editor interface, which otherwise slows
;; down manager updates. Somehow this call is not redundant when editing FILELST (perhaps there's a special case for FILELST or when
;; items are not in any existing files). The second is the fns Manager.REMOVE.DUPLICATE.ADVICE called by the advice on LOAD and
;; LOADFNS, which removes redundant advice which would otherwise pile up and cause massive slow downs in manager updates!
;;
;; The edit history is now kept in the file MANAGER.HISTORY.
;;
;; Known bugs and feature requests are now kept in the documentation file MANAGER.TEDIT.
;;
(SPECVARS Manager.ACTIVEFLG MANAGER-CASES MANAGER-ADDTFILES?)
(GLOBALVARS LAMBDAFONT DEFAULTFONT MENUFONT BOLDMENUFONT MANAGER-WINDOWS LOADDBFLG SAVEDBFLG
  MANAGER-ITEM-OPERATION-COMMANDS MANAGER-ITEM-FILE-RELATION-COMMANDS
  MANAGER-FILE-OPERATIONS-COMMANDS MANAGER-FILE-FILE-RELATION-COMMANDS MANAGER-MAIN-MENU-ITEMS
  MANAGER-ACTIVITY-WINDOW-TITLE MANAGER-MAIN-WINDOW MANAGER-MAIN-ICONW Manager.WINDOW-ANCHOR
  MANAGER.BM MANAGER.BM.MASK BackgroundMenuCommands BackgroundMenu)
(VARS *UNMANAGED-TYPES* MANAGER-ACTIVITY-WINDOW-TITLE (MANAGER-CASES)
  (MANAGER-ADDTFILES?)
  MANAGER-FILE-FILE-RELATION-COMMANDS MANAGER-FILE-OPERATIONS-COMMANDS
  MANAGER-ITEM-FILE-RELATION-COMMANDS MANAGER-ITEM-OPERATION-COMMANDS MANAGER-MAIN-MENU-ITEMS
  MANAGER.BM MANAGER.BM.MASK)
(INITVARS (Manager.ACTIVEFLG NIL)
  (Manager.SORTFILELSTFLG T)
  (Manager.WINDOW-ANCHOR 'ANCHOR-BL)
  (Manager.MENUROWS 20)
  (Manager.DATASPACE NIL)
  (MANAGER-WINDOWS NIL)
  (MANAGER-MAIN-WINDOW NIL)
  (MANAGER-MAIN-ICONW (ICONW MANAGER.BM MANAGER.BM.MASK (create POSITION XCOORD _ 0 YCOORD _ 0)
    T))
  (MANAGER-OPEN-WINDOWS NIL)
  (MANAGER-FILE-MENU NIL)
  (MANAGER-FILELST-MENU NIL)
  (MANAGER-FILE-OPERATIONS-MENU NIL)
  (MANAGER-FILE-FILE-RELATION-MENU NIL)
  (MANAGER-MARKED-SHADE BOLDMENUFONT))
(FILES DATABASEFNS FILEBROWSER (FROM LISPUSERS)
  COMMON-MAKE)
; FILEBROWSER for SEE command
(FNS MANAGER MANAGER.RESET Manager.ADDADV Manager.ADDTOFILES? Manager.ALTERMARKING
  Manager.ANCHORED-SET-POSITION Manager.DO.COMMAND Manager.DO.COMMAND.PROCFN Manager.HIGHLIGHT
  Manager.PROMPT Manager.WINDOW Manager.insurefilehighlights Manager.CHANGED? Manager.CHECKFILE
  Manager.COLLECTCOMS Manager.COMS.WSF Manager.COMSOPEN Manager.COMSUPDATE Manager.HIGHLIGHTED
  Manager.INSUREHIGHLIGHTS Manager.FILECHANGES Manager.FILELSTCHANGED? Manager.FILESUBTYPES
  Manager.GET.ENVIRONMENT Manager.GETFILE Manager.INTITLE? Manager.MAIN.WSF Manager.MAINCLOSE
  Manager.MAINMENUITEMS Manager.MAINOPEN Manager.MAINUPDATE Manager.MAKEFILE.ADV Manager.MENUCOLUMNS
  Manager.MENUHASITEM Manager.MENUITEMS Manager.REMOVE.DUPLICATE.ADVICE Manager.RESETSUBITEMS
  Manager.SET-ANCHOR Manager.SORT.COMS Manager.SORTBYCOLUMN)
(ADVISE ADDFILE ADTFILES? MAKEFILE MARKASCHANGED UNMARKASCHANGED UPDATEFILES ADTTOCOMS DELFROMCOMS
  \ADTTOFILEBLOCK/ADDNEWCOM LOAD LOADFNS (MARKASCHANGED :IN DEFAULT.EDITDEFA0001))
(MACROS GETDATUM PUTDATUM Manager.TTYCOMMAND)
(PROP MANAGER-DEFINITION-TYPE-COMMANDS ADVICE FNS RECORDS VARS FUNCTIONS)
(ADDVARS (BackgroundMenuCommands (File% Manager (MANAGER)
  "Starts the menu driven file manager"))
(P (LSUBST 'Manager NIL BackgroundMenuCommands)
; remove old manager entry if it exists
(SETQ BackgroundMenu NIL)
; cause the backGround menu to be rebuilt
(MANAGER.RESET (CL:SYMBOL-VALUE 'Manager.ACTIVEFLG))
; Shutdown any old manager windows and restart if we're
; already running.
```

```
(if (STREQUAL MANAGER-ACTIVITY-WINDOW-TITLE (WINDOWPROP NIL 'TITLE))
  then
```

; If we're in the manager activity window, close it, since we
; dropped the pointer to it in MANAGER.RESET.

```
(CLOSEW NIL))
(PROP (MAKEFILE-ENVIRONMENT FILETYPE)
  MANAGER)
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILEVAR (ADDVARS (NLAMA)
                                                                    (NLAML)
                                                                    (LAMA))
```

:: The Manager : a menu based interface to the file manager.

:: Originally written by: Jay Ferguson of Ford Aerospace & Communications Corp and Robert Noble of Intellicorp.

:: Rewritten by Larry Masinter, winter of 1986.

:: Further modifications & significant enhancements by Andrew J. Cameron III, summer of 1987.

:: Ongoing maintenance and performance tuning by Ron Fischer at Xerox AI Systems.

::

:: There are two patches in here that should be removed if Xerox Lisp is fixed. The first is the advice (MARKASCHANGED :IN
:: DEFAULT.EDITDEFA0001) that removes a (mostly) redundant call to MARKASCHANGED in the editor interface, which otherwise slows down
:: manager updates. Somehow this call is not redundant when editing FILELST (perhaps there's a special case for FILELST or when items are not in
:: any existing files). The second is the fns Manager.REMOVE.DUPLICATE.ADVISE called by the advice on LOAD and LOADFNS, which removes
:: redundant advice which would otherwise pile up and cause massive slow downs in manager updates!

::

:: The edit history is now kept in the file MANAGER.HISTORY.

::

:: Known bugs and feature requests are now kept in the documentation file MANAGER.TEDIT.

::

```
(DECLARE%: DOEVAL@COMPILE DONTCOPY
```

```
(SPECVARS Manager.ACTIVEFLG MANAGER-CASES MANAGER-ADDTFILES?)
)
```

```
(DECLARE%: DOEVAL@COMPILE DONTCOPY
```

```
(GLOBALVARS LAMBDAFONT DEFAULTFONT MENUFONT BOLDMENUFONT MANAGER-WINDOWS LOADDBFLG SAVEDBFLG
  MANAGER-ITEM-OPERATION-COMMANDS MANAGER-ITEM-FILE-RELATION-COMMANDS MANAGER-FILE-OPERATIONS-COMMANDS
  MANAGER-FILE-FILE-RELATION-COMMANDS MANAGER-MAIN-MENU-ITEMS MANAGER-ACTIVITY-WINDOW-TITLE
  MANAGER-MAIN-WINDOW MANAGER-MAIN-ICONW Manager.WINDOW-ANCHOR MANAGER.BM MANAGER.BM.MASK
  BackgroundMenuCommands BackgroundMenu)
)
```

```
(RPAQQ *UNMANAGED-TYPES* (EXPRESSIONS FILES FIELDS FILEVARS-ARE-NOW-OK))
```

```
(RPAQQ MANAGER-ACTIVITY-WINDOW-TITLE "Manager Command Activity")
```

```
(RPAQQ MANAGER-CASES NIL)
```

```
(RPAQQ MANAGER-ADDTFILES? NIL)
```

```
(RPAQQ MANAGER-FILE-FILE-RELATION-COMMANDS
```

```
((" Delete " 'DELETE "Delete this file")
 ("Rename" 'RENAME "Rename this file")
 ("Copy" 'COPY "Copy this item to another file")
 ("Mark" 'CHANGED "Mark this file as being changed")
 ("Unmark" 'UNMARK "Unmark this file as being changed")))
```

```
(RPAQQ MANAGER-FILE-OPERATIONS-COMMANDS
```

```
[("See" 'SEE "Show file in a window" (SUBITEMS ("Fast" 'SEE "Show file in a window"
  (" Scrollable " 'TEDIT-SEE "Show file in a scrollable
  window"))))
 ("(Re)Load" 'LOAD "Load the source of this file" (SUBITEMS ("Load" 'LOAD "Load the source of this file")
  (" SysLoad " 'SYSLOAD "SysLoad the file: smashes
  everything on the way in and is not
  UNDOable"))))
 ("MakeFile" 'MAKEFILE "Dump the source of this file" (SUBITEMS ("MakeFile" 'MAKEFILE "Dump the source of
  this file, by remaking it")
  ("New" 'NEW "Don't copy any definitions from
  old version")
  ("Fast" 'FAST "Dump the source without
  pretty printing")
  (" CommonLisp " 'COMMON-MAKEFILE "Create a
  .LSP file containing plain CommonLisp
  source
  Will load Common-MakeFile if
  necessary"))))
 ("List" 'LIST "List this file on the default printer")
 ("CleanUp" 'CLEANUP "Dump, list and recompile this file" (SUBITEMS ("CleanUp" 'CLEANUP "Dump, list and
  recompile this file, using the
  default cleanup compiler")
  (" Set default: compile-file " CLEANUPC
```

```

"Change the default cleanup
compiler to compile-file;
yeilding .dfasl files")
("Set default: TCOMPL" CLEANUPT
"Change the default cleanup
compiler to TCOMPL; yeilding
.LCOM files
This compiler will be going away
soon"))
["MasterScope" 'ANALYZE "Analyze the FNS on the selected file with MasterScope"
(SUBITEMS ("Analyze" 'ANALYZE "Analyze the FNS on the selected file with MasterScope")
("Check" 'CHECK "Check the file for problems through MasterScope")
("Show Paths" 'SHOWPATHFILE "Show all functions called by functions in this file")
(" DataBaseFNS " 'DBFILE "Display DATABASE property for this file
Will load DataBaseFNS if necessary" (SUBITEMS ("Set to Ask" 'DBFILEASK "Ask about
disposition of MasterScope
information when loading and
storing this file")
("Set to On" 'DBFILEON "Automatically
maintain the MasterScope
information for this file")
("Set to Off" 'DBFILEOFF "Do not
automatically maintain the
MasterScope information for this
file")
(" Load DB " 'LOADDB "Load this file's
MasterScope information, if it
exists and make it's upkeep
automatic")
("Dump DB" 'DUMPDB "Dump this file's
MasterScope information, if it
exists and make it's upkeep
automatic"]
("Compile" 'COMPILE "Compile this file" (SUBITEMS ("Compile" 'COMPILE "InterLisp compiler")
(" CL:COMPILE-FILE " 'CL:COMPILE-FILE "CommonLisp
compiler"))))
("Changes" 'CHANGES "Show the changes that have been made to this file." (SUBITEMS ("Brief" 'CHANGES
"Show the
changes that
have been made
to this
file.")
(" Everything "
'PL "Display everything
on this file's property
list")
("Edit PL" 'EDIT
"Edit this file's
property list"])]

```

(RPAQQ **MANAGER-ITEM-FILE-RELATION-COMMANDS**

```

((" Delete " 'DELETE "Delete this item")
("EditAll" 'EDITCALLERS "Edit occurances of this item's name in its file")
("Rename" 'RENAME "Rename this item and update its file with new name" (SUBITEMS ("Rename" 'RENAME
"Rename this
item locally and
update its file
with new name")
("CopyDef" 'COPYDEF
"Make a copy with a
new name")
(" Rename All "
'RENAME-ALL "Rename this
item in *ALL* loaded
files"))))
("Move" 'MOVE "Move this item to another file")
("Copy" 'COPY "Copy this item to another file")
("Mark" 'CHANGED "Mark this item as being changed" (SUBITEMS ("Changed" 'CHANGED "Mark item as being
CHANGED")
(" Defined " 'DEFINED "Mark item as being
DEFINED")
("Deleted" 'DELETED "Mark item as being
DELETED"))))
("Unmark" 'UNMARK "Unmark this item as being changed"))

```

(RPAQQ **MANAGER-ITEM-OPERATION-COMMANDS**

```

[("Edit" 'EDIT "Edit this item")
(" PrettyPrint " 'SHOWDEF "Show how this item would be written to a file" (SUBITEMS ("Show" 'SHOWDEF
"Show how
this item
would be
written to a
file")
("Value" 'PV
"Display
(Pretty-Print)
this item's

```

```

value")
("Function Def"
'PF "Display
(Pretty-Print) this
item's function
definition")
(" Property List "
'PL "Display this
item's property list")
))
(" Documentation " 'CLDOC "Show the CommonLisp documentation string for this item"
(SUBITEMS (" Documentation " 'CLDOC "Show the CommonLisp documentation string for this item")
(" Describe " 'CLDESCRIBE "Show the CommonLisp description of this item"])
```

(RPAQQ **MANAGER-MAIN-MENU-ITEMS**

```

[("MakeFiles" 'MAKEFILE "Update the source of all changed files")
("CleanUp" 'CLEANUP "Dump, list and recompile any changed files" (SUBITEMS ("CleanUp" 'CLEANUP "Dump,
list and recompile any
changed files, using
the default cleanup
compiler")
(" Set default: compile-file "
'CLEANUPC "Change the default
cleanup compiler to
compile-file; yielding .dfasl
files")
("Set default: TCOMPL"
'CLEANUPT "Change the default
cleanup compiler to TCOMPL;
yielding .LCOM files
This compiler will be going
away soon"))
("Changes" 'CHANGES "Prints all the changes that have been made")
["MS DataBaseFNS" 'DB "Displays the current MasterScope database flags,
Will load DataBaseFNS if necessary" (SUBITEMS ("All" 'DB "Displays the current MasterScope
database flags" (SUBITEMS
(" Set to Ask "
'DBASK "Ask user when
Loading and/or Saving
files")
("Set to On" 'DBON
"Always maintain
MasterScope database
information")
("Set to Off" 'DBOFF
"Stop maintaining
MasterScope database
information"))
("Load" 'DB "Displays the current MasterScope database
flags" (SUBITEMS (" Set to Ask " 'DBLOADASK
"Ask user when Loading
files")
("Set to On" 'DBLOADON
"Maintain MasterScope
database information when
Loading")
("Set to Off" 'DBLOADOFF
"Don't load MasterScore
information from database
files"))
(" Save " 'DB "Displays the current MasterScope
database flags" (SUBITEMS (" Set to Ask "
'DBSAVEASK "Ask user
when Saving files")
("Set to On"
'DBSAVEON "Maintain
MasterScope database
information when
Loading")
("Set to Off"
'DBSAVEOFF "Don't save
MasterScore information
in database files"]
("Files?" 'FILES? "Ask for updates and display status of files")
("Add" 'LOADFNSLATER "Add a file to the FileManager's menu" (SUBITEMS ("LoadFns"
'LOADFNSLATER "Notice a file
using LOADFNS"
(SUBITEMS (" LoadFns Later "
'LOADFNSLATER
"Notice a file, but
don't load the
function defs until
needed")
("LoadFns Now"
'LOADFNSSNOW "Notice a
file and loads all it's
function defs")))
```

```

("LoadFrom"
 'LOADFROMLATER "Notice a file using
LOADFROM" (SUBITEMS
  (" LoadFrom Later "
   'LOADFROMLATER
   "Notice a file with
side-effects, but don't
load the function defs
until needed")
  ("LoadFrom Now"
   'LOADFROMNOW "Notice a
file with side-effects
and load all it's
function defs"))
("Load" 'LOAD "Notice a file by
actually LOADING it")
("AddFile" 'ADDFILE "Notices a file
via ADDFILE (buggy)")
("Edit FILELST" 'EDIT "Edit the
variable which lists the files
noticed by the file package"))

```

```

)
("Advice" 'SHOWADVICE "Display the list of advised or traced fns and functions.")
("Set Window Anchor" 'ANCHOR-BL "Set the anchor corner for window growth to Bottom Left (default)"
 (SUBITEMS (" Top Left " 'ANCHOR-TL "Set the anchor corner to Top Left")
  (" Top Right " 'ANCHOR-TR "Set the anchor corner to Top Right")
  (" Bottom Left " 'ANCHOR-BL "Set the anchor corner to Bottom Left")
  (" Bottom Right " 'ANCHOR-BR "Set the anchor corner to Bottom Right")))
("Quit" 'QUIT "Shut down all manager windows" (SUBITEMS ("Quit" 'QUIT "Shut down all manager windows"
  (" Reset " 'RESET "Reset the manager, leaving only
the main window open"]

```

(RPAQQ MANAGER.BM



(RPAQQ MANAGER.BM.MASK



(RPAQ? Manager.ACTIVEFLG NIL)

(RPAQ? Manager.SORTFILELSTFLG T)

(RPAQ? Manager.WINDOW-ANCHOR 'ANCHOR-BL)

(RPAQ? Manager.MENUROWS 20)

(RPAQ? Manager.DATASPACE NIL)

(RPAQ? MANAGER-WINDOWS NIL)

(RPAQ? MANAGER-MAIN-WINDOW NIL)

(RPAQ? MANAGER-MAIN-ICONW (ICONW MANAGER.BM MANAGER.BM.MASK (create POSITION XCOORD _ 0 YCOORD _ 0) T))

(RPAQ? MANAGER-OPEN-WINDOWS NIL)

(RPAQ? MANAGER-FILE-MENU NIL)

(RPAQ? MANAGER-FILELST-MENU NIL)

(RPAQ? MANAGER-FILE-OPERATIONS-MENU NIL)

(RPAQ? MANAGER-FILE-FILE-RELATION-MENU NIL)

(RPAQ? MANAGER-MARKED-SHADE BOLDMENUFONT)

(FILESLOAD DATABASEFNS FILEBROWSER (FROM LISPUSERS) COMMON-MAKE)

:: FILEBROWSER for SEE command

(DEFINEQ

(MANAGER

[LAMBDA (POSITION)

; Edited 3-Sep-87 13:58 by raf

::: Turns manager on if its not already on

(if (OR (NULL Manager.ACTIVEFLG)

```
(NULL MANAGER-MAIN-WINDOW)
(Manager.FILELSTCHANGED?)
then ;; If either the manager was off or FILELST changed, rebuild main menu.
  (if Manager.ACTIVEFLG
    then (Manager.MAINCLOSE))
  (LET ((Manager.ACTIVEFLG NIL))
    (UPDATEFILES))
  (if FILELST
    then (Manager.MAINOPEN POSITION)
    else (PROMPTPRINT "FILELST is empty; there are no files to manage."))
else (TOTOPW MANAGER-MAIN-WINDOW)
```

(MANAGER.RESET

[LAMBDA (RESTARTFLG)

; Edited 21-Aug-87 11:41 by raf

;;; Remove all cached menu info, close the main window, clear the global data space. If the RESTARTFLG is true, turn everything on again.

;; Delete all of the menu caches

```
(for X in FILEPKGCOMSPLST when (LITATOM X) do (REMPROP X 'MANAGER-ITEM-OPERATION-MENU))
(SETQ MANAGER-MAIN-MENU NIL)
(SETQ MANAGER-FILE-OPERATIONS-MENU NIL)
(SETQ MANAGER-ITEM-FILE-RELATION-MENU NIL)
(SETQ MANAGER-ITEM-OPERATION-MENU NIL)
(LET [(REGION (AND RESTARTFLG (WINDOWP MANAGER-MAIN-WINDOW)
  (WINDOWPROP MANAGER-MAIN-WINDOW 'REGION))] ; Save away the old region (if there was one.
```

;; Close the main window and all subwindows.

(Manager.MAINCLOSE T)

;; Clear the data space.

```
[SETQ Manager.DATASPACE (COPY '(NIL))
(if RESTARTFLG
```

then ;; Now turn it all on again.

```
[MANAGER (AND REGION (create POSITION
  XCOORD _ (fetch (REGION LEFT) of REGION)
  YCOORD _ (fetch (REGION BOTTOM) of REGION))
```

else (SETQ Manager.ACTIVEFLG NIL)]

(Manager.ADDADV

[LAMBDA (!VALUE FILECOMS NAME COMSTYPE)

; Edited 16-Aug-87 22:38 by raf

;;; Called when any file's COMS are added to or deleted from. For each open subitem window of that file, if we're under ADDTOFILES? save the change, otherwise update the window.

```
(PROG (FILE SUBITEMS ITEMS)
  (if (OR (NULL !VALUE)
    (LISTP FILECOMS))
    then (RETURN)
    else (if [SETQ FILE (for F in FILELST thereis (EQ FILECOMS (FILECOMS F)
      then (for WINDOW in MANAGER-OPEN-WINDOWS bind STUFF
        when (AND (OPENWP WINDOW)
          (EQ [CDR (SETQ STUFF (GETDATUM (CAR (WINDOWPROP WINDOW 'MENU)
            COMSTYPE)
          (EQ (CAR STUFF)
            FILE))
        do (if MANAGER-ADDTOFILES?
          then (pushnew MANAGER-CASES STUFF)
          else (Manager.COMSOPEN FILE COMSTYPE)))
      (Manager.RESETSUBITEMS FILE COMSTYPE))
```

(Manager.ADDTOFILES?

[LAMBDA NIL

(* Imm "16-Nov-86 23:16")

```
(for CASE in MANAGER-CASES do (Manager.COMSOPEN (CAR CASE)
  (CDR CASE)))
```

(SETQ MANAGER-CASES NIL))

(Manager.ALTERMARKING

[LAMBDA (ITEM TYPE MARKING?)

; Edited 3-Sep-87 16:39 by raf

;;; Called from MARKSCHANGED or UNMARKASCHANGED.

```
(COND
  ((EQ MARKING? 'CLISP) ; ignore
```

```
)
((AND (EQ ITEM 'FILELST)
  (EQ TYPE 'VARS)) ; FILELST has been edited.
  (MANAGER))
```

```
((EQ TYPE 'FILES) ; A whole file has been marked.
  (UPDATEFILES))
```

T ;; For each manager menu window that's open we look to see if it contains the named definition. We can only update a menu if the window

;; is expanded (and can't see the menu when its window is shrunk).

```
(for WINDOW in MANAGER-OPEN-WINDOWS bind MENU (UPDATEFILES _ NIL)
  when [AND (OPENWP WINDOW)
            (SETQ MENU (CAR (WINDOWPROP WINDOW 'MENU))
            do (if [AND (Manager.MENUHASITEM ITEM MENU)
                      (EQ TYPE (CDR (GETDATUM MENU))
                          (SELECTQ MARKING?
                            ((DELETED DEFINED)
                             (SETQ UPDATEFILES T)
                             (Manager.COMSOPEN (CAR (GETDATUM MENU))
                                                  TYPE NIL))
                            (Manager.HIGHLIGHT ITEM MENU MARKING?))
                      finally (Manager.MAINUPDATE UPDATEFILES])
```

(Manager.ANCHORED-SET-POSITION

; Edited 10-Oct-2023 11:22 by mth

```
[LAMBDA (IW IH)
  (LET (WREGION XPOS YPOS TEMP)
    (SETQ WREGION (WINDOWPROP MANAGER-MAIN-WINDOW 'REGION))
    (SETQ YPOS (fetch (REGION BOTTOM) of WREGION))
    (if (FMEMB Manager.WINDOW-ANCHOR '(ANCHOR-TL ANCHOR-TR))
      then (SETQ YPOS (- (+ YPOS (fetch (REGION HEIGHT) of WREGION))
                        IH)))
    (SETQ TEMP (+ YPOS IH))
    (if (>= TEMP SCREENHEIGHT)
      then (SETQ YPOS (- SCREENHEIGHT 1)))
    (SETQ XPOS (fetch (REGION LEFT) of WREGION))
    (if (FMEMB Manager.WINDOW-ANCHOR '(ANCHOR-TR ANCHOR-BR))
      then (SETQ XPOS (- (+ XPOS (fetch (REGION WIDTH) of WREGION))
                        IW)))
    (SETQ TEMP (+ XPOS IW))
    (if (>= TEMP SCREENWIDTH)
      then (SETQ XPOS (- SCREENWIDTH 1)))
    (create POSITION
             XCOORD _ XPOS
             YCOORD _ YPOS])
```

(Manager.DO.COMMAND

; Edited 21-May-2024 17:56 by mth
; Edited 17-May-2024 09:41 by mth
; Edited 13-Oct-2023 16:28 by mth

```
[LAMBDA (COMMAND ITEM COMSTYPE FILE MENU)
  (if (EQ COMSTYPE 'FILEVARS)
    then (SETQ COMSTYPE 'VARS)
  )
  (SELECTQ COMMAND
    (NIL
  )
  (EDIT (WITH-READER-ENVIRONMENT (if FILE
                                  then (Manager.GET.ENVIRONMENT FILE)
                                  else (MAKE-READER-ENVIRONMENT *PACKAGE* *READTABLE* *READ-BASE*))
    ;; SEdit does not use *package*.
    [COND
      ((EQ COMSTYPE 'FILES)
       (ED ITEM 'PROPERTY-LIST))
      ((NULL COMSTYPE)
       (EDITDEF 'FILELST 'VARS))
      (T (EDITDEF ITEM COMSTYPE NIL NIL '(:DONTWAIT)))
    (ADD.PROCESS '[CL:APPLY #'Manager.DO.COMMAND.PROCFN '(,COMMAND ,ITEM ,COMSTYPE ,FILE ,MENU)
                  'NAME
                  'MANAGER-COMMAND))
  NIL])
```

; The Manager currently does unnatural things with the
; FILEVARS type, this is a hack to compensate for it. E.g., editing
; a FILEVARS = editing the VARS, etc.

; Do nothing.

(Manager.DO.COMMAND.PROCFN

; Edited 20-May-2024 11:15 by mth

```
[LAMBDA (COMMAND ITEM COMSTYPE FILE MENU)
  (WITH-READER-ENVIRONMENT (if FILE
                                then (Manager.GET.ENVIRONMENT FILE)
                                else (MAKE-READER-ENVIRONMENT *PACKAGE* *READTABLE* *READ-BASE*))
  [LET ((ACTIVITY-WINDOW NIL)
        (ACTIVITY-WINDOW-WAS-SHRUNK NIL)
        (RESETLST
         (RESETSAVE (TTY.PROCESS (THIS.PROCESS)))
         [if [NOT (FMEMB COMMAND '(BREAK TRACE UNBREAK CHANGED DELETED DEFINED UNMARK SEE LIST HARDCOPY)
                                REMOVE NIL)
           then
             (TTYDISPLAYSTREAM (SETQ ACTIVITY-WINDOW (Manager.WINDOW)))
             (SETQ ACTIVITY-WINDOW-WAS-SHRUNK (NOT (OPENWP ACTIVITY-WINDOW))
             (CL:BLOCK NIL
              (CL:ECASE COMMAND
                (READWISE (APPLY* (FUNCTION READWISE)
                                  ITEM))
                (UNADVISE (APPLY* (FUNCTION UNADVISE)
```

; steal the TTY, if we really need it (there are also further
; complementary lists at the bottom of the following BLOCK).

```

ITEM))
(SHOWADVICE
  (printout T .FONT LAMBDAFONT "Advised and traced fns and functions:" .FONT
    DEFAULTFONT T)
  (for ITEM in ADVISEDFNS do (printout T 10 ITEM T)))
(RESET (COND
  ((MOUSECONFIRM "Reset the Manager destroying all the menus? " NIL T)
    (CL:FORMAT T "Expunging and reconstructing the Manager's menus~%%Please
      Stand By.")
    (MANAGER.RESET T)
    (CL:FORMAT T "~&Done.~%%-----")
    (CLOSEW T))))
(QUIT (COND
  ((MOUSECONFIRM "Quit the Manager? " NIL T)
    (Manager.MAINCLOSE T)
    (CLOSEW T))))
(RELOAD
  (CL:FORMAT T "~&Loading ~A definition of ~S from ~A." ITEM COMSTYPE FILE)
  (LOADDEF ITEM COMSTYPE FILE))
(SHOWDEF
  (printout T .FONT LAMBDAFONT COMSTYPE " definition of " ITEM .FONT DEFAULTFONT "
    (source file format):" T)
  (SHOWDEF ITEM COMSTYPE))
(BREAK (APPLY* 'BREAK ITEM))
(TRACE (EVAL (LIST 'TRACE ITEM)))
(UNBREAK (EVAL (LIST 'UNBREAK ITEM)))
(DISASSEMBLE
  (printout T .FONT LAMBDAFONT "Compiled code for " ITEM ":" .FONT DEFAULTFONT T)
  (INSPECTCODE ITEM))
(PV (printout T .FONT LAMBDAFONT "Value of " ITEM ":" .FONT DEFAULTFONT T
  (if (BOUNDP ITEM)
    then (EVAL ITEM)
    else "Not bound!")))
(PF
  (printout T .FONT LAMBDAFONT "Function definition of " ITEM ":" .FONT DEFAULTFONT T)
  (APPLY* #'PF ITEM))
(PL
  (printout T .FONT LAMBDAFONT "Property list for " ITEM ":" .FONT DEFAULTFONT T)
  (PRINTPROPS (if (EQ COMSTYPE 'PROPS)
    then (CAR ITEM)
    else ITEM)))
(CLDESCRIBE
  (printout T .FONT LAMBDAFONT "Description of " ITEM ":" .FONT DEFAULTFONT T)
  (CL:DESCRIBE ITEM))
(CLDOC (printout T .FONT LAMBDAFONT "Documentation for " ITEM ":" .FONT DEFAULTFONT T
  (CL:DOCUMENTATION ITEM)))
(FIELDS (printout T .FONT LAMBDAFONT "Fields of " ITEM ":" .FONT DEFAULTFONT T
  (REVERSE (RECORDFIELDNAMES ITEM))))
(ARGS (printout T .FONT LAMBDAFONT "Arguments of " ITEM ":" .FONT DEFAULTFONT T 10
  (SMARTARGLIST ITEM)
  T))
(EDITCALLERS (EDITCALLERS ITEM FILE))
(COPYDEF (LET [(FILENAME (Manager.PROMPT (CONCAT "Copy " ITEM " as name: ")
  (if FILENAME
    then (COPYDEF ITEM FILENAME COMSTYPE)))]))
(RENAM (LET [(FILENAME (Manager.PROMPT (CONCAT "Rename " ITEM " to: ")
  (if FILENAME
    then (RENAME ITEM FILENAME COMSTYPE FILE)))]))
(RENAM-ALL (LET [(FILENAME (Manager.PROMPT (CONCAT "Rename (in ALL loaded files) "
  ITEM " to: ")
  (if FILENAME
    then (RENAME ITEM FILENAME COMSTYPE FILEST)))]))
(DELETE (if (MOUSECONFIRM (CONCAT "DELETE the " COMSTYPE " " ITEM " from " FILE "?"))
  then (DELFROMFILES ITEM COMSTYPE FILE)))
(LOAD (LET [(FILENAME (Manager.PROMPT "Filename: "))
  (if FILENAME
    then (LOAD FILENAME)))]))
(LOADFNSLATER [LET [(FILENAME (Manager.PROMPT "Filename: "))
  (if FILENAME
    then (LOADFNS NIL FILENAME 'ALLPROP 'VARS)]))
(LOADFNSSNOW [LET [(FILENAME (Manager.PROMPT "Filename: "))
  (if FILENAME
    then (LOADFNS T FILENAME 'ALLPROP 'VARS)]))
(LOADFROMLATER (LET [(FILENAME (Manager.PROMPT "Filename: "))
  (if FILENAME
    then (LOADFROM FILENAME)))]))
(LOADFROMNOW (LET [(FILENAME (Manager.PROMPT "Filename: "))
  (if FILENAME
    then (LOADFROM FILENAME T)))]))
(ADDFILE (LET [(FILENAME (Manager.PROMPT "Filename: "))
  (if FILENAME
    then (ADDFILE FILENAME)))]))
(SYSLOAD [COND
  ((MOUSECONFIRM (CONCAT "Do you really want to SYSLOAD " FILE "?" NIL T))
    NIL
    (LOAD FILE 'SYSLOAD])
(MOVE (LET [(ANSWER (Manager.GETFILE (CONCAT "File to move " COMSTYPE " " ITEM " to")

```



```

(AND ANSWER (MOVETOFILE ANSWER ITEM COMSTYPE FILE))))
(COPY (LET [(ANSWER (Manager.GETFILE (CONCAT "File to copy " COMSTYPE " " ITEM " to"]
(AND ANSWER (ADDTOFILE ITEM COMSTYPE ANSWER))))
((CHANGED DELETED DEFINED) (if COMSTYPE
    then (MARKASCHANGED ITEM COMSTYPE COMMAND)
    else (MARKASCHANGED (FILECOMS ITEM)
        'VARS COMMAND)
        (UPDATEFILES)
        ; This is needed because the main menu is a special case. Its
        ; not in the open windows list, nor does it carry "type" information
        ; (like that it contains filevars).
    ))
(UNMARK (if (EQ COMSTYPE 'FILES)
    then ; whole file
        (COND
            ((MOUSECONFIRM (CONCAT "Unmark entire contents of " FILE "?" NIL T)
                )
            (/RPLACD (GETPROP FILE 'FILE)
                NIL)
            (Manager.insurefilehighlights FILE)
            (Manager.HIGHLIGHT FILE MENU)))
        else ; single item
            (UNMARKASCHANGED ITEM COMSTYPE)))
(SEE (LET ((FULLNAME (OR (CDAR (GETPROP FILE 'FILEDATES))
    FILE)))
    ;; I'm assuming that the CAR of the FILEDATES list is the most recent...
    (FB.FASTSEE.ONEFILE NIL FULLNAME (LET [(W (CREATEW NIL (CONCAT "Seeing "
        FULLNAME "...")
        (DSPSCROLL 'ON W)
        (WINDOWPROP W 'PAGEFULLFN
            'FB.SEEFULLFN)
        (TTYDISPLAYSTREAM W)
        W))))
(TEDIT-SEE (TEDIT-SEE (OR (CDAR (GETPROP FILE 'FILEDATES))
    FILE)))
(LOAD
    (printout T .FONT LAMBDAFONT "Loading file " FILE "." .FONT DEFAULTFONT T)
    (LOAD FILE))
((MAKEFILE NEW FAST) (if FILE
    then (printout T .FONT LAMBDAFONT "Writing file " FILE "."
        .FONT DEFAULTFONT T)
        (PRINT (MAKEFILE FILE (if (EQ COMMAND 'MAKEFILE)
            then NIL
            else COMMAND))
            T)
    else (printout T .FONT LAMBDAFONT "Writing files "
        [PRINT (MAKEFILES (if (EQ COMMAND 'MAKEFILE)
            then NIL
            else (LIST COMMAND]
            (printout T .FONT DEFAULTFONT T)))
(COMMON-MAKEFILE (if FILE
    then (printout T .FONT LAMBDAFONT "Writing CommonLisp source into
" FILE ".LSP" .FONT DEFAULTFONT T)
        (PRINT (COMMON-MAKEFILE FILE)
            T)
        else (CL:FORMAT T "~&CommonLispify must be selected separately for
            each file")))
((LIST HARDCOPY) (LISTFILES1 FILE))
((ANCHOR-TL ANCHOR-TR ANCHOR-BL ANCHOR-BR) (Manager.SET-ANCHOR COMMAND))
(CLEANUP
    (printout T .FONT LAMBDAFONT "Cleanup..." .FONT DEFAULTFONT T)
    ; These are different, presumably because CLEANUP is an
    ; NLAMBDA.
    (if FILE
        then (APPLY* (FUNCTION CLEANUP)
            FILE)
        else (CLEANUP)))
(CLEANUPT (printout T .FONT LAMBDAFONT "Changing default cleanup compiler:" .FONT
    DEFAULTFONT T "Old value " *DEFAULT-CLEANUP-COMPILER* T "New value: "
    (SETQ *DEFAULT-CLEANUP-COMPILER* 'TCOMPL)
    T))
(CLEANUPC (printout T .FONT LAMBDAFONT "Changing default cleanup compiler:" .FONT
    DEFAULTFONT T "Old value " *DEFAULT-CLEANUP-COMPILER* T "New value: "
    (SETQ *DEFAULT-CLEANUP-COMPILER* 'COMPILE-FILE)
    T))
;; Masterscope stuff
(ANALYZE
    (printout T .FONT LAMBDAFONT "Analyzing the file " FILE " with MasterScope..." .FONT
    DEFAULTFONT T)
    (MASTERSCOPE `(ANALYZE FNS ON %, FILE)))
(CHECK
    (printout T .FONT LAMBDAFONT "Checking the file " FILE " with MasterScope..." .FONT
    DEFAULTFONT T)
    (MASTERSCOPE `(CHECK %, FILE)))
(DESCRIBE (SELECTQ COMSTYPE

```

```

(VARS [CL:FORMAT T "~&~a is used by:~%% ~a" ITEM
      (MASTERSCOPE `(WHO USES ', ITEM)])
(PROGN NIL (printout T .FONT LAMBDAFONT "MasterScope analysis of " ITEM
      ":" .FONT DEFAULTFONT T)
      (MSDESCRIBE ITEM))))
(SHOWPATHTO
  (printout T .FONT LAMBDAFONT "Showing who calls " ITEM " with MasterScope..." .FONT
    DEFAULTFONT T)
  (MASTERSCOPE `(SHOW PATHS TO %, ITEM)))
(SHOWPATHFROM
  (printout T .FONT LAMBDAFONT "Showing who is called by " ITEM " with
    MasterScope..." .FONT DEFAULTFONT T)
  (MASTERSCOPE `(SHOW PATHS FROM %, ITEM)))
(SHOWPATHFILE
  (printout T .FONT LAMBDAFONT "Showing who is called by functions in the file " ITEM
    " with MasterScope..." .FONT DEFAULTFONT T)
  (MASTERSCOPE `(SHOW PATHS FROM ON %, FILE)))

```

:: DATABASEFNS stuff

```

(DB (CL:FORMAT T "~&Global DataBaseFNS Flags:~%%SAVEDBFLG = ~a, LOADBFLG = ~a"
  SAVEDBFLG LOADBFLG))
(DBFILE
  (CL:FORMAT T "~&The DATABASE prop for ~a is: ~a" FILE (GETPROP FILE 'DATABASE))
  (CL:FORMAT T "~&Global DataBaseFNS Flags:~%%SAVEDBFLG = ~a, LOADBFLG = ~a"
    SAVEDBFLG LOADBFLG))
(DBON
  (SETQ LOADBFLG 'ON)
  (SETQ SAVEDBFLG 'ON))
(DBOFF
  (SETQ LOADBFLG 'NO)
  (SETQ SAVEDBFLG 'NO))
(DBASK
  (SETQ LOADBFLG 'ASK)
  (SETQ SAVEDBFLG 'ASK))
(DBLOADON (SETQ LOADBFLG 'YES))
(DBSAVEON (SETQ SAVEDBFLG 'YES))
(DBLOADOFF (SETQ LOADBFLG 'NO))
(DBSAVEOFF (SETQ SAVEDBFLG 'NO))
(DBLOADASK (SETQ LOADBFLG 'ASK))
(DBSAVEASK (SETQ SAVEDBFLG 'ASK))
(DBFILEON (PUTPROP FILE 'DATABASE 'YES))
(DBFILEOFF (PUTPROP FILE 'DATABASE 'NO))
(DBFILEASK (PUTPROP FILE 'DATABASE 'ASK))
(DUMPDDB
  (printout T .FONT LAMBDAFONT "Dumping the Masterscope Database for file " FILE .FONT
    DEFAULTFONT T)
  (DUMPDDB FILE))
(LOADDB
  (printout T .FONT LAMBDAFONT "Loading the Masterscope Database for file " FILE .FONT
    DEFAULTFONT T)
  (LOADDB FILE))
(COMPILE
  (printout T .FONT LAMBDAFONT "Compiling..." .FONT DEFAULTFONT T)
  (if (EQ COMSTYPE 'FILES)
    then (APPLY* (FUNCTION COMPILEFILES)
      FILE)
      (Manager.REMOVE.DUPLICATE.ADVICE FILE)
    else (PRINT (CL:COMPILE ITEM)
      T)))
(CL:COMPILE-FILE
  (printout T .FONT LAMBDAFONT "Compiling using compile-file..." .FONT DEFAULTFONT T)
  (CL:COMPILE-FILE FILE)
  (Manager.REMOVE.DUPLICATE.ADVICE FILE))
(REMOVE (DELDEF FILE 'FILE))
(CHANGES
  (Manager.CHANGED? FILE)) ; FILE is NIL from main menu
(FILES?
  (printout T .FONT LAMBDAFONT "Files and their changes:" .FONT DEFAULTFONT T)
  (FILES?)))

```

:: Release the window now, but get ready to shrink it back down unless another manager command comes along and need the window.

```

(if [NOT (FMEMB COMMAND
  '(BREAK TRACE UNBREAK CHANGED DELETED DEFINED UNMARK SEE LIST HARDCOPY
  REMOVE QUIT RESET RENAME COPY NIL])
  then (CL:FORMAT T "~&-----"))))

```

:: Shrink the dialog window after ten seconds so long as its not in use by another manager command.

```

(if (ACTIVITY-WINDOW-WAS-SHRUNK
  then (if (FMEMB COMMAND
    '(SHOWDEF SHOWADVICE PV PF PL CLDESCRIBE CLDOC FIELDS ARGS DB DBFILE MAKEFILE
    NEW FAST COMMON-MAKEFILE CLEANUP CLEANUPC CLEANUP ANALYZE CHECK
    DESCRIBE CHANGES FILES? COMPILE CL:COMPILE NIL))
    then (DISMISS 10000)
    else (DISMISS NIL))
  (if (EQ (ACTIVITY-WINDOW (CAR (MANAGER-WINDOWS)))
    then (SHRINKW T]))))

```

(Manager.HIGHLIGHT

```
[LAMBDA (ITEM MENU ON)
  (SHADEITEM (SASSOC ITEM (fetch ITEMS of MENU)
    MENU
    (if ON
      then MANAGER-MARKED-SHADE
      else 0))
```

; Edited 31-Jul-87 17:33 by raf

(Manager.PROMPT

```
[LAMBDA (PROMPT)
  (LET (W (Manager.WINDOW)
    (RESETFORM (TTY.PROCESS (THIS.PROCESS))
      (PROG1 (MKATOM (PROMPTFORWARD PROMPT NIL NIL W))
        (printout W T))
```

; Edited 17-Aug-87 14:31 by raf

(Manager.WINDOW

```
[LAMBDA NIL
```

; Edited 21-Aug-87 12:04 by raf

;;; Make a window for manager activity, and set TTYDISPLAYSTREAM into it.

```
(LET [(W (OR (pop MANAGER-WINDOWS)
  (CREATEW NIL MANAGER-ACTIVITY-WINDOW-TITLE]
  (RESETSAVE NIL (LIST [FUNCTION (LAMBDA (W)
    (AND (OPENWP W)
      (TERPRI W))
    (push MANAGER-WINDOWS W]
    W))
  (TTYDISPLAYSTREAM W)
  W])
```

(Manager.insurefilehighlights

```
[LAMBDA (FILE)
```

; Edited 26-Jun-87 16:30 by andyiii

; insures open menus of a file are correctly highlighted

```
(SETQ FILE (ROOTFILENAME FILE))
(for WINDOW in MANAGER-OPEN-WINDOWS bind MENU
  when (AND (OPENWP WINDOW)
    (EQ [CAR (GETDATUM (SETQ MENU (CAR (WINDOWPROP WINDOW 'MENU]
      FILE))
    do [if (EQUAL (Manager.COLLECTCOMS FILE (CDR (GETDATUM MENU)))
      (fetch (MENU ITEMS) of MENU))
      then (Manager.COMSUPDATE WINDOW) ; no change in contents
      else (Manager.COMSOPEN FILE (CDR (GETDATUM MENU)) ; contents changed
    ])
```

(Manager.CHANGED?

```
[LAMBDA (FILES)
```

; Edited 26-Jun-87 03:42 by andyiii

```
(bind CHANGES for FILE inside (OR FILES FILELST) first (TERPRI T) when [SETQ CHANGES (CDR (GETPROP FILE
  'FILE]
  do (printout T .FONT LAMBDAFONT "Changes to " FILE .FONT DEFAULTFONT T)
    (for CHANGE in CHANGES do (printout T (CAR CHANGE)
      ":" 10 .PARA 10 0 (CDR CHANGE)
      T])
```

(Manager.CHECKFILE

```
[LAMBDA (FILE)
```

; Edited 17-Aug-87 14:26 by raf

;;; If called from ADDTOFILES? (special flag indicates this) and the file being checked is on the main menu, checks all of a particular FILE's submenus,
;;; otherwise rebuilds the main (FILELST) menu. Called from advice on ADDFILE, ADDTOFILES? and LOAD.

```
(if (AND (NULL MANAGER-ADDTFILES?)
  (Manager.MENUHASITEM FILE MANAGER-FILE-MENU))
  then (SETQ FILE (ROOTFILENAME FILE))
  [for WINDOW in MANAGER-OPEN-WINDOWS bind MENU
    when [AND (OPENWP WINDOW)
      (EQ [CAR (GETDATUM (SETQ MENU (CAR (WINDOWPROP WINDOW 'MENU]
        FILE))
      (NOT (EQUAL (Manager.COLLECTCOMS FILE (CDR (GETDATUM MENU)))
        (fetch (MENU ITEMS) of MENU))
      do (Manager.COMSOPEN FILE (CDR (GETDATUM MENU))
    else (MANAGER)
      (Manager.RESETSUBITEMS FILE])
```

(Manager.COLLECTCOMS

```
[LAMBDA (FILE TYPE)
```

; Edited 16-Aug-87 22:13 by raf

;;; Collect all the names of a particular type in a file, returning them in correct menu item format.

```
(PROG ((COMSLST (FILECOMSLST FILE TYPE)))
```

```
(RETURN (Manager.SORTBYCOLUMN (COND
  ((NULL COMSLST)
   (RETURN))
  ((EQ TYPE 'VARS)
   (for VAR in COMSLST bind (FILEVARS _ (FILECOMSLST FILE 'FILEVARS))
    when (NOT (FMEMB VAR FILEVARS)) collect
      ;; List of item to get around menu feature that list's first
      ;; item is used for display.
      (LIST VAR)))
  (T ;; List of item to get around menu feature that list's first item is used for display.
   (MAPCAR (INTERSECTION COMSLST COMSLST)
            (FUNCTION LIST]))
```

(Manager.COMS.WSF

```
[LAMBDA (ITEM MENU KEY) ; Edited 25-Jun-87 02:00 by andyiii
  (SETQ ITEM (CAR ITEM)) ; Menu items handed in are list of item to get around menu
                          ; feature that list has first item used to display!
```

```
(PROG (FILE COMSTYPE COMSLST FILECOMS COMMAND)
  (DECLARE (SPECVARS ITEM COMSTYPE))
  (if (NULL ITEM)
    then (RETURN))
  (if (.COPYKEYDOWNP.)
    then (RETURN (BKSYSEBUF.GENERAL ITEM)))
  (SETQ COMSLST (GETDATUM MENU))
  (SETQ FILE (CAR COMSLST))
  (SETQ COMSTYPE (CDR COMSLST))
  [SETQ COMMAND
    (MENU (SELECTQ KEY
      (LEFT [OR (GETPROP COMSTYPE 'MANAGER-ITEM-OPERATION-MENU)
                [AND (GETPROP COMSTYPE 'MANAGER-DEFINITION-TYPE-COMMANDS)
                      (PUTPROP COMSTYPE 'MANAGER-ITEM-OPERATION-MENU
                                       (create MENU
                                         ITEMS _ (APPEND MANAGER-ITEM-OPERATION-COMMANDS
                                                         (GETPROP COMSTYPE
                                                           'MANAGER-DEFINITION-TYPE-COMMANDS))
                                         CENTERFLG _ T
                                         TITLE _ (CONCAT COMSTYPE " operations")
                                         CHANGEOFFSETFLG _ 'Y]
                                       MANAGER-ITEM-OPERATION-MENU
                                       (SETQ MANAGER-ITEM-OPERATION-MENU
                                         (create MENU
                                           ITEMS _ MANAGER-ITEM-OPERATION-COMMANDS
                                           CENTERFLG _ T
                                           TITLE _ (CONCAT COMSTYPE " operations")
                                           CHANGEOFFSETFLG _ 'Y])
                                       (MIDDLE (OR MANAGER-ITEM-FILE-RELATION-MENU
                                         (create MENU
                                           ITEMS _ MANAGER-ITEM-FILE-RELATION-COMMANDS
                                           CENTERFLG _ T
                                           TITLE _ "Other operations"
                                           CHANGEOFFSETFLG _ 'Y)))
                                       (SHOULDNT])
      (if COMMAND
        then (Manager.DO.COMMAND COMMAND ITEM COMSTYPE FILE]))
```

(Manager.COMSOPEN

```
[LAMBDA (FILE TYPE FLASHFLG) ; Edited 16-Aug-87 22:30 by raf
```

;;; Open a subitems window. If it already exists, and all subitems of this type have been deleted, close the window, otherwise open it, flash and check the highlights. If the file's subitems for this type have changed, then rebuild the menu.

```
(PROG ((COMSLST (Manager.COLLECTCOMS FILE TYPE))
  (COMSTYPE (FILECOMS FILE TYPE))
  (MENU WINDOW POSITION)
  (COND
    [COMSLST (COND
      ([AND (SETQ MENU (GETDATUM COMSTYPE))
            (EQUAL (fetch (MENU ITEMS) of MENU)
                   COMSLST)
            (SETQ WINDOW (OR (WFROMMENU MENU)
                              (for W in MANAGER-OPEN-WINDOWS
                                thereis (EQ (WINDOWPROP W 'COMSTYPE)
                                             COMSTYPE))
            (COND
              (FLASHFLG (FLASHWINDOW WINDOW 2))
              (T (TOTOPW WINDOW)))
            (Manager.INSUREHIGHLIGHTS MENU (Manager.FILECHANGES FILE TYPE)))
      (T ;; make sure all the title is visible. This is hard since the menu does not exist yet.
       (SETQ MENU (create MENU
                           ITEMS _ COMSLST
                           MENUCOLUMNS _ (Manager.MENUCOLUMNS COMSLST)
                           WHENSELECTEDFN _ (FUNCTION Manager.COMS.WSF)
```

```

                                MENUOUTLINESIZE _ 0))
(COND
  ((SETQ WINDOW (WFROMMENU (GETDATUM COMSTYPE)))
   (SETQ POSITION (with REGION (WINDOWPROP WINDOW 'REGION)
                        (create POSITION
                                XCOORD _ LEFT
                                YCOORD _ BOTTOM))))
  (CLOSEW WINDOW)))
[ADDMENU MENU
  (SETQ WINDOW
   (CREATEW [with MENU MENU
             (LET ((IW (WIDTHIFWINDOW IMAGEWIDTH))
                  (IH (HEIGHTIFWINDOW IMAGEHEIGHT T)))
               (with POSITION (OR POSITION (GETBOXPOSITION IW IH))
                 (create REGION
                         LEFT _ XCOORD
                         WIDTH _ IW
                         BOTTOM _ YCOORD
                         HEIGHT _ IH)
                 (CONCAT TYPE " on " FILE]
                 [WINDOWPROP WINDOW 'CLOSEFN (FUNCTION (LAMBDA (WINDOW)
                                                         [PUTDATUM (CAR (WINDOWPROP WINDOW
                                                                     'MENU)
                                                                     (PUTDATUM (WINDOWPROP WINDOW 'COMSTYPE))
                                                                     (SETQ MANAGER-OPEN-WINDOWS (DREMOVE WINDOW
                                                                     MANAGER-OPEN-WINDOWS
                                                                     ]
                                                         (for ITEM in (Manager.FILECHANGES FILE TYPE) do (Manager.HIGHLIGHT ITEM MENU T))
                                                         (PUTDATUM COMSTYPE MENU)
                                                         (PUTDATUM MENU (CONS FILE TYPE))
                                                         (push MANAGER-OPEN-WINDOWS WINDOW)
                                                         (WINDOWPROP WINDOW 'COMSTYPE COMSTYPE]
                                                         ((SETQ WINDOW (WFROMMENU (GETDATUM COMSTYPE)))
                                                          (CLOSEW WINDOW]))

```

(Manager.COMSUPDATE

[LAMBDA (WINDOW FLASHFLG)

; Edited 16-Aug-87 22:30 by raf

;;; Open a window (if closed) and update the coms listed on the menu therein. If items are the same, their highlighting is checked, otherwise the menu is rebuilt.

```

(PROG ([MENU (CAR (WINDOWPROP WINDOW 'MENU)
                CHANGELST FILE TYPE)
      (SETQ FILE (CAR (GETDATUM MENU)))
      (SETQ TYPE (CDR (GETDATUM MENU)))
      (SETQ CHANGELST (Manager.FILECHANGES FILE TYPE))
      [COND
        [(NULL (OPENWP WINDOW))
         (if (OPENWP (WINDOWPROP WINDOW 'ICONWINDOW))
             then (EXPANDW (WINDOWPROP WINDOW 'ICONWINDOW))
             (T (if FLASHFLG
                   then (FLASHWINDOW WINDOW 2)
                   else (TOTOPW WINDOW))
            (COND
              ((EQUAL (fetch (MENU ITEMS) of MENU)
                     (Manager.COLLECTCOMS FILE TYPE))
               (Manager.INSUREHIGHLIGHTS MENU CHANGELST))
              (T (Manager.COMSOPEN FILE TYPE))

```

(Manager.HIGHLIGHTED

[LAMBDA (MENU)

; Edited 9-Jul-87 13:57 by raf

```

  (for X in (fetch (MENU SHADEDITEMS) of MENU) collect (CAR (CAR (NTH (fetch (MENU ITEMS) of MENU)
                                                                    (CAR X]))

```

(Manager.INSUREHIGHLIGHTS

[LAMBDA (MENU SHOULD-BE-HIGHLIGHTED)

; Edited 26-Jun-87 18:10 by andyiii

```

  (LET ((HIGH (Manager.HIGHLIGHTED MENU)))
    (if (WFROMMENU MENU)
        then (REDISPLAYW (WFROMMENU MENU)))
    (for ITEM in HIGH when (NOT (FMEMB ITEM SHOULD-BE-HIGHLIGHTED)) do (Manager.HIGHLIGHT ITEM MENU NIL))
    (for ITEM in SHOULD-BE-HIGHLIGHTED when (NOT (FMEMB ITEM HIGH)) do (Manager.HIGHLIGHT ITEM MENU T]))

```

(Manager.FILECHANGES

[LAMBDA (FILE COMSTYPE)

; Edited 26-Jun-87 04:35 by andyiii

```

  (CDR (FASSOC (if (EQ COMSTYPE 'FILEVARS)
                  then 'VARS
                  else COMSTYPE)
              (CDR (GETPROP FILE 'FILE))

```

(Manager.FILELSTCHANGED?

[LAMBDA NIL

; Edited 17-Aug-87 14:16 by raf

```

  (NOT (EQUAL (if Manager.SORTFILELSTFLG

```

```

      then (SORT (COPY FILELST))
    else FILELST)
(Manager.MENUITEMS MANAGER-FILE-MENU])

```

(Manager.FILESUBTYPES

[LAMBDA (FILE)

; Edited 16-Aug-87 22:05 by raf

:: Gather the names of all subtypes in a file's coms.

```

(for TYPE in FILEPKGTYPES bind COMSLST
 when (AND (NOT (FMEMB TYPE *UNMANAGED-TYPES*))
 (SETQ COMSLST (FILECOMSLST FILE TYPE))
 (if (EQ TYPE 'VARS)
 then (for VAR in COMSLST bind (FILEVARS _ (FILECOMSLST FILE 'FILEVARS))
 thereis (NOT (FMEMB VAR FILEVARS)))
 else T))
 collect TYPE])

```

(Manager.GET.ENVIRONMENT

[LAMBDA (FILE)

; Edited 26-Jun-87 18:53 by andyiii

:: Get's a file's environment, either from the cache in the makefile-environment property (which we initialize here if it hasn't been already) or as per the defaulting described in the Lyric release notes:

:: cache property exists? use it,
:: new file? use *DEFAULT-MAKEFILE-ENVIRONMENT*,
:: old file which has environment in it? use environment from old file,
:: otherwise use an interlisp style environment.

```

(LET [(ENVIRONMENT (OR (GETPROP FILE 'MAKEFILE-ENVIRONMENT)
 (PUTPROP FILE 'MAKEFILE-ENVIRONMENT
 (LET ((DATE (FILEDATE FILE)))
 (if (NULL DATE)
 then *DEFAULT-MAKEFILE-ENVIRONMENT*
 else (LET [(FORM (CL:WITH-OPEN-FILE (STREAM (OR (FINDFILE FILE)
 (CL:ERROR "Can't find
file ~s to get
its environment"
FILE)))
(LET ((*READTABLE* (FIND-READTABLE
"OLD-INTERLISP-FILE"))
(*PACKAGE* (CL:FIND-PACKAGE "INTERLISP"))
(CL:READ STREAM)
(if (EQ 'DEFINE-FILE-INFO (CAR FORM))
then (CDR FORM)
else '(:READTABLE "INTERLISP" :PACKAGE "INTERLISP" :BASE 10)
(APPLY #'MAKE-READER-ENVIRONMENT (CL:MAPCAR #'[LAMBDA (KEY TYPE COERCE)
(LET [(VALUE (EVAL (CL:GETF ENVIRONMENT KEY)
(if (TYPEP VALUE TYPE)
then VALUE
else (CL:FUNCALL COERCE VALUE)
'(:PACKAGE :READTABLE :BASE)
'(:PACKAGE CL:READTABLE INTEGER)
'(CL:FIND-PACKAGE FIND-READTABLE CL:IDENTITY]))

```

(Manager.GETFILE

[LAMBDA (PROMPT PASSED-IN-FILE-LIST)

; Edited 17-Aug-87 14:32 by raf

```

(LET ((FILE-LIST (OR PASSED-IN-FILE-LIST FILELST)))
[COND
((OR (NULL (CAR MANAGER-FILELST-MENU))
(Manager.FILELSTCHANGED?))

```

; what is this doing ???

```

(SETQ MANAGER-FILELST-MENU (create MENU
TITLE _ PROMPT
ITEMS _ (CONS '*newfile* FILE-LIST)
WHENSELECTEDFN _ (FUNCTION (LAMBDA (ITEM MENU KEY)
(PROG (ANSWER FILECOMS)
(COND
((EQ ITEM '*newfile*)
(SETQ ANSWER (
Manager.PROMPT
"New file
Name: "))
(ADDFILE ANSWER)
(RETURN ANSWER))
(T (RETURN ITEM)

```

(MENU MANAGER-FILELST-MENU)])

(Manager.INTITLE?

[LAMBDA (WINDOW)

(* edited%: "31-Dec-00 16:40")

```

(PROG (INTERIOR.HEIGHT REGION MENU)
[SETQ MENU (CAR (WINDOWPROP WINDOW 'MENU)
(SETQ INTERIOR.HEIGHT (FONTPROP (OR (fetch MENUTITLEFONT of MENU)
(fetch MENUFONT of MENU))

```

```

                'HEIGHT))
(with REGION (WINDOWPROP WINDOW 'REGION)
  (SETQ REGION (CREATEREGION LEFT (DIFFERENCE TOP INTERIOR.HEIGHT)
                                WIDTH INTERIOR.HEIGHT)))
(RETURN (INSIDEP REGION LASTMOUSEX LASTMOUSEY))

```

(Manager.MAIN.WSF

```

[LAMBDA (ITEM MENU KEY)
  (DECLARE (SPECVARS ITEM) ; Edited 31-Jul-87 18:25 by raf
  (PROG NIL
    [if (.COPYKEYDOWNP.)
      then (RETURN (COPYINSERT (CAR ITEM)
                               ; A slideoff subitem was selected.
                               (LET ((SLIDEOFFITEM (EQLLENGTH ITEM 3)))
                                   (SETQ ITEM (CADR ITEM))
                                   (SELECTQ KEY
                                    (MIDDLE (COND
                                             (NOT SLIDEOFFITEM)
                                             (Manager.DO.COMMAND [MENU (OR MANAGER-FILE-FILE-RELATION-MENU
                                                                              (create MENU
                                                                              ITEMS _
                                                                              MANAGER-FILE-FILE-RELATION-COMMANDS
                                                                              CENTERFLG _ T
                                                                              TITLE _ "Other operations"
                                                                              CHANGEOFFSETFLG _ 'Y]
                                                                              (CAR ITEM)
                                                                              'FILES
                                                                              (CAR ITEM)
                                                                              MENU)))
                                             (T (FLASHWINDOW (WFROMMENU MENU)
                                                             1))))
                                   (LEFT (COND
                                         (SLIDEOFFITEM (Manager.COMSOPEN (CAR ITEM)
                                                                           (CDR ITEM)
                                                                           T))
                                         (T (Manager.DO.COMMAND [MENU (OR MANAGER-FILE-OPERATIONS-MENU
                                                                              (SETQ MANAGER-FILE-OPERATIONS-MENU
                                                                              (create MENU
                                                                              ITEMS _ MANAGER-FILE-OPERATIONS-COMMANDS
                                                                              CENTERFLG _ T
                                                                              TITLE _ "File operations"]
                                                                              (CAR ITEM)
                                                                              'FILES
                                                                              (CAR ITEM)
                                                                              MENU))))
                                         (FLASHWINDOW (WFROMMENU MENU)
                                                             1]))
    ]))
    ; Standard selection.
    (Manager.DO.COMMAND [MENU (OR MANAGER-FILE-OPERATIONS-MENU
                                (SETQ MANAGER-FILE-OPERATIONS-MENU
                                (create MENU
                                ITEMS _ MANAGER-FILE-OPERATIONS-COMMANDS
                                CENTERFLG _ T
                                TITLE _ "File operations"]
                                (CAR ITEM)
                                'FILES
                                (CAR ITEM)
                                MENU))))
    (FLASHWINDOW (WFROMMENU MENU)
                  1))

```

(Manager.MAINCLOSE

```

[LAMBDA (SHUTDOWNFLG) ; Edited 20-Aug-87 16:18 by raf
  (PROG (MENU ICON.WINDOW)
    (for WINDOW in (APPEND MANAGER-OPEN-WINDOWS)
      when (OR SHUTDOWNFLG (NOT (FMEMB [CAR (GETDATUM (CAR (WINDOWPROP WINDOW 'MENU)
                                                       FILELST))))
        do (CLOSEW WINDOW))
      (if (SETQ ICON.WINDOW (WINDOWPROP MANAGER-MAIN-WINDOW 'ICON))
        then (CLOSEW ICON.WINDOW))
      (if SHUTDOWNFLG
        then (if (SETQ ICON.WINDOW (WINDOWPROP MANAGER-MAIN-WINDOW 'ICON))
                 then (CLOSEW ICON.WINDOW))
              (AND MANAGER-MAIN-WINDOW (CLOSEW MANAGER-MAIN-WINDOW))
              (SETQ MANAGER-MAIN-WINDOW NIL))
      (for WINDOW in MANAGER-WINDOWS do (if SHUTDOWNFLG
                                             then (EXPANDW WINDOW)
                                             (CLOSEW WINDOW))
      (if SHUTDOWNFLG
        then (SETQ MANAGER-WINDOWS NIL])

```

(Manager.MAINMENUITEMS

```

[LAMBDA NIL ; Edited 17-Aug-87 14:14 by raf

```

;;; Returns the menu 'items' for the main manager file menu. This is, for each file, the menu element and the subitems which contain all of the 'types' . If there is already a file menu, we reuse the subitems rather than recomputing them.

```

(for FILE in (if Manager.SORTFILELSTFLG
               then (SORT (COPY FILELST))
               else FILELST)
  collect `(% , FILE (% , FILE . FILEVARS)
           % ,
           (CONCAT "Brings up a File Operations menu for the file " FILE)
           (SUBITEMS %,@ (for TYPE in (SORT (Manager.FILESUBTYPES FILE))
                                   collect `(% , TYPE (% , FILE %,@ TYPE)
                                   % ,
                                   (CONCAT "Creates a " TYPE " submenu for the file " FILE])

```

(Manager.MAINOPEN

[LAMBDA (POSITION)

; Edited 10-Oct-2023 11:23 by mth

:: Builds the manager main (FILELST) menu at the indicated position.

```

(SETQ MANAGER-FILE-MENU (create MENU
  ITEMS _ (Manager.MAINMENUITEMS)
  WHENSELECTEDFN _ (FUNCTION Manager.MAIN.WSF)
  MENCOLUMNS _ 1
  MENUOUTLINESIZE _ 0))

(LET (IW IH)
  ;; some of the complexity here is so that, in the odd case that there are more files than will fit on the screen, the result will be a scrollable
  ;; window
  (ADDMENU MANAGER-FILE-MENU
    (SETQ MANAGER-MAIN-WINDOW
      (CREATEW (with POSITION (with MENU MANAGER-FILE-MENU (SETQ IW (MIN (WIDTHIFWINDOW IMAGEWIDTH)
                                                                    SCREENWIDTH))
                                                                    ; width of file menu. Actually unlikely to be wider than
                                                                    ; screenwidth (!)
                                                                    (SETQ IH (MIN (HEIGHTIFWINDOW IMAGEHEIGHT T)
                                                                    SCREENHEIGHT))
                                                                    ; height of window; could possibly be higher than screen if lots of
                                                                    ; files
                                                                    (if (POSITIONP POSITION)
                                                                      then ; gave an initial position for the manager file menu
                                                                      POSITION
                                                                      elseif (WINDOWP MANAGER-MAIN-WINDOW)
                                                                      then ; if there was a window, put the new one in the same place (and
                                                                      ; close the old one)
                                                                      (PROG1 (Manager.ANCHORED-SET-POSITION IW IH)
                                                                    ; (with REGION (WINDOWPROP MANAGER-MAIN-WINDOW (QUOTE
                                                                    ; REGION)) (create POSITION XCOORD _ LEFT YCOORD _ BOTTOM))
                                                                    (CLOSEW MANAGER-MAIN-WINDOW))
                                                                      else ; let user say where to put the menu
                                                                      (GETBOXPOSITION IW IH)))
                                                                    (create REGION
                                                                    LEFT _ XCOORD
                                                                    WIDTH _ IW
                                                                    BOTTOM _ YCOORD
                                                                    HEIGHT _ IH))
                                                                    "Manager"))
    (WINDOWPROP MANAGER-MAIN-WINDOW 'BUTTONEVENTFN
      (FUNCTION (LAMBDA (WINDOW)
        (if (Manager.INTITLE? WINDOW)
          then [Manager.DO.COMMAND (MENU (OR MANAGER-MAIN-MENU
            (SETQ MANAGER-MAIN-MENU
              (create MENU
                TITLE _ "Manager operations"
                ITEMS _ MANAGER-MAIN-MENU-ITEMS
                CENTERFLG _ T)
              else (MENUBUTTONFN WINDOW]
          ; Shrink to the manager icon, and remember to update when the expanding
          (WINDOWPROP MANAGER-MAIN-WINDOW 'ICONFN (FUNCTION (LAMBDA (WIN OICON)
            (SETQ MANAGER-MAIN-ICONW
              (if (NULL OICON)
                then (OR MANAGER-MAIN-ICONW (ICONW MANAGER.BM
                                                                    MANAGER.BM.MASK
                                                                    ))
                else OICON))
            (WINDOWPROP MANAGER-MAIN-ICONW 'EXPANDFN
              (FUNCTION (LAMBDA NIL
                (Manager.MAINUPDATE NIL]
                MANAGER-MAIN-ICONW]

    (SETQ Manager.ACTIVEFLG T)
    (Manager.MAINUPDATE T))

```

(Manager.MAINUPDATE

[LAMBDA (FROMUPDATE)

; Edited 16-Aug-87 21:34 by raf

:: Updates the highlighting of the main (FILELST) menu. Does not handle adding or removing of names from FILELST. Typically called after
:: Manager.ALTERMARKING.

```

(if (NOT FROMUPDATE)
  then (LET ((Manager.ACTIVEFLG NIL))
    (UPDATEFILES)))
(Manager.INSUREHIGHLIGHTS MANAGER-FILE-MENU (for ITEM in (Manager.MENUITEMS MANAGER-FILE-MENU)
  when (CDR (GETPROP ITEM 'FILE)) collect ITEM))

```

(Manager.MAKEFILE.ADV

(Manager.SET-ANCHOR

```
[LAMBDA (NEWANCHOR) ; Edited 10-Oct-2023 11:24 by mth
  (if (AND (FMEMB NEWANCHOR ' (ANCHOR-TL ANCHOR-TR ANCHOR-BL ANCHOR-BR))
        (NEQ Manager.WINDOW-ANCHOR NEWANCHOR))
      then (SETQ Manager.WINDOW-ANCHOR NEWANCHOR)])
```

(Manager.SORT.COMS

```
[LAMBDA (A B) ; Edited 18-Nov-87 15:12 by raf
```

;;; This allows CLOS method definitions to display in a sorted fashion.

;;; They are stored on the fileCOMS variable as:

;;; (method-name (required-arg-type-specifiers))

```
(ALPHORDER (COND
  ((LITATOM A)
   A)
  (T (CONCAT A)))
(COND
  ((LITATOM B)
   B)
  (T (CONCAT B)))
```

(Manager.SORTBYCOLUMN

```
[LAMBDA (ITEMS) ; Edited 19-Jun-87 20:58 by andyiii
```

```
(PROG ((LENGTH (FLENGTH ITEMS))
       (COLUMNCOUNT COLUMNLENGTH EXTRAITEMCOLUMNS RESULT))
  (if (NULL ITEMS)
      then (RETURN))
  (SORT ITEMS 'Manager.SORT.COMS)
  (SETQ COLUMNCOUNT (Manager.MENUCOLUMNS ITEMS))
  (SETQ COLUMNLENGTH (IQUOTIENT LENGTH COLUMNCOUNT))
  (SETQ EXTRAITEMCOLUMNS (IREMAINDER LENGTH COLUMNCOUNT))
  [SETQ RESULT (for I to COLUMNCOUNT collect (for J to (COND
    ((ILEQ I EXTRAITEMCOLUMNS)
     (ADD1 COLUMNLENGTH))
    (COLUMNLENGTH))
    collect (pop ITEMS)]
  (RETURN (while (CAR RESULT) join (DREMOVE NIL (for LST on RESULT collect (PROG1 (CAAR LST)
    (RPLACA LST (CDAR LST))))))
```

```
)
[XCL:REINSTALL-ADVICE 'ADDFILE :AROUND ' ((:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
  *)
  (AND Manager.ACTIVEFLG (Manager.CHECKFILE FILE))))]
[XCL:REINSTALL-ADVICE 'ADDTOFILES? :AROUND ' ((:LAST (PROG1 (LET ((MANAGER-ADDTOFILES? T))
  *)
  (AND Manager.ACTIVEFLG (Manager.ADDTOFILES?))))]
[XCL:REINSTALL-ADVICE 'MAKEFILE :AROUND ' ((:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
  *)
  (AND Manager.ACTIVEFLG (Manager.MAKEFILE.ADV FILE OPTIONS))))]
[XCL:REINSTALL-ADVICE 'MARKASCHANGED :AROUND ' ((:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
  *)
  (AND Manager.ACTIVEFLG (Manager.ALTERMARKING NAME TYPE (OR REASON T)))))]
[XCL:REINSTALL-ADVICE 'UNMARKASCHANGED :AROUND ' ((:LAST (LET (!VALUE)
  (PROG1 (LET ((Manager.ACTIVEFLG NIL))
    (SETQ !VALUE *))
    (AND Manager.ACTIVEFLG !VALUE
      (Manager.ALTERMARKING NAME TYPE NIL)))))]
[XCL:REINSTALL-ADVICE 'UPDATEFILES :AROUND ' ((:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
  *)
  (AND Manager.ACTIVEFLG (Manager.MAINUPDATE T))))]
[XCL:REINSTALL-ADVICE 'ADDTOCOMS :AROUND ' ((:LAST (LET (!VALUE)
  (PROG1 (LET ((Manager.ACTIVEFLG NIL))
    (SETQ !VALUE *))
    (AND Manager.ACTIVEFLG (Manager.ADDADV !VALUE COMS NAME TYPE)))))]
[XCL:REINSTALL-ADVICE 'DELFROMCOMS :AROUND ' ((:LAST (LET (!VALUE)
  (PROG1 (LET ((Manager.ACTIVEFLG NIL))
    (SETQ !VALUE *))
    (AND Manager.ACTIVEFLG (Manager.ADDADV !VALUE COMS NAME TYPE)))))]
[XCL:REINSTALL-ADVICE '\ADDTOFILEBLOCK/ADDNEWCOM :AROUND ' ((:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
```

```

*)
(AND Manager.ACTIVEFLG (
  Manager.RESETSUBITEMS
  FILE TYPE)))]]
[XCL:REINSTALL-ADVICE 'LOAD :AROUND '(:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
  *)
  (if Manager.ACTIVEFLG
    then (Manager.REMOVE.DUPLICATE.ADVISE FILE)
    (Manager.CHECKFILE FILE))))]]
[XCL:REINSTALL-ADVICE 'LOADFNS :AROUND '(:LAST (PROG1 (LET ((Manager.ACTIVEFLG NIL))
  *)
  (if Manager.ACTIVEFLG
    then (Manager.REMOVE.DUPLICATE.ADVISE FILE)
    (Manager.CHECKFILE FILE))))]]
[XCL:REINSTALL-ADVICE ' (MARKASCHANGED :IN DEFAULT.EDITDEFA0001)
:AROUND
' (:LAST (AND (AND (EQ NAME 'FILELST)
  (EQ TYPE 'VARS))
  *)]
(READWISE ADDFILE ADDTOFILES? MAKEFILE MARKASCHANGED UNMARKASCHANGED UPDATEFILES ADDTOCOMS DELFROMCOMS
\ADDTOFILEBLOCK/ADDNEWCOM LOAD LOADFNS (MARKASCHANGED :IN DEFAULT.EDITDEFA0001))
(DECLARE%: EVAL@COMPILE
(PUTPROPS GETDATUM MACRO ((KEY)
  (CDR (FASSOC KEY Manager.DATASPACE)))
(PUTPROPS PUTDATUM MACRO ((KEY VALUE)
  (PUTASSOC KEY VALUE Manager.DATASPACE)))
(PUTPROPS Manager.TTYCOMMAND MACRO ((X . Y)
  (PROGN (ALLOW.BUTTON.EVENTS)
    X . Y)))
)
(PUTPROPS ADVICE MANAGER-DEFINITION-TYPE-COMMANDS (("ReAdvise" 'READWISE "Enable all advice under this name")
  ("UnAdvise" 'UNADVISE "Disable all advice under this name")
  ))
(PUTPROPS FNS MANAGER-DEFINITION-TYPE-COMMANDS (("Break" 'BREAK "Break this function")
  ("Trace" 'TRACE "Trace this function")
  ("UNBreak" 'UNBREAK "UnBreak this function")
  ("Compile" 'COMPILE "Compile this function"
    (SUBITEMS ("Compile" 'COMPILE "Compile this function")
      (DISASSEMBLE 'DISASSEMBLE "Print the compiled
        code of the function")))
  [" MasterScope " 'DESCRIBE "Invoke MasterScope to DESCRIBE the
    function" (SUBITEMS (" Describe " 'DESCRIBE "Invoke
      MasterScope to describe this
        function")
        ("Show Paths"
          'SHOWPATHTO "Invoke MasterScope to
            show who calls this function"
          (SUBITEMS ("To" 'SHOWPATHTO
              "Invoke MasterScope
                to show who calls
                  this function")
                (" From " 'SHOWPATHFROM
                  "Invoke MasterScope to
                    show who is called by
                      this function"]
          ("?" 'ARGS "The function's argument list"))))
(PUTPROPS RECORDS MANAGER-DEFINITION-TYPE-COMMANDS (("Fields" 'FIELDS "List the field names"))
(PUTPROPS VARS MANAGER-DEFINITION-TYPE-COMMANDS [(" MasterScope " 'DESCRIBE "Who uses this?"
  (SUBITEMS ("Who uses?" 'DESCRIBE "Who uses this?"))
(PUTPROPS FUNCTIONS MANAGER-DEFINITION-TYPE-COMMANDS (("Break" 'BREAK "Break this function")
  ("Trace" 'TRACE "Trace this function")
  ("UNBreak" 'UNBREAK "UnBreak this function")
  ("Compile" 'COMPILE "Compile this function"
    (SUBITEMS ("Compile" 'COMPILE "Compile this
      function")
      ("Disassemble" 'DISASSEMBLE "Print the
        compiled code of the function")))
  ("?" 'ARGS "The function's argument list"))
(ADDTOVAR BackgroundMenuCommands (File% Manager (MANAGER)
  "Starts the menu driven file manager"))
(LSUBST 'Manager NIL BackgroundMenuCommands)

```

```

{MEDLEY}<lispusers>MANAGER.;1

;; remove old manager entry if it exists
(SETQ BackgroundMenu NIL)

;; cause the backGround menu to be rebuilt
(MANAGER.RESET (CL:SYMBOL-VALUE 'Manager.ACTIVEFLG))

;; Shutdown any old manager windows and restart if we're already running.
(if (STREQVAL MANAGER-ACTIVITY-WINDOW-TITLE (WINDOWPROP NIL 'TITLE))
    then ; If we're in the manager activity window, close it, since we
        ; dropped the pointer to it in MANAGER.RESET.
        (CLOSEW NIL))

(PUTPROPS MANAGER MAKEFILE-ENVIRONMENT (:PACKAGE "INTERLISP" :READTABLE "INTERLISP"))
(PUTPROPS MANAGER FILETYPE :COMPILE-FILE)
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVERS
(ADDTOVAR NLAMA )
(ADDTOVAR NLAML )
(ADDTOVAR LAMA )
)
(PUTPROPS MANAGER COPYRIGHT (NONE))

```

FUNCTION INDEX

MANAGER	5	Manager.FILELSTCHANGED?	13	Manager.MAKEFILE.ADV	16
Manager.ADDADV	6	Manager.FILESUBTYPES	14	Manager.MENUCOLUMNS	17
Manager.ADDTOFILES?	6	Manager.GET.ENVIRONMENT	14	Manager.MENUHASITEM	17
Manager.ALTERMARKING	6	Manager.GETFILE	14	Manager.MENUITEMS	17
Manager.ANCHORED-SET-POSITION	7	Manager.HIGHLIGHT	11	Manager.PROMPT	11
Manager.CHANGED?	11	Manager.HIGHLIGHTED	13	Manager.REMOVE.DUPLICATE.ADVISE	17
Manager.CHECKFILE	11	Manager.insurefilehighlights	11	MANAGER.RESET	6
Manager.COLLECTCOMS	11	Manager.INSUREHIGHLIGHTS	13	Manager.RESETSUBITEMS	17
Manager.COMS.WSF	12	Manager.INTITLE?	14	Manager.SET-ANCHOR	18
Manager.COMSOPEN	12	Manager.MAIN.WSF	15	Manager.SORT.COMS	18
Manager.COMSUPDATE	13	Manager.MAINCLOSE	15	Manager.SORTBYCOLUMN	18
Manager.DO.COMMAND	7	Manager.MAINMENUITEMS	15	Manager.WINDOW	11
Manager.DO.COMMAND.PROCFN	7	Manager.MAINOPEN	16		
Manager.FILECHANGES	13	Manager.MAINUPDATE	16		

VARIABLE INDEX

UNMANAGED-TYPES	2	MANAGER-MAIN-ICONW	5
BackgroundMenuCommands	19	MANAGER-MAIN-MENU-ITEMS	4
MANAGER-ACTIVITY-WINDOW-TITLE	2	MANAGER-MAIN-WINDOW	5
MANAGER-ADDTOFILES?	2	MANAGER-MARKED-SHADE	5
MANAGER-CASES	2	MANAGER-OPEN-WINDOWS	5
MANAGER-FILE-FILE-RELATION-COMMANDS	2	MANAGER-WINDOWS	5
MANAGER-FILE-FILE-RELATION-MENU	5	Manager.ACTIVEFLG	5
MANAGER-FILE-MENU	5	MANAGER.BM	5
MANAGER-FILE-OPERATIONS-COMMANDS	2	MANAGER.BM.MASK	5
MANAGER-FILE-OPERATIONS-MENU	5	Manager.DATASPACE	5
MANAGER-FILELST-MENU	5	Manager.MENUROWS	5
MANAGER-ITEM-FILE-RELATION-COMMANDS	3	Manager.SORTFILELSTFLG	5
MANAGER-ITEM-OPERATION-COMMANDS	3	Manager.WINDOW-ANCHOR	5

ADVICE INDEX

ADDFILE	18	MAKEFILE	18
ADDTOCOMS	18	MARKASCHANGED	18
ADDTOFILES?	18	UNMARKASCHANGED	18
DELFROMCOMS	18	UPDATEFILES	18
LOAD	19	\ADDTOFILEBLOCK/ADDNEWCOM	18
LOADFNS	19	(MARKASCHANGED :IN DEFAULT.EDITDEFA0001)	19

PROPERTY INDEX

ADVICE	19	FNS	19	FUNCTIONS	19	MANAGER	20	RECORDS	19	VARS	19
--------------	----	-----------	----	-----------------	----	---------------	----	---------------	----	------------	----

MACRO INDEX

GETDATUM	19	Manager.TTYCOMMAND	19	PUTDATUM	19
----------------	----	--------------------------	----	----------------	----
