


```

(BLOCK 100)
(if (LEQ (add CNT -1)
0)
then (SETQ CNT SCREENPERIOD)
      (to SCREENREPEAT do (BITBLT WINDOW 0 0 BUF1)
                          (KALSHOW BUF1 WINDOW SIZE))

```

(SCREENPAPERNEWREGIONFN

(* BN "17-Sep-84 10:40")

```

[LAMBDA (FP MP)
(COND
[MP (with POSITION MP (PROG [(DX (IDIFFERENCE XCOORD (fetch (POSITION XCOORD) of FP))
(DY (IDIFFERENCE YCOORD (fetch (POSITION YCOORD) of FP)]
[COND
[(IGREATERP (IABS DX)
(IABS DY))
(SETQ YCOORD (IPLUS (fetch (POSITION YCOORD) of FP)
(ITIMES DX (COND
(MINUSP (ITIMES DX DY))
-1)
(T 1]
(T (SETQ XCOORD (IPLUS (fetch (POSITION XCOORD) of FP)
(ITIMES DY (COND
(MINUSP (ITIMES DX DY))
-1)
(T 1]
(RETURN MP]
(T FP])

```

(KALSHOW

; Edited 5-Aug-88 11:54 by drc:
(* THAT ERASED ALL BUT THE TRIANGLE)

```

[LAMBDA (BUF1 WINDOW SIZE MODE)
(BITBLT TRIANGLE NIL NIL BUF1 NIL NIL NIL NIL NIL 'ERASE)
(ROTATE.BITMAP BUF1 BUF2 PBT)
(INVERT.BITMAP.VERTICALLY BUF2 BUF3 PBT)
(BITBLT BUF3 NIL NIL BUF1 NIL NIL NIL NIL NIL 'PAINT)
(LET (CX CY)
(BITBLT BUF1 NIL NIL BIGBUF 0 SIZE)
(INVERT.BITMAP.HORIZONTALLY BUF1 BUF2 PBT)
(BITBLT BUF2 NIL NIL BIGBUF SIZE SIZE)
(INVERT.BITMAP.VERTICALLY BUF1 BUF3 PBT)
(BITBLT BUF3 NIL NIL BIGBUF 0 0)
(INVERT.BITMAP.HORIZONTALLY BUF3 BUF2 PBT)
(BITBLT BUF2 NIL NIL BIGBUF SIZE 0)
(SETQ CX (QUOTIENT (WINDOWPROP WINDOW 'WIDTH)
2))
(SETQ CY (QUOTIENT (WINDOWPROP WINDOW 'HEIGHT)
2))
(for I from 0 while (LESSP I (QUOTIENT (PLUS 2SIZE (MAX CX CY))
2SIZE))
do (for J from 0 while (LEQ J I) do (DOPOINT [FUNCTION (LAMBDA (X Y)
(BITBLT BIGBUF NIL NIL WINDOW
(PLUS CX (TIMES X 2SIZE))
(PLUS CY (TIMES Y 2SIZE))
NIL NIL MODE 'REPLACE]
J I)))
(BLOCK])

```

(DOPOINT

(* edited%: "31-Dec-00 16:08")

```

[LAMBDA (FN X Y)
(if (LESSP X Y)
then (DOPOINT FN Y X))
(APPLY* FN X Y 1)
(APPLY* FN (DIFFERENCE -1 X)
Y 1)
(APPLY* FN X (DIFFERENCE -1 Y)
1)
(APPLY* FN (DIFFERENCE -1 X)
(DIFFERENCE -1 Y)
1])

```

(MAPN

(* edited%: " 1-Jan-01 00:09")

```

[LAMBDA (WINDOW FN)
(LET ((MAXX (DIFFERENCE (WINDOWPROP WINDOW 'WIDTH)
SIZE))
(MAXY (DIFFERENCE (WINDOWPROP WINDOW 'HEIGHT)
SIZE))
X Y NX NY STEPS)
(SETQ X (RAND 0 MAXX))
(SETQ Y (RAND 0 MAXY))
(while T do (SETQ NX (RAND 0 MAXX))
(SETQ NY (RAND 0 MAXY))
(SETQ STEPS (QUOTIENT (PLUS (ABS (DIFFERENCE NX X))
(ABS (DIFFERENCE NY Y)))
4))

```

```

(if (NEQ STEPS 0)
  then [for I from 1 to STEPS do (APPLY* FN (PLUS X (QUOTIENT (TIMES (DIFFERENCE NX X)
                                                                I)
                                                                STEPS))
                                           (PLUS Y (QUOTIENT (TIMES (DIFFERENCE NY Y)
                                                                I)
                                                                STEPS]
                                           (SETQ X NX)
                                           (SETQ Y NY])
)

```

```
(ADDTOVAR IDLE.FUNCTIONS ("Screen wallpaper" 'SCREENPAPER))
```

;;; faster versions of editbitmap functions

(DEFINEQ

(INVERT.BITMAP.HORIZONTALALLY

(* edited%: "31-Dec-00 17:15")

```

[LAMBDA (BITMAP BM2 PBT)
  (OR BM2 (SETQ BM2 (BITMAPCOPY BITMAP)))
  (OR PBT (SETQ PBT (create PILOTBBT)))
  (with PILOTBBT PBT (SETQ PBTDESTLO (ffetch BitMapLoLoc BM2))
    (SETQ PBTDESTHI (ffetch BitMapHiLoc BM2))
    (SETQ PBTSOURCELO (ffetch BitMapLoLoc BITMAP))
    (SETQ PBTSOURCEHI (ffetch BitMapHiLoc BITMAP))
    (SETQ PBTDESTBPL (TIMES 16 (ffetch BITMAPRASTERWIDTH BM2)))
    (SETQ PBTSOURCEBPL (TIMES 16 (ffetch BITMAPRASTERWIDTH BITMAP)))
    (SETQ PBTFLAGS 16384)
    (SETQ PBTHEIGHT (ffetch BITMAPHEIGHT BITMAP))
    (SETQ PBTWIDTH 1)
    (for I from 0 while (LESSP I (ffetch BITMAPWIDTH BITMAP)) do (SETQ PBTSOURCEBIT I)
      (SETQ PBTDESTBIT
        (DIFFERENCE (SUB1 (ffetch BITMAPWIDTH BITMAP)
                          I))
        (\PILOTBITBLT PBT 0)))
    BM2])

```

(INVERT.BITMAP.VERTICALLY

(* edited%: "31-Dec-00 18:13")

```

[LAMBDA (BITMAP BM2 PBT)
  (OR BM2 (SETQ BM2 (BITMAPCOPY BITMAP)))
  (OR PBT (SETQ PBT (create PILOTBBT)))
  (with PILOTBBT PBT
    (SETQ PBTDESTHI (ffetch BitMapHiLoc BM2))
    (SETQ PBTDESTLO (PLUS (ffetch BitMapLoLoc BM2)
                          (TIMES (SUB1 (ffetch BITMAPHEIGHT BITMAP))
                                  (ffetch BITMAPRASTERWIDTH BM2))
                          (ffetch BitMapLoLoc BITMAP)))
    (SETQ PBTSOURCELO (ffetch BitMapLoLoc BITMAP))
    (SETQ PBTSOURCEHI (ffetch BitMapHiLoc BITMAP))
    (SETQ PBTDESTBPL (TIMES 16 (ffetch BITMAPRASTERWIDTH BM2)))
    (SETQ PBTSOURCEBPL (TIMES 16 (ffetch BITMAPRASTERWIDTH BITMAP)))
    (SETQ PBTSOURCEBIT 0)
    (SETQ PBTDESTBIT 0)
    (SETQ PBTFLAGS 16384)
    (SETQ PBTHEIGHT 1)
    (SETQ PBTWIDTH (ffetch BITMAPWIDTH BITMAP))
    (for I from 0 while (LESSP I (ffetch BITMAPHEIGHT BITMAP)) do (\PILOTBITBLT PBT 0)
      (add PBTSOURCELO (ffetch BITMAPRASTERWIDTH BITMAP))
      (add PBTDESTLO (MINUS (ffetch BITMAPRASTERWIDTH BITMAP)
                             BITMAPRASTERWIDTH BM2))
      BM2])

```

(ROTATE.BITMAP

(* edited%: "31-Dec-00 16:24")

```

[LAMBDA (BITMAP BM2 PBT)
  (OR BM2 (SETQ BM2 (BITMAPCREATE (ffetch BITMAPHEIGHT BITMAP)
                                   (ffetch BITMAPWIDTH BITMAP)
                                   (create PILOTBBT))))
  (OR PBT (SETQ PBT (create PILOTBBT)))
  (with PILOTBBT PBT
    (SETQ PBTDESTHI (ffetch BitMapHiLoc BM2))
    (SETQ PBTDESTLO (ffetch BitMapLoLoc BM2))
    (SETQ PBTSOURCELO (ffetch BitMapLoLoc BITMAP))
    (SETQ PBTSOURCEHI (ffetch BitMapHiLoc BITMAP))
    (SETQ PBTDESTBPL (TIMES 16 (ffetch BITMAPRASTERWIDTH BM2)))
    (SETQ PBTSOURCEBPL 1)
    (SETQ PBTSOURCEBIT 0)
    (SETQ PBTDESTBIT (ffetch BITMAPWIDTH BM2))
    (SETQ PBTFLAGS 0)
    (SETQ PBTHEIGHT (ffetch BITMAPHEIGHT BM2))
    (SETQ PBTWIDTH 1)
    (for I from 0 while (LESSP I (ffetch BITMAPHEIGHT BITMAP)) do (add PBTDESTBIT -1)
      (\PILOTBITBLT PBT 0))
    BM2])

```

{MEDLEY}<lispusers>SCREENPAPER.;1 (ROTATE.BITMAP cont.)

Page 4

(add PBTSOURCELO (ffetch BITMAPRASTERWIDTH
BITMAP]

BM2])

)

(RPAQQ SCREENPAPERSIZE 64)

(RPAQQ SCREENPERIOD 100)

(RPAQQ SCREENREPEAT 0)

(PUTPROPS SCREENPAPER COPYRIGHT ("Xerox Corporation" 1901 1986 1988))

FUNCTION INDEX

DOPOINT	2	KALSHOW	2	SCREENPAPER	1
INVERT.BITMAP.HORIZONTALLY	3	MAPN	2	SCREENPAPERNEWREGIONFN	2
INVERT.BITMAP.VERTICALLY	3	ROTATE.BITMAP	3		

VARIABLE INDEX

IDLE.FUNCTIONS	3	SCREENPAPERSIZE	4	SCREENPERIOD	4	SCREENREPEAT	4
----------------------	---	-----------------------	---	--------------------	---	--------------------	---
