

File created: 26-Feb-2024 11:19:15 {WMEDLEY}<lispusers>TEDITDORADOKEYS.;8

edit by: rmk

changes to: (VARS TEDITDORADOKEYSCOMS)

previous date: 15-Sep-2022 10:10:07 {WMEDLEY}<lispusers>TEDITDORADOKEYS.;4

Read Table: XCL

Package: INTERLISP

Format: XCCS

(RPAQQ TEDITDORADOKEYSCOMS

```
((DECLARE\ : EVAL@COMPILE DONTCOPY (FILES TEDIT-EXPORTS.ALL))
 (COMS
  ;; Specialized functions for this module
  (FNS \\TEDIT.DK.ABORT \\TEDIT.DK.INSERT-PARENS \\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES
   \\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES))
 (VARS (\\TEDIT.DORADO.KEYS ' ("Meta,x" EXPAND)
      ("Meta,X" EXPAND)
      ("Meta,c" FN \\TEDIT.CENTER.SEL)
      ("Meta,C" FN \\TEDIT.CENTER.SEL.REV)
      ("Meta,b" FN \\TEDIT.BOLD.SEL.ON)
      ("Meta,B" FN \\TEDIT.BOLD.SEL.OFF)
      ("Meta,i" FN \\TEDIT.ITALIC.SEL.ON)
      ("Meta,I" FN \\TEDIT.ITALIC.SEL.OFF)
      ("Meta,=" FN \\TEDIT.STRIKEOUT.SEL.ON)
      ("Meta,+" FN \\TEDIT.STRIKEOUT.SEL.OFF)
      ("Meta,-" FN \\TEDIT.UNDERLINE.SEL.ON)
      ("Meta,_" FN \\TEDIT.UNDERLINE.SEL.OFF)
      ("Meta,^" FN \\TEDIT.SUBSCRIPTSEL)
      ("Meta,|" FN \\TEDIT.SUPERSCRIPSEL)
      ("Meta,SPACE" FN \\TEDIT.DEFAULTSSEL)
      ("Meta,?" FN \\TEDIT.SHOWCARETLOOKS)
      ("Meta,(" FN \\TEDIT.DK.INSERT-PARENS)
      ("Meta,\"" FN \\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES)
      ("Meta,'" FN \\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES))))
 (P (FOR ENTRY IN \\TEDIT.DORADO.KEYS DO (SELECTQ (CADR ENTRY)
      (FN (TEDIT.SETFUNCTION (CAR ENTRY)
        (CADDR ENTRY)))
      (TEDIT.SETSYNTAX (CAR ENTRY)
        (CADR ENTRY))))))
```

(DECLARE\ : EVAL@COMPILE DONTCOPY

(FILESLOAD TEDIT-EXPORTS.ALL)
)

;; Specialized functions for this module

(DEFINEQ

(\\TEDIT.DK.ABORT

```
(LAMBDA (TEXTOBJ)
 (TEDIT.GET TEXTOBJ))
```

(\\TEDIT.DK.INSERT-PARENS

```
(LAMBDA (TEXTOBJ TEXTSTREAM SEL) ; Edited 28-Oct-87 19:42 by jds
 (LET ((CH1 (|fetch| CH# |of| SEL))
      (CHLIM (|fetch| CHLIM |of| SEL)))
 (TEDIT.INSERT TEXTSTREAM ")" CHLIM)
 (TEDIT.INSERT TEXTSTREAM "(" CH1)
 (TEDIT.SETSEL TEXTSTREAM CH1 (+ 2 (- CHLIM CH1))))))
```

(\\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES

```
(LAMBDA (TEXTOBJ TEXTSTREAM SEL) ; Edited 28-Oct-87 19:45 by jds
 ;; Insert ASCII double-quotes (") around the selection
 (LET ((CH1 (|fetch| CH# |of| SEL))
      (CHLIM (|fetch| CHLIM |of| SEL)))
 (TEDIT.INSERT TEXTSTREAM "\"" CHLIM)
 (TEDIT.INSERT TEXTSTREAM "\"" CH1)
 (TEDIT.SETSEL TEXTSTREAM CH1 (+ 2 (- CHLIM CH1))))))
```

(\\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES

```
(LAMBDA (TEXTOBJ TEXTSTREAM SEL) ; Edited 28-Oct-87 19:44 by jds
 ;; Insert NS double quotes around the selection.
 (LET ((CH1 (|fetch| CH# |of| SEL))
      (CHLIM (|fetch| CHLIM |of| SEL)))
 (TEDIT.INSERT TEXTSTREAM (CHARCODE 0\,252)
 CHLIM)
```

```
(TEDIT.INSERT TEXTSTREAM (CHARCODE 0\,272)
  CH1)
(TEDIT.SETSEL TEXTSTREAM CH1 (+ 2 (- CHLIM CH1))))))
```

)

(RPAQQ \\TEDIT.DORADO.KEYS

```
(( "Meta,x" EXPAND)
 ("Meta,X" EXPAND)
 ("Meta,c" FN \\TEDIT.CENTER.SEL)
 ("Meta,C" FN \\TEDIT.CENTER.SEL.REV)
 ("Meta,b" FN \\TEDIT.BOLD.SEL.ON)
 ("Meta,B" FN \\TEDIT.BOLD.SEL.OFF)
 ("Meta,i" FN \\TEDIT.ITALIC.SEL.ON)
 ("Meta,I" FN \\TEDIT.ITALIC.SEL.OFF)
 ("Meta,=" FN \\TEDIT.STRIKEOUT.SEL.ON)
 ("Meta,+" FN \\TEDIT.STRIKEOUT.SEL.OFF)
 ("Meta,-" FN \\TEDIT.UNDERLINE.SEL.ON)
 ("Meta,_" FN \\TEDIT.UNDERLINE.SEL.OFF)
 ("Meta,^" FN \\TEDIT.SUBSCRIPTSEL)
 ("Meta,|" FN \\TEDIT.SUPERSCRIPSEL)
 ("Meta,SPACE" FN \\TEDIT.DEFAULTSSEL)
 ("Meta,?" FN \\TEDIT.SHOWCARETLOOKS)
 ("Meta,(" FN \\TEDIT.DK.INSERT-PARENS)
 ("Meta,\"" FN \\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES)
 ("Meta,'" FN \\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES))
```

```
(FOR ENTRY IN \\TEDIT.DORADO.KEYS DO (SELECTQ (CADR ENTRY)
  (FN (TEDIT.SETFUNCTION (CAR ENTRY)
    (CADDR ENTRY)))
  (TEDIT.SETSYNTAX (CAR ENTRY)
    (CADR ENTRY))))
```

FUNCTION INDEX

\\TEDIT.DK.ABORT1 \\TEDIT.DK.INSERT-PARENS1
\\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES1 \\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES1

VARIABLE INDEX

\\TEDIT.DORADO.KEYS2
