

File created: 7-Dec-86 17:26:23 {ERIS}<LISPUSERS>LISPCORE>UNBOXEDOPS.;7

changes to: (OPTIMIZERS UFREMAINDER2 UFREMAINDER)  
(FNS UFREMAINDER)  
(VARS UNBOXEDOPSCOMS)

previous date: 3-Nov-86 20:30:24 {ERIS}<LISPUSERS>LISPCORE>UNBOXEDOPS.;6

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

::  
:: Copyright (c) 1986 by Xerox Corporation. All rights reserved.

(RPAQQ **UNBOXEDOPSCOMS**

```
[ (FNS UFABS UFEQP UFGEQ UFGREATERP UFIX UFLEQ UFLESSP UFMAX UFMIN UFMINUS UFREMAINDER)
  (OPTIMIZERS UFABS UFABS1 UFEQP UFEQP2 UFGEQ UFGEQ2 UFGREATERP UFGREATERP2 UFIX UFIX1 UFLEQ UFLEQ2
    UFLESSP UFLESSP2 UFMAX UFMAX2 UFMIN UFMIN2 UFMINUS UFMINUS1 UFREMAINDER)
  (PROP FILETYPE UNBOXEDOPS)
  (DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY (LOCALVARS . T))
  (DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVERS (ADDVARS (NLAMA)
    (NLAML)
    (LAMA UFMIN UFMAX]))
```

(DEFINEQ

(**UFABS**

```
[LAMBDA (X)
  (FABS X)]
```

(\* jop%: "30-Jan-86 15:10")

(**UFEQP**

```
[LAMBDA (X Y)
  (FEQP X Y)]
```

(\* jop%: "31-Jan-86 12:35")

(**UFGEQ**

```
[LAMBDA (X Y)
  (GEQ X Y)]
```

(\* jop%: " 2-Feb-86 12:36")

(**UFGREATERP**

```
[LAMBDA (X Y)
  (FGREATERP X Y)]
```

(\* jop%: "30-Jan-86 15:11")

(**UFIX**

```
[LAMBDA (X)
  (FIX X)]
```

(\* jop%: "30-Jan-86 15:11")

(**UFLEQ**

```
[LAMBDA (X Y)
  (LEQ X Y)]
```

(\* jop%: " 2-Feb-86 12:37")

(**UFLESSP**

```
[LAMBDA (X Y)
  (FLESSP X Y)]
```

(\* jop%: "31-Jan-86 12:20")

(**UFMAX**

```
[LAMBDA ARGS
  (bind (MAX _ MIN.FLOAT) for I from 1 to ARGS do (if (FGREATERP (ARG ARGS I)
    MAX)
    then (SETQ MAX (ARG ARGS I)))
  finally (RETURN MAX])
```

(\* jop%: "30-Jan-86 15:12")

(**UFMIN**

```
[LAMBDA ARGS
  (bind (MIN _ MAX.FLOAT) for I from 1 to ARGS do (if (FLESSP (ARG ARGS I)
    MIN)
    then (SETQ MIN (ARG ARGS I)))
  finally (RETURN MIN])
```

(\* jop%: "30-Jan-86 15:13")

(**UFMINUS**

```
[LAMBDA (X)
  (FMINUS X)]
```

(\* jop%: "30-Jan-86 15:14")

(**UFREMAINDER**

; Edited 7-Dec-86 17:21 by jop:

```
[LAMBDA (X Y)
  (LET ((FX (FLOAT X))
        (FY (FLOAT Y))
        RESULT)
    (DECLARE (TYPE FLOATP FX FY RESULT))
    (SETQ RESULT (FDIFFERENCE FX (FTIMES (FLOAT (UFIX (FQUOTIENT FX FY)))
                                          FY)))
  )
```

```
(DEFOPTIMIZER UFABS (&OPTIONAL (ARG1 NIL ARG1GIVEN)
                          &REST RESTARGS &WHOLE ORIGINAL)
  (if (OR (NOT ARG1GIVEN)
          RESTARGS)
      then (PRINTOUT T "*****" T)
          (PRINTOUT T "Illegal args to UFABS" %, %, ORIGINAL T)
          (PRINTOUT T "*****" T))
  (LIST 'UFABS1 ARG1))
```

```
(DEFOPTIMIZER UFABS1 (X)
  `[\FLOATBOX ((OPCODES UBFLOAT1 2)
              (\FLOATUNBOX ,X))
```

```
(DEFOPTIMIZER UFEQP (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
                          (ARG2 NIL ARG2GIVEN)
                          &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
          (NOT ARG2GIVEN)
          RESTARGS)
      then (PRINTOUT T "*****" T)
          (PRINTOUT T "Illegal args to UFEQP" %, %, ORIGINAL T)
          (PRINTOUT T "*****" T))
  (LIST 'UFEQP2 ARG1 ARG2))
```

```
(DEFOPTIMIZER UFEQP2 (X Y)
  `(EQ (\FLOATUNBOX (FDIFFERENCE ,X ,Y))
      NIL))
```

```
(DEFOPTIMIZER UFGEQ (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
                          (ARG2 NIL ARG2GIVEN)
                          &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
          (NOT ARG2GIVEN)
          RESTARGS)
      then (PRINTOUT T "*****" T)
          (PRINTOUT T "Illegal args to UFGEQ" %, %, ORIGINAL T)
          (PRINTOUT T "*****" T))
  (LIST 'UFGEQ2 ARG1 ARG2))
```

```
(DEFOPTIMIZER UFGEQ2 (X Y)
  `[NOT ((OPCODES SWAP UBFLOAT2 5)
        (\FLOATUNBOX ,X)
        (\FLOATUNBOX ,Y))
```

```
(DEFOPTIMIZER UFGREATERP (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
                          (ARG2 NIL ARG2GIVEN)
                          &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
          (NOT ARG2GIVEN)
          RESTARGS)
      then (PRINTOUT T "*****" T)
          (PRINTOUT T "Illegal args to UFGREATERP" %, %, ORIGINAL T)
          (PRINTOUT T "*****" T))
  (LIST 'UFGREATERP2 ARG1 ARG2))
```

```
(DEFOPTIMIZER UFGREATERP2 (X Y)
  `((OPCODES UBFLOAT2 5)
    (\FLOATUNBOX ,X)
    (\FLOATUNBOX ,Y))
```

```
(DEFOPTIMIZER UFIX (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
                          &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
          RESTARGS)
      then (PRINTOUT T "*****" T)
          (PRINTOUT T "Illegal args to UFIX" %, %, ORIGINAL T)
          (PRINTOUT T "*****" T))
  (LIST 'UFIX1 ARG1))
```

```

(DEFOPTIMIZER UFIX1 (X)
  `((OPCODES UBFLOAT1 4)
    (\FLOATUNBOX ,X))

(DEFOPTIMIZER UFLEQ (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
  (ARG2 NIL ARG2GIVEN)
  &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
    (NOT ARG2GIVEN)
    RESTARGS)
    then (PRINTOUT T "*****" T)
    (PRINTOUT T "Illegal args to UFLEQ" %, %, ORIGINAL T)
    (PRINTOUT T "*****" T))
  (LIST 'UFLEQ2 ARG1 ARG2))

(DEFOPTIMIZER UFLEQ2 (X Y)
  `[NOT ((OPCODES UBFLOAT2 5)
    (\FLOATUNBOX ,X)
    (\FLOATUNBOX ,Y))

(DEFOPTIMIZER UFLESSP (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
  (ARG2 NIL ARG2GIVEN)
  &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
    (NOT ARG2GIVEN)
    RESTARGS)
    then (PRINTOUT T "*****" T)
    (PRINTOUT T "Illegal args to UFLESSP" %, %, ORIGINAL T)
    (PRINTOUT T "*****" T))
  (LIST 'UFLESSP2 ARG1 ARG2))

(DEFOPTIMIZER UFLESSP2 (X Y)
  `((OPCODES SWAP UBFLOAT2 5)
    (\FLOATUNBOX ,X)
    (\FLOATUNBOX ,Y))

(DEFOPTIMIZER UFMAX (&OPTIONAL (ARG1 NIL ARG1GIVEN)
  (ARG2 NIL ARG2GIVEN)
  &REST RESTARGS)
  (if (NOT ARG1GIVEN)
    then 'MIN.FLOAT
    elseif (NOT ARG2GIVEN)
    then `(FLOAT %, ARG1)
    elseif RESTARGS
    then `(UFMAX (UFMAX2 %, ARG1 %, ARG2)
      ., RESTARGS)
    else (LIST 'UFMAX2 ARG1 ARG2)))

(DEFOPTIMIZER UFMAX2 (X Y)
  `[\FLOATBOX ((OPCODES UBFLOAT2 6)
    (\FLOATUNBOX ,X)
    (\FLOATUNBOX ,Y))

(DEFOPTIMIZER UFMIN (&OPTIONAL (ARG1 NIL ARG1GIVEN)
  (ARG2 NIL ARG2GIVEN)
  &REST RESTARGS)
  (if (NOT ARG1GIVEN)
    then 'MAX.FLOAT
    elseif (NOT ARG2GIVEN)
    then `(FLOAT %, ARG1)
    elseif RESTARGS
    then `(UFMIN (UFMIN2 %, ARG1 %, ARG2)
      ., RESTARGS)
    else (LIST 'UFMIN2 ARG1 ARG2)))

(DEFOPTIMIZER UFMIN2 (X Y)
  `[\FLOATBOX ((OPCODES UBFLOAT2 7)
    (\FLOATUNBOX ,X)
    (\FLOATUNBOX ,Y))

(DEFOPTIMIZER UFMINUS (&WHOLE ORIGINAL &OPTIONAL (ARG1 NIL ARG1GIVEN)
  &REST RESTARGS)
  (if (OR (NOT ARG1GIVEN)
    RESTARGS)
    then (PRINTOUT T "*****" T)
    (PRINTOUT T "Illegal args to UFMINUS" %, %, ORIGINAL T)

```

(PRINTOUT T "\*\*\*\*\*" T))  
(LIST 'UFMINUS1 ARG1))

(DEFOPTIMIZER **UFMINUS1** (X)  
`[\FLOATBOX ((OPCODES UBFLOAT1 3)  
(\FLOATUNBOX ,X))

(DEFOPTIMIZER **UFREMAINDER** (X Y)  
(CL:IF (AND (OR (CL:CONSTANTP X)  
(CL:SYMBOLP X))  
(OR (CL:CONSTANTP Y)  
(CL:SYMBOLP Y)))  
'(FDIFFERENCE ,X (FTIMES [FLOAT (**UFIX** (FQUOTIENT ,X ,Y)  
,Y))  
'COMPILER:PASS))

(PUTPROPS **UNBOXEDOPS FILETYPE** CL:COMPILE-FILE)

(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY

(DECLARE%: DOEVAL@COMPILE DONTCOPY

(LOCALVARS . T)  
)  
)

(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVERS

(ADDTOVAR **NLAMA** )

(ADDTOVAR **NLAML** )

(ADDTOVAR **LAMA** UFMIN UFMAX)  
)

(PUTPROPS **UNBOXEDOPS COPYRIGHT** ("Xerox Corporation" 1986))

---

**FUNCTION INDEX**

UFABS .....1    UFGEQ .....1    UFIX .....1    UFLESSP .....1    UFMIN .....1    UFREMAINDER ...1  
UFEQP .....1    UFGREATERP ....1    UFLEQ .....1    UFMAX .....1    UFMINUS .....1

---

**OPTIMIZER INDEX**

UFABS .....2    UFEQP2 .....2    UFGREATERP ..2    UFIX1 .....3    UFLESSP .....3    UFMAX2 .....3    UFMINUS .....3  
UFABS1 .....2    UFGEQ .....2    UFGREATERP2 .2    UFLEQ .....3    UFLESSP2 .....3    UFMIN .....3    UFMINUS1 ....4  
UFEQP .....2    UFGEQ2 .....2    UFIX .....2    UFLEQ2 .....3    UFMAX .....3    UFMIN2 .....3    UFREMAINDER .4

---

**PROPERTY INDEX**

UNBOXEDOPS ..4

---