

Proposal for Loops manual contents.

This ordering is based on the Interlisp Reference manual. Numbers in [[]]'s indicate the corresponding sections in the (new) IRM.

[[Volume 1 -- Language]]

Introduction [[1]]

Classes [[2]]

 The hierarchy

 Tofu

 Object

 Class

 LispClassTable

Instances [[3]]

MetaClasses [[4]]

 The Golden Braid

 MetaClass

 AbstractClass

AnnotatedValues [[5]]

 NotSetValue

Methods [[6]]

 Categories

 DefaultComment

 SubclassResponsibility

Conditionals and Iterative Statements [[9]]

 Date type predicates

 Object?

 Class?

 Instance?

 (*type? annotatedValue form*)

 Other predicates

 HasIV, HasIV!, HasCV

 Understands

 InstOf, InstOf!

 Iterative statements

 in-supers-of

Message sending forms [[10]]

 List all message sending forms (even if described elsewhere)

 Looking up methods

 FetchMethod

 FetchMethodOrHelp

Miscellaneous [[12]]

System version information

Pattern match functions

FEATURES

[[Volume 2 -- Environment]]

Browsing and Exec Level Commands [[13]]

UNDOable version of PutValue?

LASTWORD set by DefineMethods

LASTCLASS set by DefineClass

Loops Icon

Browsers, in general

 MaxLatticeHeight

 MaxLatticeWidth

Class Browsers

File Browsers

Other Browsers

Top level commands

 DefineClass

 DefineMethod

Errors and Breaks [[14]]

 LoopsDebugFlg

 ErrorOnNameConflict

 IVMissing

 IVValueMissing

 MessageNotUnderstood

Breaking and Tracing [[15]]

 Breaking and Tracing IV access

 Breaking and Tracing methods

 Gauges

Editing [[16]]

File Package [[17]]

Compiling [[18]]

 Macros for GetValue, PutValue

 Referring to Loops objects in compiled code

Masterscope [[19]]

DWIM [[20]]

 No method, but a fn=> use the fn. How about other way?

Performance Issues [[22]]

 Garbage Collection

 Space

 Speed

 Caching

ClearAllCaches
Method lookup caches
IV Lookup caches

Processes [[23]]

 _Process, _Process!

[[Volume 3 -- Input/Output]]

Reading and Printing [[25]]

 The # read macro character

 How Classes print

 How Instances print

 ObjectAlwaysPPFlag

 ObjectDontPPFlag

 How AnnotatedValues print

 DefaultActiveValueClassName

 UIDs

 When assigned

User Input/Output Packages [[26]]

 Inspector

 Extensions to ?=

Loops windows [[28]]

[[Loops Library Packages Manual]]

Virtual Copies [[no chapter]]

Composite Objects [[no chapter]]

[[Release Notes]]

Installation

Customer Support

Conversion From old Loops

Future Directions