

A

access-oriented programming 1-1,9
 accessing
 a class, errors 11-6
 an instance, errors 11-6
 class variable 5-16
 data in classes 5-13
 instance variable 5-19
 active value 1-9; 5-5; 8-1
 adding 8-17
 breaking and tracing 8-10
 bypassing 8-22
 creating 8-23
 deleting 8-17
 errors 11-9
 in class structures 8-27
 printing 17-11
 replacing 8-17
 ActiveValue 8-1
 methods 8-16
 shared 8-22
 specializations 8-2
Add (*Inspector Submenu Option*) 18-4,10
Add (*Method of Class*) 3-12
Add (AddMethod) (*Browser Menu Option*) 10-20,32
Add Category Menu (*Browser Menu Option*) 10-10,25
Add file to browser (*Browser Submenu Option*) 10-26
Add/Delete (*Inspector Menu Option*) 18-4,10
AddActiveValue (*Method of ActiveValue*) 8-17
AddCIV (*Function*) 3-14
AddCV (*Browser Submenu Option*) 10-20
AddCV (*Function*) 3-13
AddCV (*Method of Class*) 3-13
AddIV (*Browser Submenu Option*) 10-20
AddIV (*Function*) 2-10
AddIV (*Method of Class*) 3-14
AddIV (*Method of Object*) 2-11
AddMethod (*Browser Submenu Option*) 10-21
 adding an active value 8-17
AddRoot (*Browser Menu Option*) 10-10,25
AddRoot (*Method of LatticeBrowser*) 10-36
AddSubs (*Browser Menu Option*) 10-31
AddSubs! (*Browser Submenu Option*) 10-31
AddSuper (*Browser Submenu Option*) 10-21
AfterMove (*Method of Window*) 19-3
AfterReshape (*Method of Window*) 19-3
all (*Browser Submenu Option*) 10-26
All (*Inspector Menu Option*) 18-8
AllInstances (*Method of Class*) 3-24
AllInstances! (*Method of Class*) 3-25
AllMethodCategories (*Method of Class*) 6-2
AllSubClasses (*Function*) 3-28
AllValues (*Inspector Menu Option*) 18-3,10
AnalyzeFile (*Browser Submenu Option*) 10-28
 annotated value 8-24
 errors 11-9
 explicit control over 8-25
 restoring 8-26
 saving 8-26
AnnotatedValue (*Class*) 8-24
AnnotatedValue? (*Macro*) 9-2

Any (*Category*) 6-1
AppendSuperValue (*Class*) 8-11
ApplyMethod (*Function*) 6-7
ArgsOfMethodBeingCompiled (*Macro*) 6-10
associatedFiles (*Browser Submenu Option*) 10-26
AttachLispWindow (*Method of Window*) 19-22
AVPrintSource (*Method of ActiveValue*) 8-26; 17-11
AVPrintSource (*Specialization of ActiveValue*) 8-16

B

background menu 10-3
Blink (*Method of Window*) 19-3
Box/UnBoxNode (*Browser Menu Option*) 10-17
BoxNode (*Browser Menu Option*) 10-32
BoxNode (*Method of LatticeBrowser*) 10-37
Break on Access (*Inspector Submenu Option*) 18-6
Break on Put (*Inspector Submenu Option*) 18-6
BreakFunction (*Browser Submenu Option*) 10-29
 breaking 12-1
BreakIt (*Function*) 12-4
BreakIt (*Inspector Menu Option*) 18-6
BreakIt (*Method of Object*) 12-3
BreakMethod (*Browser Menu Option*) 10-20
BreakMethod (*Method of Class*) 12-1
BreakOnPut (*Class*) 8-10
BreakOnPutOrGet (*Class*) 8-10
BrokenVariables (*Global Variable*) 12-6
Browse (*Function*) 10-7
Browse (*Inspector Menu Option*) 18-8
Browse (*Method of LatticeBrowser*) 10-6,37
Browse Class (*Submenu Option*) 10-3,4
Browse File (*Submenu Option*) 10-3,5
Browse Supers (*Submenu Option*) 10-4
BrowseFile (*Method of FileBrowser*) 10-6
 browser 10-1
BrowserObjects (*Method of LatticeBrowser*) 10-38
BrowseSupers (*Inspector Submenu Option*) 18-8
Bury (*Method of Window*) 20-4
ButtonEventFn (*Method of Window*) 19-15

C

cache 15-2,3
CalledFns (*Function*) 6-9
CallsFunction (*Browser Submenu Option*) 10-28
 categories of a method 6-1
CategorizeMethods (*Browser Submenu Option*) 10-19
CategorizeMethods (*Method of Class*) 6-2
Change display mode (*Browser Menu Option*) 10-25
ChangeClass (*Method of Object*) 2-16
ChangeFontSize (*Browser Submenu Option*) 10-8
ChangeFontSize (*Method of LatticeBrowser*) 10-38
ChangeFormat (*Method of LatticeBrowser*) 10-38
ChangeMaxLabelSize (*Method of LatticeBrowser*) 10-39
ChangeMethodCategory (*Browser Submenu Option*) 10-19
ChangeMethodCategory (*Method of Class*) 6-3
 Changetran 5-13
Check (*Browser Submenu Option*) 10-27
CheckFile (*Browser Submenu Option*) 10-28
 class 1-3,6; 3-1
 contents 3-1

- copying 3-23
 - creating 3-1
 - destroying 3-5
 - editing 3-10; 13-1
 - enumerating instances 3-24
 - manipulating 2-16; 3-16
 - modifying 3-11
 - printing 17-4
 - querying the structure 3-17
 - reading data in 5-13
 - renaming 3-16
 - storing data in 5-13
 - Class** (*Category*) 6-1
 - Class** (*Inspector Menu Option*) 18-3
 - Class** (*Macro*) 2-17
 - Class** (*Method of Object*) 2-17
 - class browser 10-2
 - automatic update 10-52
 - menu interface 10-8
 - class inspector 18-7
 - class variable 1-4; 5-5
 - accessing 5-16
 - for class *LatticeBrowser* 10-34
 - Class?** (*Macro*) 9-2
 - ClassDoc** (*Browser Submenu Option*) 10-14
 - CLASSES** (*File Package Command*) 14-4
 - ClassIV inspector 18-9
 - ClassName** (*Function*) 2-18; 3-17
 - ClassName** (*Method of Object*) 2-18
 - ClassNameOfMethodOwner** (*Macro*) 6-10
 - CLEANUP file** (*Browser Menu Option*) 10-30
 - CleanUp File** (*Submenu Option*) 10-5
 - Clear** (*Method of Window*) 19-4
 - ClearAllCaches** (*Function*) 15-3; 20-3
 - ClearAllCaches** (*Variable*) 20-3
 - ClearLabelCache** (*Method of LatticeBrowser*) 10-40
 - ClearMenuCache** (*Method of Window*) 19-15
 - ClearPromptWindow** (*Method of Window*) 19-10
 - Close** (*Method of Window*) 19-4
 - ClosePromptWindow** (*Method of Window*) 19-10
 - compact accessing forms 5-10
 - ConformToClass** (*Method of Object*) 2-12
 - Copy** (*Method of Class*) 3-23
 - Copy** (**CopyMethodTo**) (*Browser Menu Option*) 10-23,32
 - CopyActiveValue** (*Method of ActiveValue*) 8-22
 - CopyActiveValue** (*Specialization of ActiveValue*) 8-16
 - CopyCV** (*Method of Class*) 3-23
 - CopyCVTo** (*Browser Submenu Option*) 10-23
 - CopyDeep** (*Method of Object*) 2-19
 - copying
 - class 3-23
 - instance 2-19
 - CopyIV** (*Method of Class*) 3-24
 - CopyIVTo** (*Browser Submenu Option*) 10-23
 - CopyMethodTo** (*Browser Submenu Option*) 10-23
 - CopyShallow** (*Method of Object*) 2-20
 - create annotatedValue** (*Macro*) 8-25
 - CreateClass** (*Method of Metaclass*) 3-3
 - CreateWindow** (*Method of NonRectangular Window*) 19-19
 - CreateWindow** (*Method of Window*) 19-22
 - creating
 - active value 8-23
 - class 3-1
 - instance 2-4
 - method 6-4
 - record 18-17
 - CursorInside?** (*Method of Window*) 19-4
 - CV, see class variable
 - CVDoc** (*Browser Submenu Option*) 10-14
 - CVMissing** (*Method of Class*) 11-2
 - CVValueMissing** (*Method of Class*) 11-3
- D**
- data type predicate 9-1
 - DefaultActiveValueClassName** (*Variable*) 17-12
 - DEFCLASS** (*NLambda NoSpread Function*) 14-4
 - DEFCLASSES** (*NLambda NoSpread Function*) 14-4
 - DefineClass** (*Function*) 3-2
 - DefineMethod** (*Function*) 6-5
 - defining a metaclass 4-5
 - DEFINST** (*NLambda NoSpread Function*) 14-6
 - DEFINSTANCES** (*NLambda NoSpread Function*) 14-6
 - Delete** (*Inspector Submenu Option*) 18-4,10
 - Delete** (*Method of Class*) 3-12
 - Delete** (**DeleteMethod**) (*Browser Menu Option*) 10-21,32
 - DeleteActiveValue** (*Method of ActiveValue*) 8-18
 - DeleteCIV** (*Function*) 3-15
 - DeleteClass** (*Browser Submenu Option*) 10-22
 - DeleteClassProp** (*Function*) 3-13
 - DeleteCV** (*Browser Submenu Option*) 10-21
 - DeleteCV** (*Function*) 3-14
 - DeleteFromBrowser** (*Browser Menu Option*) 10-16,31
 - DeleteFromBrowser** (*Browser Submenu Option*) 10-16
 - DeleteFromBrowser** (*Method of LatticeBrowser*) 10-40
 - DeleteIV** (*Browser Submenu Option*) 10-21
 - DeleteIV** (*Function*) 2-11
 - DeleteIV** (*Method of Object*) 2-12
 - DeleteMethod** (*Browser Submenu Option*) 10-22
 - DeleteMethod** (*Function*) 6-5
 - DeleteSubtreeFromBrowser** (*Browser Submenu Option*) 10-16
 - DeleteSubtreeFromBrowser** (*Method of LatticeBrowser*) 10-40
 - deleting an active value 8-17
 - DelFromFile** (*Method of Object*) 14-9
 - Destroy** (*Method of Class*) 3-5
 - Destroy** (*Method of Object*) 2-15
 - Destroy** (*Method of Window*) 19-4
 - Destroy!** (*Method of Class*) 3-6
 - Destroy!** (*Method of Object*) 2-15
 - DestroyClass** (*Method of Class*) 3-6
 - destroying
 - class 3-5
 - instance 2-15
 - method 6-4
 - DestroyInstance** (*Method of Class*) 2-15
 - DetachLispWindow** (*Method of Window*) 19-22
 - Doc** (**ClassDoc**) (*Browser Menu Option*) 10-13,30
 - DoFringeMethods** (*Function*) 6-7
 - DoMethod** (*Function*) 6-7
 - DontSave** (*Instance Variable Property Name*) 14-10
 - dynamic mixin 3-4
- E**
- Edit** (*Browser Submenu Option*) 10-27

- Edit** (*Inspector Menu Option*) 18-4,8
Edit (*Method of Class*) 3-10; 13-1
Edit (*Method of Object*) 13-5
Edit (EditClass) (*Browser Menu Option*) 10-24,32
Edit FileComs (*Browser Menu Option*) 10-28
Edit Filecoms (*Submenu Option*) 10-5
Edit Functions (*Browser Submenu Option*) 10-29
Edit! (*Method of Class*) 13-3
EditCategory (*Browser Submenu Option*) 10-19
EditClass (*Browser Submenu Option*) 10-24
EditClass! (*Browser Submenu Option*) 10-24
EditComs (*Browser Submenu Option*) 10-29
EditFns (*Browser Submenu Option*) 10-29
EditIcon (*Method of NonRectangular Window*) 19-19
editing 13-1
 a class 13-1
 class 3-10
 description of window 13-2
 method 6-4
EditInstances (*Browser Submenu Option*) 10-29
EditMacros (*Browser Submenu Option*) 10-29
EditMask (*Method of NonRectangular Window*) 19-20
EditMethod (*Browser Submenu Option*) 10-18
EditMethod (*Method of Class*) 6-5
EditMethod! (*Browser Submenu Option*) 10-18
EditMethodObject (*Browser Submenu Option*) 10-18
EditRecords (*Browser Submenu Option*) 10-29
EditVars (*Browser Submenu Option*) 10-29
enumerating instances of a class 3-24
error handling 11-1
error message 11-5
ErrorOnNameConflict (*Variable*) 2-4; 11-2
escaping from message syntax 6-6
ExplicitFnActiveValue (*Class*) 8-8
- F**
fetch annotatedValue of (*Macro*) 8-25
FetchMethod (*Method of Class*) 7-5
file
 storing 14-10
file browser 10-2
 menu interface 10-24
file manager 1-11; 14-1
 commands 14-3
FileBrowse (*Function*) 10-7
FileIn (*Method of Class*) 14-6
FileOut (*Method of Class*) 17-4
FileOut (*Method of Object*) 14-11; 17-8
FILES? (*Function*) 14-7
FirstFetchAV (*Class*) 8-12
FlashNode (*Method of LatticeBrowser*) 10-41
FlipNode (*Method of LatticeBrowser*) 10-41
Fringe (*Method of Class*) 3-27
function calling 3-2
- G**
garbage collection 15-1
Get (*Method of Object*) 5-6
GetClass (*Function*) 5-14
GetClassHere (*Function*) 5-16
GetClassIV (*Function*) 5-20
GetClassIVHere (*Function*) 5-20
GetClassOnly (*Function*) 5-15
GetClassProp (*Method of Class*) 3-18
GetClassValue (*Function*) 5-8,16
GetClassValueOnly (*Function*) 5-9,18; 8-22
GetCVHere (*Function*) 5-18
GetDisplayLabel (*Method of LatticeBrowser*) 10-41
GetIt (*Function*) 5-1
GetItHere (*Function*) 5-3
GetItOnly (*Function*) 5-2
GetIVHere (*Function*) 5-10
GetLabel (*Method of LatticeBrowser*) 10-41
GetLispClass (*Function*) 4-3
GetObjectNames (*Function*) 2-4
GetObjFromUID (*Function*) 17-15
GetPromptWindow (*Method of Window*) 19-10
GetProp (*Method of Window*) 19-5
GetSubs (*Method of InstanceBrowser*) 10-50
GetSubs (*Method of LatticeBrowser*) 10-42
GettingWrappedValue (*Message*) 1-9
GetValue (*Function*) 4-3; 5-6
GetValue (*Macro*) 15-2
GetValueOnly (*Function*) 5-7; 8-22
GetWrappedValue (*Method of ActiveValue*) 8-20
GetWrappedValue (*Method of LispWindowAV*) 19-23
GetWrappedValue (*Specialization of ActiveValue*) 8-16
GetWrappedValueOnly (*Method of ActiveValue*) 8-20
global cache 15-2,3
Grapher 1-11; 10-1,33
GraphFits (*Method of LatticeBrowser*) 10-42
- H**
Hardcopy (*Method of Window*) 19-5
Hardcopy file (*Browser Submenu Option*) 10-30
HardcopyToFile (*Method of Window*) 19-5
HardcopyToPrinter (*Method of Window*) 19-5
HasAttribute (*Method of Class*) 3-18
HasAttribute! (*Method of Class*) 3-19
HasCV (*Method of Class*) 3-19
HasCV (*Method of Object*) 2-21
HasItem (*Method of Class*) 3-20
HasIV (*Method of Class*) 3-21
HasIV (*Method of Object*) 2-21
HasIV! (*Method of Class*) 3-21
HasLispWindow (*Method of Window*) 19-23
HasObject (*Method of LatticeBrowser*) 10-42
HasUID? (*Function*) 17-14
HELPCHECK (*Function*) 11-1
HighlightNode (*Method of LatticeBrowser*) 10-42
- I**
IconTitle (*Method of LatticeBrowser*) 10-43
IconWindow (*Class*) 19-20
ImplementsMethod (*Browser Submenu Option*) 10-28
in-supers-of (*Iterative Statement Operator*) 9-3
IndexedObject (*Class*) 3-25
IndirectVariable (*Class*) 8-3
inheritance 1-6; 3-7,27
InheritedValue (*Method of InheritingAV*) 8-14
InheritingAV (*Class*) 8-14
InPlace (*Browser Submenu Option*) 10-8
Inspect (*Inspector Menu Option*) 18-7,10
Inspect (*Method of Object*) 2-22; 18-2
InspectClass (*Browser Submenu Option*) 10-24
InspectFetch (*Method of Object*) 18-12
inspector 1-10; 18-1

- customizing 18-15
 - InspectPropCommand** (*Method of Object*) 18-13
 - InspectProperties** (*Method of Object*) 18-13
 - InspectStore** (*Method of Object*) 18-13
 - InspectTitle** (*Method of Object*) 18-14
 - InspectValueCommand** (*Method of Object*) 18-14
 - InstallEditSource** (*Method of Class*) 13-3
 - InstallEditSource** (*Method of Object*) 13-6
 - instance 1-4
 - accessing data in 5-4
 - copying 2-19
 - creating 2-4
 - data storage at creation time 2-8
 - destroying 2-15
 - editing 13-5
 - naming 2-1
 - querying structure 2-21
 - instance browser 10-3,50
 - instance inspector 18-2
 - instance variable 1-4; 5-5
 - access 15-1
 - accessing 5-19
 - changing number of 2-10
 - delimiters 2-11
 - for class InstanceBrowser 10-50
 - for class LatticeBrowser 10-33
 - Instance?** (*Macro*) 9-2
 - INSTANCES** (*File Package Command*) 14-5
 - InstOf** (*Method of Object*) 2-18
 - InstOf!** (*Method of Object*) 2-19
 - Internal** (*Category*) 6-1
 - Invert** (*Method of NonRectangular Window*) 19-20
 - Invert** (*Method of Window*) 19-5
 - ItemMenu** (*Method of Window*) 19-15
 - iterative operator 9-3
 - IV, see instance variable
 - IVDoc** (*Browser Submenu Option*) 10-14
 - IVMissing** (*Method of Object*) 2-12; 11-3
 - IVs** (*Inspector Menu Option*) 18-4,10
 - IVValueMissing** (*Method of Object*) 2-8; 11-4
- L**
- lattice 1-1
 - lattice browser 10-2
 - Lattice/Tree** (*Browser Submenu Option*) 10-9
 - left column menu
 - class inspector 18-8
 - ClassIV inspector 18-10
 - instance inspector 18-4
 - left menu
 - class, meta, and supers browsers 10-11
 - file browser 10-30
 - instance browser 10-51
 - LeftSelection** (*Method of LatticeBrowser*) 10-43
 - LeftSelection** (*Method of Window*) 19-16
 - LeftShiftSelect** (*Method of LatticeBrowser*) 10-43
 - Lisp window 19-22
 - LispClassTable** (*Global Variable*) 4-4
 - LispUserFilesForLoops** (*Variable*) 20-2
 - LispWindowAV** (*Class*) 8-10
 - ListAttribute** (*Method of Class*) 3-21
 - ListAttribute** (*Method of Object*) 2-22
 - ListAttribute!** (*Method of Class*) 3-22
 - ListAttribute!** (*Method of Object*) 2-23
 - LOAD** (*Function*) 14-2
 - Load PROP file** (*Browser Submenu Option*) 10-30
 - LOADFNS** (*Function*) 14-3
 - loading a file 14-2
 - LoadLoopsForms** (*Variable*) 20-2
 - Local** (*Inspector Menu Option*) 18-8
 - local cache 15-2,3
 - LocalStateActiveValue** (*Class*) 8-6
 - LocalValues** (*Inspector Menu Option*) 18-4,10
 - LOOPS icon 10-4
 - Loops Icon** (*Menu Option*) 10-3
 - LoopsDate** (*Variable*) 20-2
 - LoopsDebugFlg** (*Variable*) 11-2
 - LOOPSDIRECTORY** (*Variable*) 20-2
 - LOOPFILES** (*Variable*) 20-2
 - LoopsHelp** (*NoSpread Function*) 11-2
 - LoopsIcon** (*Class*) 19-21
 - LOOPSLIBRARYDIRECTORY** (*Variable*) 20-2
 - LoopsPatchFiles** (*Variable*) 20-2
 - LOOPUSERSDIRECTORY** (*Variable*) 20-2
 - LOOPUSERSRULESDIRECTORY** (*Variable*) 20-2
 - LoopsVersion** (*Variable*) 20-1
- M**
- MakeEditSource** (*Method of Class*) 13-4
 - MakeEditSource** (*Method of Object*) 13-5
 - MAKEFILE** (*Function*) 14-11
 - MakeFileSource** (*Method of Object*) 14-11
 - MakeFullEditSource** (*Method of Class*) 13-4
 - MakeFunctionMenu** (*Browser Submenu Option*) 10-29
 - manipulating
 - a file 14-1
 - a class 2-16; 3-16
 - MapObjectUID** (*Function*) 17-15
 - Masterscope 1-10
 - Masterscope** (*Category*) 6-2
 - MaxLatticeHeight** (*Variable*) 10-48
 - MaxLatticeWidth** (*Variable*) 10-48
 - menu 19-14
 - caching 19-18
 - item structure 19-17
 - message 1-3
 - message sending 3-2
 - message sending form 7-1; 18-16
 - message syntax, escaping from 6-6
 - MessageNotUnderstood** (*Method of AnnotatedValue*) 8-26
 - MessageNotUnderstood** (*Method of Object*) 11-5
 - MessageNotUnderstood** (*Method of Tofu*) 4-7
 - metaclass 1-6; 5-13
 - AbstractClass 4-2
 - Class 4-1
 - defining 4-5
 - DestroyedClass 4-2
 - MetaClass 4-2
 - metaclass browser 10-2
 - menu interface 10-8
 - METH** (*NLambda NoSpread Function*) 14-5
 - method 1-3; 6-1
 - creating 6-4
 - destroying 6-4
 - editing 6-4
 - for class InstanceBrowser 10-50
 - for window 19-2
 - printing 17-12
 - method** (*Definer*)
 - structure 6-3
 - method lookup 15-3
 - MethodDoc** (*Browser Submenu Option*) 10-14
 - MethodDoc** (*Method of Class*) 17-13
 - MethodMenu** (*Browser Submenu Option*) 10-19

- MethodNotFound** (*Method of Tofu*) 4-7
METHODS (*File Package Command*) 14-5
Methods (EditMethod) (*Browser Menu Option*) 10-18,32
MethodSummary (*Browser Submenu Option*) 10-13
MethodSummary (*Method of Class*) 17-13
 middle menu
 class, meta, and supers browsers 10-17
 file browser 10-31
 instance browser 10-52
MiddleSelection (*Method of Window*) 19-16
MiddleShiftSelect (*Method of LatticeBrowser*) 10-44
 modifying a class 3-11
MousePackage (*Method*) 19-6
MouseReadtable (*Method*) 19-6
Move (*Method of Window*) 19-5
Move (MoveMethodTo) (*Browser Menu Option*) 10-22,32
MoveClassVariable (*Function*) 2-14
MoveCVTo (*Browser Submenu Option*) 10-22
MoveIVTo (*Browser Submenu Option*) 10-22
MoveMethod (*Function*) 6-8
MoveMethod (*Method of Class*) 6-9
MoveMethodsToFile (*Function*) 6-9
MoveMethodTo (*Browser Submenu Option*) 10-22
MoveSuperTo (*Browser Submenu Option*) 10-22
MoveToFile (*Browser Submenu Option*) 10-22
MoveToFile (*Method of Class*) 14-9
MoveToFile! (*Browser Submenu Option*) 10-22
MoveToFile! (*Method of Class*) 14-9
MoveVariable (*Function*) 2-14
 moving a variable 2-13
 multiple references of objects 15-1
- N**
 naming an instance 2-1
 naming an object, errors 11-8
NestedNotSetValue (*Class*) 8-16
New (*Method of Class*) 2-5
New (*Method of Metaclass*) 3-3; 4-5
NewClass (*Method of Class*) 3-3
NewInstance (*Browser Submenu Option*) 10-21,32
NewInstance (*Method of Object*) 2-6
NewItem (*Method of LatticeBrowser*) 10-44
NewPath (*Method of InstanceBrowser*) 10-51
NewWithValues (*Method of Class*) 2-7
NiceMenu (*Function*) 19-13
NodeRegion (*Method of LatticeBrowser*) 10-45
NonRectangularWindow (*Class*) 19-19
NotSetValue (*Class*) 8-15
NotSetValue (*Macro*) 2-9
NoUpdatePermittedAV (*Class*) 8-9
NoValueFound (*Macro*) 2-24
NoValueFound (*Variable*) 2-24
- O**
 object 1-2
 multiple references 15-1
 printing 17-8
 saving on a file 14-6
 storing data in 1-4
Object (*Category*) 6-1
 object-oriented programming 1-1,3
Object? (*Macro*) 9-1
ObjectAlwaysPPFlag (*Variable*) 17-3
ObjectDontPPFlag (*Variable*) 17-3
ObjectFromLabel (*Method of LatticeBrowser*) 10-45
ObjectModified (*Method of Object*) 14-8
OldInstance (*Method of Object*) 14-10
OnFile (*Method of Class*) 14-8
Open (*Method of Window*) 19-6
 opening a browser 10-3
OptionalLispuserFiles (*Variable*) 9-2
OverridesMethod (*Browser Submenu Option*) 10-28
- P**
Paint (*Method of Window*) 19-6
PositionNode (*Method of LatticeBrowser*) 10-45
PP (*Browser Submenu Option*) 10-12
PP (*Method of Class*) 17-5
PP (*Method of Object*) 17-9
PP! (*Browser Submenu Option*) 10-12
PP! (*Method of Class*) 17-6
PP! (*Method of Object*) 17-9
PPDefault (*Variable*) 17-12
PPMethod (*Browser Submenu Option*) 10-13
PPMethod (*Method of Class*) 17-12
PPV! (*Browser Submenu Option*) 10-12
PPV! (*Method of Class*) 17-7
PPV! (*Method of Object*) 17-10
PrettyPrintClass (*Function*) 14-11
PrettyPrintInstance (*Function*) 14-11
PrintCategories (*Browser Submenu Option*) 10-12
 printing 17-1
 variables affecting 17-2
PrintOn (*Method of IndexedObject*) 3-25
PrintOn (*Method of Object*) 17-8
PrintSummary (*Browser Menu Option*) 10-12,30
PrintSummary (*Browser Submenu Option*) 10-13
 procedure-oriented programming 1-1,2,3
 programming paradigms 1-1
 prompt window 19-9
PromptEval (*Function*) 19-11
PromptForList (*Method of Window*) 19-11
PromptForString (*Method of Window*) 19-12
PromptForWord (*Method of Window*) 19-12
PromptPrint (*Method of Window*) 19-13
PromptRead (*Function*) 19-13
Properties (*Inspector Menu Option*) 18-5,11
Prototype (*Method of Class*) 3-26
 pseudoclass 8-24
 pseudoclasses 4-2
 pseudoinstances 4-2; 8-24
Public (*Category*) 6-1
Put (*Method of Object*) 5-7
PutClass (*Function*) 5-14
PutClassIV (*Function*) 5-21
PutClassOnly (*Function*) 5-15
PutClassValue (*Function*) 5-8,17
PutClassValueOnly (*Function*) 5-9,18; 8-22
PutCVHere (*Function*) 5-19
PutIt (*Function*) 5-3
PutItOnly (*Function*) 5-4
PutSavedValue (*Function*) 19-21
PuttingWrappedValue (*Message*) 1-9
PutValue (*Function*) 4-3; 5-6
PutValue (*Inspector Menu Option*) 18-5
PutValue (*Macro*) 15-2
PutValueOnly (*Function*) 5-7; 8-22
PutValueOnly (*Inspector Submenu Option*) 18-5
PutWrappedValue (*Method of ActiveValue*) 8-21

- PutWrappedValue** (*Method of LispWindowAV*) 19-23
- PutWrappedValue** (*Specialization of ActiveValue*) 8-16
- PutWrappedValueOnly** (*Method of ActiveValue*) 8-21
- Q**
- querying
- structure of a class 3-17
 - structure of an instance 2-21
- R**
- reading 17-1
- Recompute** (*Browser Menu Option*) 10-8,25
- Recompute** (*Browser Submenu Option*) 10-8
- Recompute** (*Method of LatticeBrowser*) 10-46
- RecomputeInPlace** (*Method of LatticeBrowser*) 10-46
- RecomputeLabels** (*Browser Submenu Option*) 10-8
- RecomputeLabels** (*Method of LatticeBrowser*) 10-46
- record
- creating 18-17
- Refetch** (*Inspector Menu Option*) 18-4,8,10
- RemoveFromBadList** (*Browser Submenu Option*) 10-10
- RemoveHighlights** (*Method of LatticeBrowser*) 10-46
- RemoveShading** (*Method of LatticeBrowser*) 10-47
- Rename** (*Method of Class*) 3-16
- Rename** (*Method of Object*) 2-3
- Rename** (**RenameMethod**) (*Browser Menu Option*) 10-23,32
- RenameClass** (*Browser Submenu Option*) 10-23
- RenameCV** (*Browser Submenu Option*) 10-23
- RenameIV** (*Browser Submenu Option*) 10-23
- RenameMethod** (*Browser Submenu Option*) 10-23
- RenameMethod** (*Function*) 6-8
- RenameVariable** (*Function*) 2-14
- replace annotatedValue of** (*Macro*) 8-25
- ReplaceActiveValue** (*Method of ActiveValue*) 8-19
- ReplaceMeAV** (*Class*) 8-15
- ReplaceSupers** (*Method of Class*) 3-15
- replacing an active value 5-17
- RetireMethod** (*Browser Submenu Option*) 10-23
- right column menu
- class inspector 18-8
 - ClassIV inspector 18-10
 - instance inspector 18-6
- RightSelection** (*Method of Window*) 19-16
- rule-oriented programming 1-1
- S**
- Save Value** (*Inspector Menu Option*) 18-4,7,11
- SavedValue** (*Function*) 19-21
- SaveInIT** (*Method of LatticeBrowser*) 10-47
- SaveInstance** (*Method of Object*) 14-8
- SaveInstance?** (*Method of Object*) 14-9
- SaveValue** (*Browser Submenu Option*) 10-8
- saving
- an object on a file 14-6
- ScrollWindow** (*Method of Window*) 19-7
- SEdit 1-10
- Select file** (*Browser Submenu Option*) 10-26
- selectedFile** (*Browser Submenu Option*) 10-25
- SelectFile** (*Lambda NoSpread Function*) 19-14
- selector 1-3
- SelectorOfMethodBeingCompiled** (*Macro*) 6-10
- SelectorsWithBreak** (*Method of Class*) 12-3
- SEND** (*Function*) 7-2
- SEND** (*Macro*) 7-2
- sending
- a message, errors 11-7
- SendsMessage** (*Browser Submenu Option*) 10-28
- SetName** (*Method of Class*) 3-16
- SetName** (*Method of Object*) 2-2
- SetProp** (*Method of Window*) 19-7
- ShadeNode** (*Method of LatticeBrowser*) 10-47
- Shape** (*Method of NonRectangular Window*) 19-20
- Shape** (*Method of Window*) 19-7
- Shape?** (*Method of Window*) 19-8
- ShapeToHold** (*Browser Submenu Option*) 10-8
- ShapeToHold** (*Method of LatticeBrowser*) 10-48
- Show** (*Method of LatticeBrowser*) 10-48
- Shrink** (*Method of LatticeBrowser*) 10-48
- Shrink** (*Method of Window*) 19-8
- Snap** (*Method of Window*) 19-8
- Specialize** (*Method of Class*) 3-27
- SpecializeClass** (*Browser Submenu Option*) 10-21
- SpecializedClass** (*Browser Submenu Option*) 10-32
- SpecializeMethod** (*Browser Submenu Option*) 10-21
- SpecializesMethod** (*Browser Submenu Option*) 10-28
- stack method macros 6-10
- storing
- a file 14-10
 - data in objects 1-4
- SubBrowser** (*Browser Menu Option*) 10-16,31
- SubBrowser** (*Method of LatticeBrowser*) 10-49
- subclass 1-6
- Subclass** (*Method of Class*) 3-28
- SubClasses** (*Method of Class*) 3-28
- SubclassResponsibility** (*Macro*) 6-6
- Substitute** (*Browser Submenu Option*) 10-27
- SubsTree** (*Function*) 3-29
- superclass 1-7,8
- SuperMethodNotFound** (*Method of Tofu*) 4-7
- supers browser 10-2
- menu interface 10-8
- system function 20-1
- system variable 20-1
- T**
- THESE-INSTANCES** (*File Package Command*) 14-5
- title
- class inspector 18-7
 - ClassIV inspector 18-9
 - instance inspector 18-2
- title bar menu
- class inspector 18-8
 - class, meta, and supers browsers 10-8
 - ClassIV inspector 18-9
 - file browser 10-25
 - instance browser 10-51
 - instance inspector 18-3
- TitleCommand** (*Method of Object*) 18-15
- TitleSelection** (*Method of LatticeBrowser*) 10-49
- TitleSelection** (*Method of Window*) 19-16
- Tofu 4-6
- tools 1-10

ToTop (*Method of Window*) 19-8
Trace on Access (*Inspector Submenu Option*) 18-6
Trace on Put (*Inspector Submenu Option*) 18-6
TraceFunction (*Browser Submenu Option*) 10-29
TraceIt (*Function*) 12-6
TraceIt (*Inspector Menu Option*) 18-6
TraceIt (*Method of Object*) 12-5
TraceMethod (*Browser Submenu Option*) 10-20
TraceMethod (*Method of Class*) 12-2
TraceOnPut (*Class*) 8-10
TraceOnPutOrGet (*Class*) 8-10
tracing 12-1
type? annotatedValue (*Macro*) 8-25
TypeInName (*Browser Menu Option*) 10-16,31

U

UID, see Unique Identifier
UID (*Function*) 17-15
UnbreakFunction (*Browser Submenu Option*) 10-29
UnBreakIt (*Function*) 12-6
UnBreakIt (*Inspector Menu Option*) 18-6
UnbreakMethod (*Browser Submenu Option*) 10-20
UnbreakMethod (*Method of Class*) 12-2
Understands (*Method of Object*) 9-3
UNDO (*Program Assistant Command*) 14-3
Unique Identifier 15-1; 17-14
UnmarkNodes (*Method of LatticeBrowser*) 10-49
UnSetName (*Method of Class*) 3-17
UnSetName (*Method of Object*) 2-3
Update (*Method of Window*) 19-9
UpdateClassBrowsers (*Function*) 10-52
UpdateClassBrowsers? (*Variable*) 10-52
Use saved value (*Inspector Submenu Option*) 18-5
user interface to inspector 18-2
Uses IV? (*Browser Menu Option*) 10-26
UsesCV (*Browser Submenu Option*) 10-28
UsesIV (*Browser Menu Option*) 10-33
UsesIV (*Browser Submenu Option*) 10-27
UsesLispVar (*Browser Submenu Option*) 10-28
UsesObject (*Browser Submenu Option*) 10-28

V

ValueFound (*Macro*) 2-25
variable 1-4

W

WhenMenuItemHeld (*Method of Window*) 19-17
WhereIs (*Browser Menu Option*) 10-14
WhereIs (*Method of Object*) 2-24
WhereIs (WhereIsMethod) (*Browser Menu Option*) 10-30
WhereIsCV (*Browser Submenu Option*) 10-15
WhereIsIV (*Browser Submenu Option*) 10-15
WhereIsMethod (*Browser Submenu Option*) 10-15
WhoHas (*Function*) 3-22
Window (*Class*) 19-1
WindowAfterMoveFn (*Function*) 19-9
WindowButtonEventFn (*Function*) 19-17
WindowRightButtonFn (*Function*) 19-17
WindowShapeFn (*Function*) 19-9
wrapped value 8-19
WrappingPrecedence (*Method of ActiveValue*) 8-18
WrappingPrecedence (*Specialization of ActiveValue*) 8-16

←
← (*Function*) 7-1
← (*Macro*) 7-1
←! (*Function*) 7-2
←! (*Macro*) 7-2
←@ (*Macro*) 5-12
←AV (*Macro*) 8-26
←IV (*Macro*) 7-2
←New (*Macro*) 2-6
←New (*NLambda NoSpread Macro*) 7-5
←Process (*Macro*) 16-1
←Process! (*Macro*) 16-2
←Proto (*Macro*) 7-3
←Super (*Macro*) 7-3
←Super (*Function*) 7-3
←Super? (*Macro*) 7-5
←SuperFringe (*Macro*) 7-5
←SuperFringe (*Function*) 7-5
←Try (*Macro*) 7-3

#

#, 18-1

\$

\$ (*Macro*) 2-2
\$ (*NLambda Function*) 2-2; 17-1
\$! (*Function*) 2-2
\$! (*Lambda Function*) 17-2
\$AV (*NLambda NoSpread Function*) 8-27
\$C (*NLambda Function*) 17-2

any (*Browser Submenu Option*) 10-27
EditAll (*Browser Submenu Option*) 10-27; 27
FEATURES (*Variable*) 20-2
hiddenFile (*Submenu Option*) 10-5
loadFile (*Submenu Option*) 10-5
newFile (*Submenu Option*) 10-5
NewFunction (*Browser Submenu Option*) 10-29
other (*Browser Submenu Option*) 10-27
SubstituteAll (*Browser Submenu Option*) 10-27

:

:initForm (*Property*) 2-9

?

?= 18-16

@

@ (*Macro*) 5-10
@* (*Macro*) 5-12

ntionally left blank]

[This page inte