

File created: 10-May-88 15:41:17 {DSK}<LISPFILERS>LOOPS>LYRIC>RULES>LOOPSRULESTTY.;3

changes to: (FNS RS.INTTY RS.INTTYL RS.WRITE RS.CHECKREPLY)  
(VARS LOOPSRULESTTYCOMS)

previous date: 10-May-88 13:23:02 {DSK}<LISPFILERS>LOOPS>LYRIC>RULES>LOOPSRULESTTY.;1

Read Table: XCL

Package: INTERLISP

Format: XCCS

; Copyright (c) 1988 by XEROX Corporation. All rights reserved.

### (RPAQQ LOOPSRULESTTYCOMS

```
(( * * |Simplified| TTY |handling| |fns.| |Written| |by| |Mark| |Stefik.|)
 (FNS RS.INTTY RS.INTTYL RS.WRITE)
 (* * |Internal| |fns| |not| |called| |directly| |by| |User.|)
 (FNS RS.CHECKREPLY)
 (VARS (|tty| T))
 (DECLARE\ : DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILEVARS (ADDVARS (NLAMA)
 (NLAML)
 (LAMA RS.WRITE))))))
```

```
(* * |Simplified| TTY |handling| |fns.| |Written| |by| |Mark| |Stefik.|)
```

(DEFINEQ

### (RS.INTTY

```
(LAMBDA (|promptStr| |goodList| |helpStr| |noShiftFlg| |initialAtom|)
 ; Edited 10-May-88 15:37 by hwl
```

```
(* RS.INTTY |is| |a| |routine| |which| |returns| |an| |atom| |typed| |by| |the| |User| |at| |a| |terminal.|
 |f| |the| |User| |has| |not| |yet| |typed| |anything| |and| |a| |promptStr| |has| |been| |supplied.| |it| |is| |typed| |as| |a| |prompt| |to|
 |the| |User|. (|f| |the| |User| |has| |typed| |ahead| |the| |prompt| |is| |suppressed|.)| |goodList|
 (|if| |given|) |is| |a| |list| |of| |acceptable| |answers|. |f| |the| |first| |characters| |typed| |by| |the| |User| |correspond| |to| |the|
 |first| |characters| |of| |any| |element| |of| |goodlist|. |that| |element| |is| |returned| |as| |the| |value| |of| |INTTY|.
 |f| |goodList| |is| |supplied| |and| |the| |User's| |reply| |matches| |no| |entry|. |he| |is| |warned| |and| |reprompted|.
 |f| |the| |User| |types| ? |to| |INTTY\, |the| |helpStr| |is| |typed| |out| |and| |he| |is| |re-prompted|.
 |Note:| |f| |the| |User| |types| |a| |semicolon| |the| |entire| |message| |after| |it| |will| |be| |treated| |as| |a| |comment|.
 MJS)
```

```
(PROG (|reply| (CRLF (CHARACTER 13))
 (SPACE (CHARACTER 32))
 |promptedInitial|)
 (COND
 ((AND |goodList| (NOT |noShiftFlg|)) (* |Capitalize| |Goodlist| |Items|.))
 (SETQ |goodList| (|for| |Item| |in| |goodList| |collect| (U-CASE |Item|))))))
 |ReadLoop|
 (COND
 ((READP |tty|)
 (COND
 ((EQ SPACE (PEEKC |tty|)) (* |Eliminate| |leading| |blanks|.))
 (READC |tty|)
 (GO |ReadLoop|))))
 (|promptStr| (PRIN1 |promptStr| |tty|)
 (COND
 ((AND |initialAtom| (NOT |promptedInitial|))
 (SETQ |promptedInitial| T)
 (BKSYBUF |initialAtom|))))
 (SETQ |reply| (PROG (|chars| |char| |doneflg|)
 (|do| (PROGN (SETQ |char| (READC |tty|))
 (COND
 ((AND (NULL |chars|)
 |promptStr|
 (EQ |char| CRLF))
 (* |Re-prompt| |if| |just| CRLF |typed|.))
 (PRIN1 |promptStr| T))
 ((OR (EQ |char| SPACE)
 (EQ |char| CRLF))
 (* |Done| |if| SPACE |or| |Return| |Typed| |after| |some| CHARS.))
 (COND
 (|chars| (SETQ |doneflg| T))))
 (T (SETQ |chars| (CONS |char| |chars|))))))
 |until| |doneflg|)
 (RETURN (PACK (DREVERSE |chars|))))))
 (COND
 ((EQ |reply| '?)
 (COND
 (|helpStr| (RS.WRITE |helpStr|)
 (COND
 (|goodList| (RS.WRITE "Expecting one of: " |goodList|))))
 (|goodList| (RS.WRITE "Expecting one of: " |goodList|))
 (T (RS.WRITE "(Sorry -- No Help Provided)"))))
 ((STRPOS ";" |reply| 1 NIL T))
 ((NOT (ATOM |reply|))
```

```

(RS.WRITE "Invalid response. Expecting one of: " |goodList|)
(T (COND
  (NOT |noShiftFlg|)
  (SETQ |reply| (U-CASE |reply|))))
(COND
  (SETQ |reply| (RS.CHECKREPLY |reply| |goodList|))
  (RETURN |reply|)))
(CLEARBUF)
(GO |ReadLoop|)))

```

**(RS.INTTYL**

```

(LAMBDA (|promptStr| |goodList| |helpStr| |noShiftFlg| |initialList|)
; Edited 10-May-88 15:37 by hwl

```

(\* RS.INTTYL returns a list typed by the User at the terminal. If the User has not yet typed anything and a promptStr has been supplied, it is typed as a prompt to the User. If the User has typed ahead, the prompt is suppressed. goodList (optional) is a list of acceptable answers. If the leading characters correspond to any element of goodList, that element is added to the list returned. If goodList is supplied and the User's reply matches no entry, he is warned and reprompted. helpStr is a help message supplied to the User if he types a question mark. Note: If the User types a semicolon, the entire message after it will be treated as a comment. If the User just types a carriage return, then NIL will be returned. If noShiftFlg is NIL, type-in will be returned in upper case; it is T, it will be returned as typed.)

```

(PROG (|reply| (CRLF (CHARACTER 13))
      (SPACE (CHARACTER 32))
      |promptedInitial|)
(COND
  ((AND |goodList| (NOT |noShiftFlg|))
   (SETQ |goodList| (|for| |item| |in| |goodList| |collect| (U-CASE |item|))))
  |ReadLoop|
(COND
  ((READP |tty|)
   (COND
    ((EQ SPACE (PEEKC |tty|))
     (READC |tty|)
     (GO |ReadLoop|))))
  (|promptStr| (PRIN1 |promptStr| |tty|)
   (COND
    ((AND |initialList| (NOT |promptedInitial|))
     (SETQ |promptedInitial| T)
     (SETQ |initialList| (SUBSTRING (MKSTRING |initialList|)
                                   2 -2))
     (BKSYSBUF |initialList|))))
  (SETQ |reply| (COND
    ((EQ CRLF (PEEKC |tty|))
     (READC |tty|)
     NIL)
    (T (|for| |char| |collect| (PROG (|chars| |doneFlg|)
                                   (|do| (PROGN (SETQ |char| (READC |tty|))
                                               (COND
                                                ((OR (EQ |char| SPACE)
                                                       (EQ |char| CRLF))
                                                 (* |Done| |if| SPACE |or| |Return| |Typed--|
                                                    |even| |if| |no| |chars| |typed|.))
                                                (SETQ |doneFlg| T))
                                               (T (SETQ |chars| (CONS |char| |chars|))))))
                                   |until| |doneFlg|)
     (RETURN (PACK (DREVERSE |chars|))))
    |until| (EQ |char| CRLF))))))
(COND
  ((NOT |reply|)
   (RETURN)))
(COND
  ((FMEMB '? |reply|)
   (COND
    (|helpStr| (RS.WRITE |helpStr|)
     (COND
      (|goodList| (RS.WRITE "Expecting subset of: " |goodList|)))
      (|goodList| (RS.WRITE "Expecting subset of: " |goodList|))
      (T (RS.WRITE "(Sorry -- No Help Provided)"))))
    ((STRPOS ";" |reply| 1 NIL T))
    (T (COND
      ((NOT |noShiftFlg|)
       (SETQ |reply| (U-CASE |reply|))))
      (SETQ |reply| (|for| X |in| (MKLIST |reply|) |collect| (RS.CHECKREPLY X |goodList|)))
      (COND
       ((NOTANY |reply| (FUNCTION NULL))
        (RETURN |reply|))))))
  (CLEARBUF)
  (GO |ReadLoop|)))

```

**(RS.WRITE**

```

(LAMBDA |nargs|
; Edited 10-May-88 13:09 by hwl

```

```
(PROG ((I 0))
  TOP (|while| (ILESSP I |nargs|) |do| (PRIN1 (ARG |nargs| (SETQ I (ADD1 I))))
    (TERPRI)))
)
```

(\* |Internal| |fns| |not| |called| |directly| |by| |User|.)

(DEFINEQ

**(RS.CHECKREPLY**

(LAMBDA (|reply| |goodList| |possibilities|) ; Edited 10-May-88 12:57 by hwl

(\* RS.CHECKREPLY |is| \a |subroutine| |of| RS.INTTY |and| RS.INTTYL.
|t| |tries| |to| |match| |the| |reply| |against| |the| |items| |in| |goodList| |as| |described| |below|.)

(COND

```
((NULL |goodList|) (* |f| |goodList|=NIL,| |no| |work| |to| |do|.))
(|reply|)
((MEMBER |reply| |goodList|) (* |f| |spelling| |is| |correct,| |no| |work| |to| |do|.))
(|reply|)
((SETQ |possibilities| (|for| X |in| |goodList| |when| (STRPOS |reply| X 1 NIL T) |collect| X))
(* |Match| |if| |an| |exact| |leading| |substring| |of| 1 |item| |in|
|goodList|.))
```

(COND

```
((CDR |possibilities|)
(|RS.WRITE "Ambiguous: " |possibilities|)
NIL)
(T (CAR |possibilities|)))
((FIXSPELL |reply| 70 |goodList| T))
((SETQ |possibilities| (|for| X |in| |goodList| |when| (STRPOS X |reply| 1 NIL T) |collect| X))
(* |Match| |if| |one| |goodList| |item| |is| |leading| |substring| |of|
|reply|.))
```

(COND

```
((CDR |possibilities|)
(|RS.WRITE "Ambiguous: " |possibilities|))
(T (CAR |possibilities|)))
(T (RS.WRITE "Response not recognized. Type ? for help.")))
```

)

(RPAQQ |tty| T)

(DECLARE\ : DONTVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVERS

(ADDTOVAR NLAMA )

(ADDTOVAR NLAML )

(ADDTOVAR LAMA RS.WRITE)

)

(PUTPROPS LOOPSRULESTTY COPYRIGHT ("XEROX Corporation" 1988))

---

**FUNCTION INDEX**

RS.CHECKREPLY .....3    RS.INTTY .....1    RS.INTTYL .....2    RS.WRITE .....2

---

**VARIABLE INDEX**

|tty| .....3

---