

File created: 6-Jun-88 20:55:00 {ERIS}<LISPCORE>LIBRARY>MSPARSE.;10

changes to: (FNS MS-SMASH-PACKAGE MSSETSETTYPE)
(VARS MSPARSECOMS)

previous date: 8-Apr-88 15:01:45 {ERIS}<LISPCORE>LIBRARY>MSPARSE.;8

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

::
:: Copyright (c) 1984, 1986, 1987, 1988 by Xerox Corporation. All rights reserved.

(RPAQQ MSPARSECOMS

```
[ (FNS MSKNOWN MSDOES MSSETSETTYPE MS-SMASH-PACKAGE MSFAIL MSJOINSET MSBLOCK MSPATHOPTIONS MSPARSE
MSFIXUPTYPES MSVERBTYPE MSSETREP MSSEEKPHRASE MSTYPEMATCHRATING MSTRYSPELL MSTRYPARSE MSCOMMAND
MSSUBJTYPE MSOBJTYPE MSVERB MSSPLST MSWORD? MSSEEK-WORD MSSEEKTYPE MSRESPELL MSJOIN MSSIMPLESET
MSMATCHRATING MSVERBED MSCANT MSJOINDETS MSNEGATESET MSNEXTWORD MSPRED CHECKSYNONYM MSSETWORDTYPE
MSEAT MSTRYSPELLTYPE MSSETPHRASE MSQUOTED FIXVERBSETTYPE SETSYNONYM MSSETUP)
(DECLARE%: EVAL@COMPILE DONTCOPY (RECORDS * PARSERECORDS)
(MACROS GETWORDTYPE))
(VARS CONJUNCTABLE (MSSPLST))
(FILEVARS INITWORDLIST)
(P (APPLY 'MSSETUP INITWORDLIST))
(FUNCTIONS MSSEEK SEEKWORD)
(COMMANDS ".")
(BLOCKS (MSPARSEBLOCK MSKNOWN MSDOES MSSETSETTYPE MS-SMASH-PACKAGE MSFAIL MSJOINSET MSBLOCK
MSPATHOPTIONS MSPARSE MSFIXUPTYPES MSVERBTYPE MSSETREP MSSEEKPHRASE MSTYPEMATCHRATING
MSTRYSPELL MSTRYPARSE MSCOMMAND MSSUBJTYPE MSOBJTYPE MSVERB MSSPLST MSWORD? MSSEEKTYPE
MSRESPELL MSJOIN MSSIMPLESET MSMATCHRATING MSVERBED MSCANT MSJOINDETS MSNEGATESET
MSNEXTWORD MSPRED CHECKSYNONYM MSEAT MSTRYSPELLTYPE MSSETPHRASE MSQUOTED FIXVERBSETTYPE)
(ENTRIES MSPARSE MSJOINSET MSTRYSPELL SETSYNONYM MSSETUP)
(REFNS MSTRYPARSE)
(SPECVARS SPELLING)
(LOCALFREEVARS CONJUNCTIONS LASTADVERB LASTPARSED NEXTWORD PARSED S SEEKING SENTENCE
RESETS)
(BLKAPPLYFNS MSDOES MSVERBED MSBLOCK MSPATHOPTIONS MSSETREP MSCOMMAND MSVERB MSPRED
MSSETPHRASE)
(LOCALFREEVARS SETTYPE SETDET)
(NOLINKFNS . T)
(GLOBALVARS MSWORDS MSSPLST CONJUNCTABLE)
MSSETUP MSSETWORDTYPE SETSYNONYM MSSEEK-WORD)
(NIL (LOCALVARS . T)
(GLOBALVARS MSWORDS)))
(PROP FILETYPE MSPARSE)
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILEVARS (ADDVARS (NLAMA)
(NLAML)
(LAMA]))
```

(DEFINEQ

(MSKNOWN

[LAMBDA (SET)

```
(replace KNOWN of SET with T)
'(MSSETSETTYPE SET 'FNS)
(SELECTQ (fetch (SENTENCE ID) of (fetch REP of SET))
(NOT (MSKNOWN (fetch NEGATED of (fetch REP of SET))))
((AND OR ANDNOT)
(MSKKNOWN (fetch (CSET SET1) of SET))
(MSKKNOWN (fetch (CSET SET2) of SET)))
NIL])
```

; Edited 1-Apr-88 14:11 by jrb:
(* Imm%: 16-MAR-76 15 34)

; don't set the type, since now things other than FNS can call

(MSDOES

[LAMBDA NIL

```
(AND (SEEKWORD DOES DO)
(create MSSETPHRASE
REP _ (create THAT
OTHERSET _ (OR (MSSEEK MSSETPHRASE)
(MSCANT))
MSVERB _ (PROGN (COND
((NOT (MSSEEK MSVERB S))
(MSCANT)))
(replace TENSE of LASTPARSED with 'ED)
LASTPARSED]))
```

; Edited 5-Dec-86 07:02 by Imm

(MSSETSETTYPE

[LAMBDA (SET TYPE)
[AND SET TYPE (PROG (REP)

; Edited 4-Jun-88 19:22 by jrb:

:: We no longer care if the default type is matched or not.

```

;; ((NOT (EQUAL (OR (|fetch| (MSSETPHRASE TYPE) |of| SET) (|fetch| (MSSETPHRASE DEFAULTTYPE) |of| SET)) TYPE))
;; (|printout| T "Expecting " TYPE " but supplied " (OR (|fetch| (MSSETPHRASE TYPE) |of| SET) (|fetch| (MSSETPHRASE
;; DEFAULTTYPE) |of| SET)) ." T))
(COND
  ((AND (NULL (fetch (MSSETPHRASE TYPE) of SET))
        (NULL (fetch (MSSETPHRASE DEFAULTTYPE) of SET)))
    (replace (MSSETPHRASE DEFAULTTYPE) of SET with TYPE)
    (SELECTQ (fetch (SENTENCE ID) of (SETQ REP (fetch REP of SET)))
      (THAT (FIXVERBSETTYPE SET))
      (NOT (MSSETSETTYPE (fetch NEGATED of (fetch REP of SET))
        TYPE))
      ((AND OR ANDNOT)
        (MSSETSETTYPE (fetch (CSET SET1) of REP)
          TYPE)
        (MSSETSETTYPE (fetch (CSET SET2) of REP)
          TYPE))
      NIL)
    ;; JRB - Hack to make filenames in non-IL packages work right...
    (if (AND (EQ TYPE 'FILES)
             (EQ (fetch (SENTENCE ID) of REP)
                'QUOTE))
        then (SETQ SET (MS-SMASH-PACKAGE SET (CL:FIND-PACKAGE "INTERLISP")
SET]))

```

(MS-SMASH-PACKAGE

; Edited 6-Jun-88 20:53 by jrb:

```

[LAMBDA (THING PACKAGE)
  (COND
    ((NULL THING)
     NIL)
    [(CL:CONSP THING)
     (LET ((CARPART (MS-SMASH-PACKAGE (CAR THING)
                                     PACKAGE))
          (CDRPART (MS-SMASH-PACKAGE (CDR THING)
                                     PACKAGE)))
       (if (AND (EQ (CAR THING)
                   CARPART)
              (EQ (CDR THING)
                  CDRPART))
           then THING
           else (CONS CARPART CDRPART))
         ((CL:SYMBOLP THING)
          (if (EQ (CL:SYMBOL-PACKAGE THING)
                 PACKAGE)
              then THING
              else (CL:INTERN (CL:STRING-UPCASE (CL:SYMBOL-NAME THING))
                              PACKAGE)))
         (T THING))

```

(MSFAIL

; Edited 25-Nov-86 21:08 by lmm

```

[LAMBDA (FLG)
  (PROG (POS)
    (OR FLG (GO ERR))
    SEARCH
    (OR (SETQ POS (STKPOS (FUNCTION MSTRYPARSE)
                        1
                        (STKNTH -1 POS POS)
                        POS))
        (GO ERR))
    (COND
      ((EQ (STKARG 1 POS)
           'MSCOMMAND)
       (RETFROM POS NIL T)))
    (GO SEARCH)
    ERR (printout T "Sorry, couldn't parse that!" T)
    (ERROR!))

```

(MSJOINSET

; Edited 12-Jan-87 01:28 by jds

```

[LAMBDA (C SET1 SET2)
  (PROG (TYPE)
    (COND
      ((AND (EQ C 'AND)
            (EQ (fetch (SENTENCE ID) of (fetch REP of SET1))
                'QUOTE)
            (LITATOM (fetch QUOTED of (fetch REP of SET1)))
            (EQ (fetch (SENTENCE ID) of (fetch REP of SET2))
                'QUOTE)
            (LITATOM (fetch QUOTED of (fetch REP of SET2)))
            (printout T (fetch QUOTED of (fetch REP of SET2))
                      % C %, (fetch QUOTED of (fetch REP of SET1))
                      " -> "
                      (fetch QUOTED of (fetch REP of SET2))
                      %)
            (SETQ C OR))

```

```

%
(fetch QUOTED of (fetch REP of SET1))
".")
(replace DET of SET1 with (MSJOINSETS C (fetch DET of SET1)
(fetch DET of SET2)))
(replace (MSSETPHRASE TYPE) of SET1 with (MSJOIN C (fetch (MSSETPHRASE TYPE) of SET1)
(fetch (MSSETPHRASE TYPE) of SET2)))
[MSSETSETTYPE SET1 (SETQ TYPE (MSJOIN C (fetch DEFAULTTYPE of SET1)
(fetch DEFAULTTYPE of SET2))
(MSSETSETTYPE SET2 TYPE)
(COND
((fetch KNOWN of SET2)
(MSKNOWN SET1))
((fetch KNOWN of SET1)
(MSKNOWN SET2)))
(replace REP of SET1 with (COND
((AND (EQ C 'AND)
(NULL (fetch REP of SET1)))
(fetch REP of SET2))
((AND (EQ C 'AND)
(NULL (fetch REP of SET2)))
(fetch REP of SET1))
(T (create CSET
ID _ C
SET1 _ (create MSSETPHRASE using SET1)
SET2 _ SET2]
SET1))

```

(MSBLOCK

; Edited 25-Nov-86 21:08 by lmm

```

[LAMBDA NIL
(SEEKWORD ANY THE A AN)
(PROG (TYPES FNS FILES)
(SETQ TYPES (OR (MSSEEKTYPE 'BLOCKS)
(RETURN)))
(COND
((SEEKWORD OF)
(SETQ FNS (OR (MSSEEK MSSETPHRASE FNS)
(RETURN)
(COND
((SEEKWORD ON)
(SETQ FILES (OR (MSSEEK MSSETPHRASE FILES)
(RETURN)))
(OR FNS (AND (SEEKWORD OF)
(SETQ FNS (OR (MSSEEK MSSETPHRASE FNS)
(RETURN)
(OR FNS FILES (RETURN))
(RETURN (create BLOCKS
TYPES _ TYPES
FNS _ FNS
FILES _ FILES))

```

(MSPATHOPTIONS

; Edited 25-Nov-86 21:08 by lmm

```

[LAMBDA (FLG)
(while (MSSEEKTYPE 'PATH) collect (CONS LASTPARSED (OR (SELECTQ LASTPARSED
((OUTPUT LINELENGTH)
(COND
(FLG (printout T LASTPARSED "not
meaningful except in a SHOW
PATHS command!" T))
(MSEAT))
(FROM (MSSEEK MSSETPHRASE FNS T))
(MSSEEK MSSETPHRASE FNS))
(MSCANT])

```

(MSPARSE

; Edited 25-Nov-86 21:08 by lmm

```

[LAMBDA (SENTENCE)
(PROG (NEXTWORD LASTADVERB CONJUNCTIONS VAL RESETS LASTPARSED FLG SEEKING SPELLING RESPELL POSS PARSED
(S SENTENCE)
OUTPUTFILE)
PARSE
(OR (SETQ VAL (MSSEEK MSCOMMAND))
(GO MSFAIL))
(COND
((SEEKWORD OUTPUT)
(SETQ OUTPUTFILE (MSEAT])
(AND (MSNEXTWORD)
(GO MSFAIL))
(COND
(LASTADVERB (GO MSFAIL)))
(MSFIXUPTYPES PARSED)
(COND
(CONJUNCTIONS (for X in (DREVERSE CONJUNCTIONS)
do (SETQ POSS (for Y in (fetch POSSIBLES of X)
when [AND (EQ (fetch ENDING of Y)

```

```

(fetch START of X))
(EQ (CAR (fetch SOUGHT of Y))
(CAR (fetch SOUGHT of (fetch PARSED of X)
collect Y))
[COND
  (NULL POSS)
  (MSFAIL))
  (CDR POSS)
  (SETQ POSS (SORT (for Y in POSS
collect (CONS (MSMATCHRATING (fetch (CONJUNCTION PARSED)
of X)
Y
(fetch (CONJUNCTION C) of X))
Y))
T))
(COND
  (EQ (CAAR POSS)
(CADR POSS))
  (printout T "ambiguous conjunction, guessing... "))
  (SETQ POSS (CDAR POSS))
  (T (SETQ POSS (CAR POSS)
(SELECTQ (CAR (fetch SOUGHT of POSS))
(MSSETPHRASE MSPRED MSDOES)
(MSJOINSET (fetch C of X)
(fetch ITEM of POSS)
(fetch ITEM of (fetch PARSED of X))))
(MSVERB [replace VPART of (fetch ITEM of POSS)
with (create CVERB
C _ (fetch C of X)
VB1 _ (fetch VPART of (fetch ITEM of POSS))
VB2 _ (fetch VPART
of (fetch ITEM of (fetch PARSED of X])
(SHOULDNT])
(COND
  (SPELLING (* I.e. succeeded after spelling correction)
(LISPXPIN2 SPELLING T T)
(LISPXPIN1 "->" T)
(COND
  ((CAR RESPELL)
(LISPXPIN2 (CAR RESPELL)
T T)
(LISPXPACES 1 T)))
(LISPXPIN (CADR RESPELL)
T T)))
(RETURN (COND
  (OUTPUTFILE (CONS 'OUTPUT (CONS OUTPUTFILE VAL)))
  (T VAL)))
MSFAIL
(COND
  (NOSPPELLFLG (MSFAIL))
  (NULL SPELLING)
  (SETQ SPELLING (LIST (LIST SENTENCE)))
  (GO REPARSE))
  (LISTP SPELLING)
  [for X in SPELLING when (CDR X) do (COND
    ((SETQ RESPELL (MSRESPELL (SETQ NEXTWORD (CAAR X)
(CAR X)
(CDR X)))
(SETQ SPELLING NEXTWORD)
(GO REPARSE] (* That didn't work, try to respell things as adverbs)
  [for X in SPELLING when (CDR X) do (COND
    ((SETQ RESPELL (MSRESPELL (SETQ SPELLING (CAAR X)
(CAR X)
(MSSPLST))))
(GO REPARSE] (* If can't, fall through)
  (MSFAIL))
  (T (COND
    ((CAR RESPELL)
(FRPLNODE RESPELL SPELLING (CDDR RESPELL)))
    (T (FRPLACA (CDR RESPELL)
SPELLING)))
    (* UNDO the spelling correcting since it was wrong)
  (MSFAIL)))
REPARSE
[SETQ NEXTWORD (SETQ LASTADVERB (SETQ PARSED (SETQ CONJUNCTIONS (SETQ VAL (SETQ RESETS (SETQ
LASTPARSED
(SETQ SEEKING]
(SETQ S SENTENCE)
(GO PARSE])

```

(MSFIXUPTYPES

```

[LAMBDA (PRSD FLG) ; Edited 12-Jan-87 01:27 by jds
  (for X in (REVERSE PRSD) do (SELECTQ (CAR (fetch SOUGHT of X))
(MSCOMMAND (SELECTQ (fetch (SENTENCE ID) of (fetch (PARSED ITEM) of X))
(?? EDIT SHOW)
[MSETSETTYPE (fetch SUBJECT of (fetch (PARSED ITEM)
of X))

```



```

X)
((EQ (CAR X)
' LAMBDA)
X)
(T (LIST 'LAMBDA '(X)
X])
[ (SEEKWORD ONPATH)
(create PATHS
MSPATHOPTIONS _ (OR (MSSEEK MSPATHOPTIONS T)
(MSCANT])
[ (MSSEEK MSVERB ING)
(create THAT
MSVERB _ LASTPARSED
OTHERSET _ (OR (MSSEEK MSSETPHRASE)
(MSCANT])
( (MSSEEK MSVERBED))
[ (AND (EQ SETTYPE 'FIELDS)
(SEEKWORD OF))
(create FIELDS
RECS _ (OR (MSSEEK MSSETPHRASE RECORDS)
(MSCANT])
[ (SEEKWORD LIKE)
(create APPLY
PRED _ (PROG [(PAT (EDITFPAT (MSEAT]
(SETQ EDITQUIETFLG T)
(RETURN (LIST 'LAMBDA '(X)
(LIST 'EDIT4E (KWOTE PAT)
'X])
( (SEEKWORD THOSE)
(create IN
EXPRESSION _ 'MSTHOSE))
( (SEEKWORD KNOWN)
(create THAT
MSVERB _ (create MSVERB
ROOT _ 'IS
MODIFIER _ 'KNOWN)
OTHERSET _ (create MSSETPHRASE)))
((AND LISTOKFLG (NOTANY S (FUNCTION MSWORD?)))
(PROG1 (create QUOTE
QUOTED _ S)
(SETQ S)))
( (MSSEEK MSBLOCK))
[ (OR (SEEKWORD THAT)
(AND (OR SETDET SETTYPE)
(SEEKWORD WHO WHICH)))
(fetch REP of (OR (MSSEEK MSPRED)
(MSCANT])
[ (COND
((EQ SETDET 'THE))
((AND (NULL SETDET)
(OR (NULL SETTYPE)
(LISTP SETTYPE))))
(COND
((MSWORD? (MSNEXTWORD))
(AND (LISTP SPELLING)
(MSTRYSPELL (CONS (CAR S)
(KWOTE (CAR S)))
S))
NIL)
(T T]
(MSQUOTED]
(RETURN (COND
(NEG (create NOT
NEGATED _ (create MSSETPHRASE
REP _ VAL)))
(T VAL]))

```

(MSSEEKPHRASE

; Edited 25-Nov-86 21:08 by lmm

```

[LAMBDA (SOUGHT FORCONJUNCTION)
(PROG ((OS S)
(OLA LASTADVERB)
(ORS RESETS)
(OC CONJUNCTIONS)
(OP PARSED)
THIS
(SEEKING (CONS (create PARSED
SOUGHT _ SOUGHT)
SEEKING)))
(SETQ THIS (CAR SEEKING))
(SETQ LASTPARSED)
LP [COND
((LISTP (MSNEXTWORD))
(COND
([PROG ((S (MSNEXTWORD))
(SEEKING))
(RETURN (AND [SETQ LASTPARSED (MSSEEKPHRASE (COND

```

```

((EQ (CAR SOUGHT)
      'MSSETREP)
 (LIST 'MSSETREP T))
(T SOUGHT])

      (NOT (MSNEXTWORD])
      (SETQ S (CDR S))
      (GO GOTIT)
(OR (SETQ LASTPARSED (MSTRYPARSE (CAR SOUGHT)
                                  (CDR SOUGHT)))
    (GO MSFAIL))
GOTIT
  (replace ITEM of THIS with LASTPARSED)
  (SETQ PARSED (CONS THIS PARSED))
  [COND
    ((AND (NOT FORCONJUNCTION)
          (FMEMB (CAR SOUGHT)
                CONJUNCTABLE))
     (PROG (LASTPARSED OLDS TEM C (SK SEEKING)
           (MARKER (CONS)))
      LP (MSNEXTWORD) (* So that S won't be reset to something before a adverb)
        (SETQ OLDS S)
        [COND
          ((SETQ C (MSSEEKTYPE 'C))
           [COND
             ((EQ C 'AND)
              (AND (SEEKWORD NOT)
                   (SETQ C ANDNOT]
            (COND
              ((SETQ TEM (MSSEEKPHRASE (COND
                                        ((EQ (CAR SOUGHT)
                                              'MSSETPHRASE)
                                        (* kludge. Implicit types should not carry along)
                                        ' (MSSETPHRASE)
                                        (T SOUGHT))
                                      T))
               (SETQ CONJUNCTIONS (CONS (create CONJUNCTION
                                                C _ C
                                                PARSED _ (CAR PARSED)
                                                POSSIBLES _ SK
                                                START _ MARKER)
                                         CONJUNCTIONS))
              (GO LP))
            (T (SETQ S OLDS]
            (for X in CONJUNCTIONS when (EQ (fetch START of X)
                                           MARKER)
              do (replace START of X with S]
            (replace ENDING of THIS with S)
            (RETURN LASTPARSED)
MSFAIL
  (SETQ S OS)
  (SETQ LASTADVERB OLA)
  (SETQ CONJUNCTIONS OC)
  (SETQ PARSED OP)
  (while (NEQ RESETS ORS) do (replace (MSVERB MODIFIER) of (CAR RESETS) with NIL)
        (SETQ RESETS (CDR RESETS]))

```

(MSTYPEMATCHRATING

[LAMBDA (X Y)

; Edited 25-Nov-86 21:08 by Imm

(* Returns the NEGATIVE of a rating of how much two types agree; the values will be sorted and the minimum taken)

```

(COND
  ([OR (NULL X)
        (NULL Y)
        (EQ (COND
              ((LISTP X)
               (SETQ X (CAR X)))
              (T X))
            (COND
              ((LISTP Y)
               (SETQ Y (CAR Y)))
              (T Y)))
        (AND (EQ X 'KNOWN)
              (EQ Y 'FNS))
        (AND (EQ Y 'KNOWN)
              (EQ X 'FNS]
  -100)
  (T 0])

```

(MSTRYSPELL

[LAMBDA (WORD TAIL)

; Edited 25-Nov-86 21:08 by Imm

```

[AND TAIL (NLISTP (CAR TAIL))
 (LISTP SPELLING)
 (PROG [(PTR (OR (FASSOC TAIL SPELLING)

```

```

(CAR (SETQ SPELLING (CONS (LIST TAIL)
                           SPELLING])
LP (COND
  ((NULL (CDR PTR))
   (FRPLACD PTR (LIST WORD)))
  ((NEQ (CAR (SETQ PTR (CDR PTR)))
        WORD)
   (GO LP]
NIL])

```

(MSTRYPARSE

[LAMBDA (FN ARGS)

; Edited 25-Nov-86 21:08 by lmm
(* lmm%: 17-FEB-76 20 49)

(* MSCANT does a RETFROM (MSTRYPARSE)%. The idea is that, no matter how deeply embedded parser is in a particular SEEK, the MSCANT will back up to the current att)

(BLKAPPLY FN ARGS])

(MSCOMMAND

[LAMBDA (TEM)

; Edited 12-Jan-87 16:17 by jds

```

(COND
  ((SEEKWORD DESCRIBE)
   (CONS LASTPARSED (MSSEEK MSSETPHRASE FNS T)))
  ((SEEKWORD ANALYZE REANALYZE)
   (CONS LASTPARSED (MSSEEK MSSETPHRASE FNS)))
  ((SEEKWORD ERASE FORGET)
   (CONS 'ERASE (MSSEEK MSSETPHRASE FNS)))
  ((SEEKWORD SHOW)
   (COND
     ((SEEKWORD PATHS)
      (CONS 'PATHS (MSSEEK MSPATHOPTIONS)))
     [(MSSEEK MSVERB S)
      (create SENTENCE
              ID _ 'SHOW
              MSPRED _ (create MSSETPHRASE
                              REP _ (create THAT
                                          MSVERB _ LASTPARSED
                                          OTHERSET _ (PROGN (OR (SEEKWORD OF)
                                                            (MSCANT))
                                                            (OR (MSSEEK MSSETPHRASE)
                                                            (MSCANT))
              (T (SEEKWORD WHERE)
                 (create SENTENCE
                         ID _ 'SHOW
                         SUBJECT _ (OR (MSSEEK MSSETPHRASE)
                                       (MSCANT))
                         MSPRED _ (MSSEEK MSPRED]
  ((SEEKWORD EDIT)
   (SEEKWORD WHERE)
   (create SENTENCE
           ID _ 'EDIT
           SUBJECT _ (OR (MSSEEK MSSETPHRASE)
                         (MSCANT))
           MSPRED _ (MSSEEK MSPRED)
           OTHERSTUFF _ (COND
                       ((SEEKWORD -)
                        (PROG1 S (SETQ S)

```

(* e.g. SHOW USE OF X)

(SEEKWORD OF)
(MSCANT)
(OR (MSSEEK MSSETPHRASE)
(MSCANT])

```

[(SEEKWORD FOR)
 (CONS 'FOR (CONS (MSEAT)
                  (CONS 'IN (CONS (OR (MSSEEK MSSETPHRASE)
                                    (MSCANT))
                                (COND
                                  ((EQ (CAR (GETP (CAR S)
                                                  'CLISPPWORD))
                                       'FORWARD)
                                   (PROG1 S (SETQ S NIL)))
                                  (T (MSCANT]

```

```

((SEEKWORD CHECK)
 (SEEKWORD BLOCKS)
 (SEEKWORD ON)
 (CONS 'CHECK (MSSEEK MSSETPHRASE FILES)))
[(SEEKWORD ARE IS)
 (create SENTENCE
         ID _ '?'
         SUBJECT _ (OR (MSSEEK MSSETPHRASE)
                       (MSCANT))
         MSPRED _ (OR (MSSEEKPHRASE (LIST 'MSSETPHRASE (fetch (MSSETPHRASE TYPE) of LASTPARSED)
                                       (fetch (MSSETPHRASE KNOWN) of LASTPARSED)))
                       (MSCANT]

```

(* IS FOO CALLED BY X)

```

((PROGN (SETQ TEM (SEEKWORD DOES DO))
 (MSSEEK MSSETPHRASE))
 (create SENTENCE
         ID _ '?'
         SUBJECT _ LASTPARSED

```



```

MSPRED _ (PROG ((TYPE (fetch (MSSETPHRASE TYPE) of LASTPARSED))
                (KNOWN (fetch KNOWN of LASTPARSED))
                SET)
          (SETQ SET (OR (MSSEEK MSPRED)
                        (AND (NOT TEM)
                             (MSSEEK MSDOES))
                        (MSCANT))))
          (COND
           (KNOWN (MSKNOWN SET))
           (TYPE (MSSETSETTYPE SET TYPE))))
          (RETURN SET])

```

(MSSUBJTYPE

[LAMBDA (MSVERB)

; Edited 25-Nov-86 21:08 by Imm
(* Imm%: 16-DEC-75 1 41)

```

(COND
 [(type? CVERB (fetch VPART of MSVERB))
  (MSJOIN (fetch (CVERB C) of (fetch VPART of MSVERB))
          (MSSUBJTYPE (fetch (CVERB VB1) of (fetch VPART of MSVERB)))
          (MSSUBJTYPE (fetch (CVERB VB2) of (fetch VPART of MSVERB))))
 ((EQ (fetch (MSVERB ROOT) of MSVERB)
      'CONTAIN)
  'FILES)
 (T 'KNOWN)]

```

(MSOBJTYPE

[LAMBDA (MSVERB)

; Edited 25-Nov-86 21:08 by Imm

```

(COND
 [(type? CVERB (fetch VPART of MSVERB))
  (MSJOIN (fetch (CVERB C) of (fetch VPART of MSVERB))
          (MSOBJTYPE (fetch (CVERB VB1) of (fetch VPART of MSVERB)))
          (MSOBJTYPE (fetch (CVERB VB2) of (fetch VPART of MSVERB))))
 ((EQ (fetch (MSVERB ROOT) of MSVERB)
      'CALL)
  ' (FNS))
 ((EQ (fetch (MSVERB ROOT) of MSVERB)
      'CONTAIN)
  NIL)
 ((EQ (fetch (MSVERB ROOT) of MSVERB)
      'USE)
  (SELECTQ (fetch (MSVERB MODIFIER) of MSVERB)
           ((FREELY LOCALLY NIL)
            ' (VARS))
           ((RECORDS FIELDS PROPNAME I.S.OPRS)
            (LIST (fetch (MSVERB MODIFIER) of MSVERB)))
           (SHOULDNT)))
 (T ' (VARS)]

```

(MSVERB

[LAMBDA (TENSE)

; Edited 25-Nov-86 21:08 by Imm

```

(PROG ((ROOT (MSSEEKTYPE TENSE))
      C)
 [COND
  ((NULL ROOT)
   (COND
    ((AND (EQ TENSE 'ED)
          (SEEKWORD ON))
     (SETQ S (CONS 'BY S))
     (SETQ ROOT CONTAIN))
    (T (RETURN))
   (RETURN (create MSVERB
                   ROOT _ ROOT
                   TENSE _ TENSE
                   MODIFIER _ (COND
                              ((AND LASTADVERB (FMEMB ROOT (CDR LASTADVERB)))
                               (PROG1 (CAR LASTADVERB)
                                       (SETQ LASTADVERB NIL]))
                              (T (RETURN))))))

```

(MSSPLST

[LAMBDA NIL

; Edited 25-Nov-86 21:08 by Imm

```

(OR MSSPLST (PROGN (SETQ MSSPLST ' (AS FOR))
                  [MAPHASH MSWORDS (FUNCTION (LAMBDA (MEANING WORD)
                                                (AND [find Y in MEANING
                                                    suchthat (FMEMB (CAR Y)
                                                                    ' (V PHRASE)
                                                                    (SETQ MSSPLST (CONS WORD MSSPLST)
                                                                    MSSPLST))

```

(MSWORD?

[LAMBDA (X)

; Edited 25-Nov-86 21:08 by Imm
(* Imm%: 24-JAN-76 6 14)

(OR (NOT (LITATOM X))


```

(T 0))
(SELECTQ (CAR (fetch SOUGHT of X))
  (MSVERB (COND
    [(EQUAL (CDR (fetch SOUGHT of X))
             (CDR (fetch SOUGHT of Y)))
      (IPLUS (MSTYPEMATCHRATING (MSSUBJTYPE (fetch ITEM of X))
                                (MSSUBJTYPE (fetch ITEM of Y)))
              (MSTYPEMATCHRATING (MSOBJTYPE (fetch ITEM of X))
                                (MSOBJTYPE (fetch ITEM of Y))
              (T 100)))
    (MSSETPHRASE (IPLUS (COND
      ((EQUAL (fetch (MSSETPHRASE TYPE) of (fetch ITEM of X))
              (fetch (MSSETPHRASE TYPE) of (fetch ITEM of Y)))
        -100)
      (T 0))
      (COND
        ([OR (MSSIMPLESET (fetch REP of (fetch ITEM of X))
                        (MSSIMPLESET (fetch REP of (fetch ITEM of Y))
                        (SELECTQ CONJ
                          (OR 50)
                          600))
          (T 0))))))
T])

```

(MSVERBED

[LAMBDA NIL

; Edited 25-Nov-86 21:08 by lmm
(* Handled separately SOLELY for the verb SET, which is both present and past tense)

```

(AND (MSSEEK MSVERB ED)
  (create THAT
    MSVERB _ LASTPARSED
    OTHERSET _ (COND
      ((SEEKWORD BY IN)
        (OR (MSSEEK MSSETPHRASE)
            (MSCANT)))
      ((MSNEXTWORD)
        (MSCANT)))
    (T
      (create MSSETPHRASE
        DET _ 'ANY]))

```

(* Setphrase of ANY)

(MSCANT

[LAMBDA NIL
(RETFROM 'MSTRYPARSE)]

; Edited 25-Nov-86 21:08 by lmm

(MSJOINDETS

```

[LAMBDA (C X Y)
  (COND
    ((NULL X)
      Y)
    ((NULL Y)
      X)
    ((EQ X Y)
      X)
    ((OR (EQ X 'WHICH)
          (EQ Y 'WHICH))
      'WHICH)
    (T (SHOULDNT]))

```

; Edited 25-Nov-86 21:08 by lmm

(MSNEGATESET

```

[LAMBDA (X)
  (replace (MSSETPHRASE REP) of X with (create NOT
    NEGATED _ (create MSSETPHRASE using X REP _ (fetch (MSSETPHRASE
    REP)
    of X)))

```

; Edited 25-Nov-86 21:08 by lmm

(MSNEXTWORD

[LAMBDA NIL

; Edited 25-Nov-86 21:08 by lmm
(* lmm%: 16-MAR-76 15 8)

```

(PROG (TEM ADV)
  LPX [COND
    ((EQ NEXTWORD S)
      (RETURN (CAR NEXTWORD])
    (COND
      ((NULL (CAR S))
        (RETURN NIL)))
    (COND
      ((NEQ S SENTENCE)
        (COND
          ((SETQ TEM (GETWORDTYPE (CAR S)
            'V))
            (SETQ ADV (CAR TEM))

```

(* i.e. either at end of sentence or at a NIL)

(* No adverbs or AS words allowed at beginning of sentence)

(* V means ADVERB)

```

(GO ADV))
(SELECTQ (SETQ TEM (CAR S))
  ((AS FOR
    (SELECTQ (CAR (SETQ S (CDR S)))
      ((A AN)
        (SETQ S (CDR S)))
      NIL)
    (CHECKSYNONYM)
    [SETQ TEM (OR (GETWORDTYPE (CAR S)
      TEM)
      (COND
        ((AND (EQ TEM 'AS)
          [SOME PARSED (FUNCTION (LAMBDA (X)
            (EQ (CAR (fetch (PARSED SOUGHT)
              of X))
            'MSVERB)
            (EQ (fetch (MSVERB ROOT)
              of (fetch (PARSED ITEM)
                of X))
            'CONTAIN])
          (SETQ TEM (GETFILEPKGTYPE (CAR S)
            NIL T)))
        [MSSETWORDTYPE (CAR S)
          'AS
          (SETQ TEM (CONS TEM '(CONTAIN]
            TEM)
          (T (MSFAIL T]
          (SETQ ADV (CAR TEM))
          (GO ADV))
        NIL)))
    (COND
      ((CHECKSYNONYM)
        (GO LPX)))
    (RETURN (CAR (SETQ NEXTWORD S)))
  ADV (SETQ TEM (CDR TEM))
  (SETQ S (CDR S))
  (for X in PARSED when (AND (EQ (CAR (fetch (PARSED SOUGHT)
    of X))
    'MSVERB)
    (NULL (fetch (MSVERB MODIFIER) of (fetch (PARSED ITEM) of X)))
    (FMEMB (fetch (MSVERB ROOT) of (fetch (PARSED ITEM) of X))
    TEM))
  do (replace (MSVERB MODIFIER) of (fetch (PARSED ITEM) of X) with ADV)
  (SETQ RESETS (CONS (fetch (PARSED ITEM) of X)
    RESETS))
  (GO LPX))
[COND
  (LASTADVERB (MSFAIL T))
  (T (SETQ LASTADVERB (CONS ADV TEM]
  (GO LPX])

```

(MSPRED

[LAMBDA (FLG)

; Edited 25-Nov-86 21:08 by Imm
(* FLG is used in calls from EDIT/SHOW where passive is not allowed)

```

(AND (SEEKWORD DOES DO)
  (SETQ FLG T))
(COND
  [(SEEKWORD NOT)
    (create MSSETPHRASE
      REP _ (create NOT
        NEGATED _ (create MSSETPHRASE
          REP _ (create THAT
            MSVERB _ (OR (MSSEEK MSVERB S)
              (MSCANT))
            OTHERSET _ (OR (MSSEEK MSSETPHRASE)
              (MSCANT))
          ]
        ]
      ]
    (MSSEEK MSVERB S)
    (create MSSETPHRASE
      REP _ (create THAT
        MSVERB _ LASTPARSED
        OTHERSET _ (OR (MSSEEK MSSETPHRASE)
          (MSCANT))
      ]
    )
    ((AND (NULL FLG)
      (SEEKWORD ARE IS))
      (MSSEEK MSSETPHRASE])

```

(CHECKSYNONYM

[LAMBDA NIL

; Edited 25-Nov-86 21:08 by Imm
(* Imm%: 22-FEB-76 3 10)

(* Returns T if a synonym is found. Resets S to be sentence with synonym substituted)

```

(PROG (KEYLST (STAIL S)
  NXT
  (CNT 0))

```

```

(COND
  ([NOT (SETQ KEYLST (GETWORDTYPE (CAR S)
    'PHRASE])
    (RETURN)))
  PHLOOP
  (SETQ STAIL (CDR STAIL))
  LPX (COND
    ((SETQ NXT (FASSOC (CAR STAIL)
      (CDR KEYLST)))
      (SETQ KEYLST (CDR NXT))
      (GO PHLOOP))
      [(CAR KEYLST)
        (RETURN (NOT (EQUAL S (SETQ S (APPEND (CAR KEYLST)
          STAIL]
          (SETQ NXT (FASSOC '& (CDR KEYLST))))))

```

(* See SETSYNONYM for def of synonym format)

(* A & in a synonym will match any word; the word will be substituted for N in the "new" phrase where N is the number of &'s which have been matched - e.g. SETSYNONYM ((FOO & &) (IN 1 OR ON 2)) will take FOO FIE FUM into IN FIE OR ON FUM)

```

(SETQ KEYLST (SUBST (CAR STAIL)
  (SETQ CNT (ADD1 CNT))
  (CDR NXT)))
(GO PHLOOP)
((SETQ NXT (FASSOC '* (CDR KEYLST)))

```

(* Just to make a lot of things easier, a * will match either (NAME) (NAMES) or nothing)

```

(SETQ KEYLST (CDR NXT))
[COND
  ((OR (EQ (CAR STAIL)
    'NAME)
    (EQ (CAR STAIL)
    'NAMES))
    (SETQ STAIL (CDR STAIL])
  (GO LPX))
(T

```

(* If some words match and others don't, try to correct on the rest)

```

[AND (LISTP STAIL)
  (LISTP SPELLING)
  (NOT (MSWORD? (CAR STAIL)))
  (MAPC (CDR KEYLST)
    (FUNCTION (LAMBDA (X)
      (MSTRYSPELL X STAIL])
  (RETURN)]

```

(MSSETWORDTYPE

```

[LAMBDA (WORD TYPE SYN)
  (PUTHASH WORD (NCONC1 (GETHASH WORD MSWORDS)
    (CONS TYPE SYN))
    MSWORDS)]

```

; Edited 25-Nov-86 21:08 by Imm

(MSEAT

```

[LAMBDA NIL
  (PROG1 (CAR S)
    (SETQ S (CDR S))))]

```

; Edited 25-Nov-86 21:08 by Imm (* Imm%: 5-DEC-75 11 24)

(MSTRYSPELLTYPE

```

[LAMBDA (TYPE)
  (DECLARE (SPECVARS TYPE))
  [AND (LISTP SPELLING)
    (LITATOM (CAR S))
    (NOT (MSWORD? (CAR S)))
    (MAPHASH MSWORDS (FUNCTION (LAMBDA (INTERP WORD)
      (AND (FASSOC TYPE INTERP)
        (MSTRYSPELL WORD S]
  NIL)]

```

; Edited 25-Nov-86 21:08 by Imm

(MSSETPHRASE

```

[LAMBDA (TYPE KNOWN)
  (PROG (SETDET REP NOTYP SETTYPE VAL (NEG (SEEKWORD NOT)))
    (SETQ VAL (MSSETSETTYPE (create MSSETPHRASE
      DET _ [SETQ SETDET (COND
        ((SETQ NOTYP (SEEKWORD WHO WHOM))
          'WHICH)
        ((SEEKWORD WHAT WHICH)
          'WHICH)
        (T (SEEKWORD ANY THE A]
      TYPE _ [SETQ SETTYPE (AND (NOT NOTYP)
        (MSSEEKTYPE 'TYPE]
      REP _ (SETQ REP (MSSEEK MSSETREP))

```

; Edited 8-Apr-88 11:37 by jrb:

```

                                KNOWN _ KNOWN)
                                TYPE))
(OR SETDET SETTYPE REP (MSCANT))
(AND NEG (MSNEGATESET VAL))
(RETURN VAL])

```

(MSQUOTED

```

[LAMBDA NIL
  (create QUOTE
    QUOTED _ (MKLIST (MSEAT]))

```

; Edited 25-Nov-86 21:08 by Imm

(FIXVERBSETTYPE

```

[LAMBDA (SETPHRSE)
  (COND
    ((NULL (fetch (MSSETPHRASE TYPE) of SETPHRSE))
      (MSVERBTYPE (fetch MSVERB of (fetch REP of SETPHRSE))
        SETPHRSE
        (fetch OTHERSET of (fetch REP of SETPHRSE)))

```

; Edited 12-Jan-87 01:18 by jds
(* Imm%: 16-MAR-76 15 31)

(SETSYNONYM

```

[LAMBDA (OLDPHRASE NEWPHRASE FLG)
  (OR (LISTP OLDPHRASE)
    (SETQ OLDPHRASE (LIST OLDPHRASE)))
  [AND NEWPHRASE (OR (LISTP NEWPHRASE)
    (SETQ NEWPHRASE (LIST NEWPHRASE))
  [OR (ATOM (CAR OLDPHRASE))
    (ERRORX (LIST 14 (CAR OLDPHRASE))
  (PROG ((KEYLST (GETWORDTYPE (CAR OLDPHRASE)
    'PHRASE))
    NXT)

```

; Edited 25-Nov-86 21:08 by Imm

(* The keylist is of the form (VALUE
(WORD . KEYLST) (WORD . KEYLST) |...))

```

[COND
  ((NULL KEYLST)
    (MSSETWORDTYPE (CAR OLDPHRASE)
      'PHRASE
      (SETQ KEYLST (LIST NIL))
  LP (COND
    ((NLISTP KEYLST)
      (SHOULDNT))
    ((NULL (SETQ OLDPHRASE (CDR OLDPHRASE)))
      (FRPLACA KEYLST NEWPHRASE)
      (RETURN))
    ((SETQ NXT (FASSOC (CAR OLDPHRASE)
      KEYLST))
      (SETQ KEYLST (CDR NXT)))
    (T (FRPLACD KEYLST (CONS (CONS (CAR OLDPHRASE)
      (SETQ NXT (LIST NIL)))
      (CDR KEYLST)))
      (SETQ KEYLST NXT)))
  (GO LP])

```

(MSSETUP

```

[LAMBDA (V A AS F SYN TYPES OTHERS INITFLG)
  [OR (AND (NULL INITFLG)
    (HASHARRAYP MSWORDS))
    (SETQ MSWORDS (HASHARRAY 150 NIL 'STRING-EQUAL-HASHBITS 'STRING.EQUAL)]
  [MAPC V (FUNCTION (LAMBDA (X)
    (MSSETWORDTYPE (CAR X)
      'S
      (CAR X))
    (MSSETWORDTYPE (CADR X)
      'S
      (CAR X))
    (MSSETWORDTYPE (CADDR X)
      'ING
      (CAR X))
    (MSSETWORDTYPE (CADDR X)
      'ED
      (CAR X))
  [MAPC A (FUNCTION (LAMBDA (X P)
    (SETQ P (CONS (CAAR X)
      (CDR X)))
    (MAPC (CAR X)
      (FUNCTION (LAMBDA (Y)
        (MSSETWORDTYPE Y 'V P)]
  [MAPC AS (FUNCTION (LAMBDA (X P)
    (SETQ P (CONS (CAAR X)
      (CDR X)))
    (MAPC (CAR X)
      (FUNCTION (LAMBDA (Y)
        (MSSETWORDTYPE Y 'AS P)]
  [MAPC F (FUNCTION (LAMBDA (X P)

```

; Edited 25-Nov-86 21:08 by Imm

```

      (SETQ P (CONS (CAAR X)
                   (CDR X)))
      (MAPC (CAR X)
            (FUNCTION (LAMBDA (Y)
                      (MSSETWORDTYPE Y 'FOR P]
[MAPC SYN (FUNCTION (LAMBDA (X)
                    (SETSYNONYM (CAR X)
                                 (CADR X)
                                 T]
[MAPC TYPES (FUNCTION (LAMBDA (L)
                     (MAPC L (FUNCTION (LAMBDA (X)
                                         (MSSETWORDTYPE X 'TYPE (CAR L]
[MAPC OTHERS (FUNCTION (LAMBDA (X)
                      (MSSETWORDTYPE (CAR X)
                                       (CADR X)
                                       (OR (CADDR X)
                                           (CAR X]

```

(* I.e. all the things that can occur almost anywhere - synonyms, adverbs, and the word AS)

```

NIL])
)

```

```

(DECLARE%: EVAL@COMPILE DONTCOPY

```

```

(RPAQQ PARSERRECORDS (SENTENCE CONJUNCTION PARSED MSSETPHRASE MSVERB VPART CVERB THAT QUOTE IN NOT PATHS APPLY
                       CSET BLOCKS FIELDS))

```

```

(DECLARE%: EVAL@COMPILE

```

```

(RECORD SENTENCE (ID SUBJECT MSPRED . OTHERSTUFF))

```

```

(RECORD CONJUNCTION (C START PARSED . POSSIBLES))

```

```

(RECORD PARSED (SOUGHT ITEM . ENDING))

```

```

(RECORD MSSETPHRASE (DET (TYPE KNOWN . DEFAULTTYPE) . REP) (* represents a set of things)
 (TYPE? (EQLLENGTH (CADR DATUM)
                   2)))

```

```

(RECORD MSVERB (TENSE . VPART)
 (SUBRECORD VPART))

```

```

(RECORD VPART (ROOT . MODIFIER))

```

```

[RECORD CVERB (C VB1 . VB2)
 (TYPE? (FMEMB (CAR DATUM)
              '(OR AND ANDNOT]

```

```

[RECORD THAT (ID MSVERB . OTHERSET)
 ID _ 'THAT (TYPE? (EQ (CAR DATUM)
                      'THAT]

```

```

(RECORD QUOTE (ID . QUOTED)
 ID _ 'QUOTE)

```

```

(RECORD IN (ID . EXPRESSION)
 ID _ 'IN)

```

```

[RECORD NOT (ID . NEGATED)
 ID _ 'NOT (TYPE? (EQ (CAR DATUM)
                     'NOT]

```

```

(RECORD PATHS (ID . MSPATHOPTIONS)
 ID _ 'PATHS)

```

```

(RECORD APPLY (ID . PRED)
 ID _ 'APPLY)

```

```

(RECORD CSET (ID SET1 . SET2))

```

```

(RECORD BLOCKS (ID TYPES FNS . FILES) (* e.g. ENTRIES ON FOO))
 ID _ 'BLOCKS

```

```

(RECORD FIELDS (ID . RECS)
 ID _ 'FIELDS)
)

```

```

(DECLARE%: EVAL@COMPILE

```

```

(PUTPROPS GETWORDTYPE MACRO [(WORD TYPE)
 (CDR (FASSOC TYPE (GETHASH WORD MSWORDS]))
)
)

```

(RPAQQ **CONJUNCTABLE** (MSSETPHRASE MSPRED MSDOES MSVERB))

(RPAQQ **MSSPLST** NIL)

(RPAQQ **INITWORDLIST**

```

(( (CONTAIN CONTAINS CONTAINING CONTAINED)
  (BIND BINDS BINDING BOUND)
  (CALL CALLS CALLING CALLED)
  (SET SETS SETTING SET)
  (SMASH SMASHES SMASHING SMASHED)
  (TEST TESTS TESTING TESTED)
  (USE USES USING USED)
  (REFERENCE REFERENCES REFERENCING REFERENCED)
  (CREATE CREATES CREATING CREATED)
  (FETCH FETCHES FETCHING FETCHED)
  (REPLACE REPLACES REPLACING REPLACED)
  (DECLARE DECLARES DECLARING DECLARED))
(( (FREELY FREE)
  USE SET SMASH TEST)
(( (LOCALLY LOCAL)
  USE SET SMASH BIND DECLARE REFERENCE)
(( (SOMEHOW)
  CALL)
(( (DIRECTLY)
  CALL)
(( (INDIRECTLY)
  CALL USE))
(( (LOCALVARS LOCALVAR)
  DECLARE)
(( (SPECVARS SPECVAR)
  DECLARE)
(( (RECORDS RECORD)
  USE)
(( (FIELDS FIELD)
  USE SET SMASH REFERENCE)
(( (PROPNAME PROPERTIES PROPERTY PROP PROPS)
  USE)
(( (I.S.OPRS I.S.OPR CLISPWORD CLISPWORDS)
  USE)
(( (MSPRED)
  CALL USE)
(( (TYPE)
  USE))
(( (VALUE)
  CALL USE)
(( (TESTING)
  CALL USE)
(( (EFFECT)
  CALL))
(( (RECORD FIELD *)
  FIELD)
(( (RECORD FIELDS)
  FIELDS)
(( (FIELD *)
  FIELD)
(( (RECORD *)
  RECORD)
(( (CLISP WORD)
  CLISPWORD)
(( (CLISP WORDS)
  CLISPWORD)
(( (PROP *)
  PROPNAME)
(( (PROPERTY *)
  PROPNAME)
(( (ON PATH)
  ONPATH)
(( (ON THE PATH)
  ONPATH)
(( (ON A PATH)
  ONPATH)
(( (LOOK AT)
  ANALYZE)
[ (CHANGED ON &)
  IN (PROGN (UPDATEFILES)
    (CDR (GETPROP '1 'FILE]
(AMONG (AVOIDING NOT))
(DOESN'T (DOES NOT))
(DON'T (DO NOT))
(ISN'T (IS NOT))
(AREN'T (ARE NOT))
(( (ALL PATHS)
  PATHS)
(SOME ANY)
(ALL ANY)
(ANYONE ANY)
(( (ALL PATHS)
  PATHS)

```



```

    PATHS)
  (UNDEFINED (FNS NOT @ GETD))
  (FNS FN FUNCTIONS FUNCTION)
  (VARS VAR VARIABLES VARIABLE)
  (RECORDS RECORD)
  (FILES FILE)
  (I.S.OPRS I.S.OPR CLISPPWORD CLISPPWORDS)
  (FIELDS FIELD)
  (PROPNames PROPERTIES PROPS PROP))
  (FROM PATH)
  (TO PATH)
  (AVOIDING PATH)
  (NOTRACE PATH)
  (MARKING PATH)
  (OUTPUT PATH)
  (LINELENGTH PATH)
  (DOES X DO)
  (DO X)
  (IS X)
  (ARE X IS)
  (AND C)
  (OR C)
  (SEPARATE PATH)
  (LOCALFREEVARS BLOCKS)
  (SPECVARS BLOCKS)
  (LOCALVARS BLOCKS)
  (GLOBALVARS BLOCKS)
  (BLOCKS BLOCKS BLKFNS)
  (BLOCK BLOCKS BLKFNS)
  (ENTRY BLOCKS ENTRIES)
  (ENTRIES BLOCKS)
  (BLKAPPLYFNS BLOCKS)
  (BLKLIBRARY BLOCKS)
  (BLKFNS BLOCKS)
  T)

```

(APPLY 'MSSETUP INITWORDLIST)

```

(DEFMACRO MSSEEK (&REST SOUGHT)
  `(MSSEEKPHRASE ',SOUGHT))

```

```

(DEFMACRO SEEKWORD (&REST SOUGHT)
  `(MSSEEK-WORD ',SOUGHT))

```

```

(DEFCOMMAND "." (&REST LINE) "Masterscope query"
  (MASTERSCOPE LINE))

```

(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY

```

(BLOCK%: MSPARSEBLOCK MSKNOWN MSDOES MSSETSETTYPE MS-SMASH-PACKAGE MSFAIL MSJOINSET MSBLOCK MSPATHOPTIONS
  MSPARSE MSFIXUPTYPES MSVERBTYPE MSSETREP MSSEEKPHRASE MSTYPEMATCHRATING MSTRYSPELL MSTRYPARSE MSCOMMAND
  MSSUBJTYPE MSOBJTYPE MSVERB MSSPLST MSWORD? MSSEEKTYPE MSRESPELL MSJOIN MSSIMPLESET MSMATCHRATING
  MSVERBED MSCANT MSJOINDETS MSNEGATESET MSNEXTWORD MSPRED CHECKSYNONYM MSEAT MSTRYSPELLTYPE MSSETPHRASE
  MSQUOTED FIXVERBSETTYPE (ENTRIES MSPARSE MSJOINSET MSTRYSPELL SETSYNONYM MSSETUP)
  (REFNS MSTRYPARSE)
  (SPECVARS SPELLING)
  (LOCALFREEVARS CONJUNCTIONS LASTADVERB LASTPARSED NEXTWORD PARSED S SEEKING SENTENCE RESETS)
  (BLKAPPLYFNS MSDOES MSVERBED MSBLOCK MSPATHOPTIONS MSSETREP MSCOMMAND MSVERB MSPRED MSSETPHRASE)
  (LOCALFREEVARS SETTYPE SETDET)
  (NOLINKFNS . T)
  (GLOBALVARS MSWORDS MSSPLST CONJUNCTABLE)
  MSSETUP MSSETWORDTYPE SETSYNONYM MSSEEK-WORD)

```

```

(BLOCK%: NIL (LOCALVARS . T)
  (GLOBALVARS MSWORDS))
)

```

(PUTPROPS **MSPARSE FILETYPE** :COMPILE-FILE)

(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS

(ADDTOVAR **NLAMA**)

(ADDTOVAR **NLAML**)

(ADDTOVAR **LAMA**)

(PUTPROPS **MSPARSE COPYRIGHT** ("Xerox Corporation" 1984 1986 1987 1988))

FUNCTION INDEX

CHECKSYNONYM12	MSFIXUPTYPES4	MSPARSE3	MSSETREP5	MSTRYSPELLTYPE . . .13
FIXVERBSETTYPE . . .14	MSJOIN10	MSPATHOPTIONS3	MSSETSETTYPE1	MSTYPEMATCHRATING .7
MS-SMASH-PACKAGE . .2	MSJOINDETS11	MSPRED12	MSSETUP14	MSVERB9
MSBLOCK3	MSJOINSET2	MSQUOTED14	MSSETWORDTYPE . . .13	MSVERBED11
MSCANT11	MSKNOWN1	MSRESPELL10	MSSIMPLESET10	MSVERBTYPE5
MSCOMMAND8	MSMATCHRATING . . .10	MSSEEK-WORD10	MSSPLST9	MSWORD?9
MSDOES1	MSNEGATESET11	MSSEEKPHRASE6	MSSUBJTYPE9	SETSYNONYM14
MSEAT13	MSNEXTWORD11	MSSEEKTYPE10	MSTRYPARSE8	
MSFAIL2	MSOBTTYPE9	MSSETPHRASE13	MSTRYSPELL7	

RECORD INDEX

APPLY15	CSET15	IN15	NOT15	QUOTE15	VPART15
BLOCKS15	CVERB15	MSSETPHRASE . . .15	PARSED15	SENTENCE15	
CONJUNCTION . .15	FIELDS15	MSVERB15	PATHS15	THAT15	

VARIABLE INDEX

CONJUNCTABLE .16	INITWORDLIST .16	MSSPLST16	PARSERRECORDS 15
------------------	------------------	---------------------	------------------

MACRO INDEX

GETWORDTYPE . .15	MSSEEK17	SEEKWORD17
-------------------	--------------------	----------------------

PROPERTY INDEX

MSPARSE17

COMMAND INDEX

". "17
