

A

Abort (Option) 7,16
Abort All (Option) 8
Abort and Abort Notefile (Option) 8
 Abort current process 5
 Aborting Operations 1
Add Border (Option) 12
Add Global Link (Option) 12
Add Label (Option) 7
Add Link (Option) 6
Add New Property (Option) 8
Add New Regional Time Zone (Option) 4
Add Node (Option) 7
Add to which directory group? (Menu) 4
Allowed Logins (Menu) 12
Allowed Logins (Option) 12
Alphabetized FileBox Children (Parameter) 7
 Analog clock
 starting 6
Any Login (Option) 13
Arrow Heads In Browsers (Parameter) 8
Arrowheads (Option) 8
Assign Title (Option) 10
Attach Sketch Menu (Parameter) 8
Authenticate (Option) 13

B

Back links 3,5
Background (Menu) 9
 Backslash 8
 Banner
 notefile 1
\\BeginDST (Variable) 6
 Bitmap
 texture editor 12
Bitmap Editor (Menu) 14
 Bitmap operations 10
Bold (Option) 4
Bouncing Box (Option) 12
Bouncing Username (Option) 12
Boxes only (Option) 5
 Break window 6
 Break Windows 2
Bring Up Card/Box (Option) 15
Bring Up Cards At Previous Pos (Parameter) 7
 Browser Card
 parameters 7
 Browser cards 6
Browser Specs (Option) 8
Browser Specs? (Menu) 7
BrowserOverviewWin (Option) 10
BuildBacklinks (Option) 5
Bury (Option) 5

C

C-Shell 8

Can't Convert a POSTSCRIPT for a NIL Printer

(Error Message) 7

Can't determine IMAGETYPE for {LPT} (Error

Message) 6

Cancel (Option) 4,10

Card (Menu) 7

Card parameters 6

Card TYPES

 Search 1,2,3,6

Card Types (Menu) 6,13

Card Types Menu Option 1

Cards 12

 opening 1,2,3,4,5,8,9,10,11,12,13

Cards and Boxes (Option) 5

Cards only (Option) 5

Case sensitivity 1,8

Certainty Value property 7

Change Card Title (Option) 15

Change Display Mode (Option) 15

Change Label (Option) 7

Change Link Type (Option) 15

Change Num (Option) 4

Change Scale (Option) 11

CHANGE.DEFAULT (Option) 8

ChangeBrowserRoots (Option) 10

ChangeBrowserSpecs (Option) 10

ChangeOverviewSpecs (Option) 10

Characters, special 8

Checkpoint (Option) 5

Checkpoint (Menu) 6

Checkpoint All (Option) 6

Checkpointing 3

Choose Default Printer (Menu) 2

Choose Display (Option) 12

Choose Font Profile to Update (Menu) 14

Choose Printer to Remove (Menu) 3

Choose Shade (Menu) 4

Clear (Option) 5,15

CLEAR how much? (Menu) 15

Clocks

 digital 1,5

Clocks (Menu) 10

Clocks (Option) 10

Close (Menu) 7

Close (Option) 2,7

Close All (Option) 7

Close All w/o confirm (Option) 7

Close and Close NoteCards (Option) 9

Close and Close Notefile (Option) 7

Close and Save (Option) 11,13

Close and Save (Option) 11

Close Cards Off Screen (Parameter) 6

Close Structure (Option) 9

Close w/o confirm (Option) 7

Close w/o Saving (Option) 11,13

Closing

 notefiles 9,13

Compact (Menu) 3

Compact (Option) 3

Compact In Place (Option) 4
Compact To New File (Option) 3
Compile (Option) 14
Configuring
 software 3
Connect Nodes (Option) 6
Console messages 6
Conventions
 NoteCards devices 2,3,8,10
Copy (Menu) 11
Copy (Option) 4,9,10
Copy protection 2
CopyEmbeddedLinks (Option) 5
Create (Menu) 5
Create (Option) 5
Create (Menu) 8
Create and Open (Option) 5,8
Create without Open (Option) 5,8
Creating cards 13
CREATIONDATE (File Attribute) 13
Cross File Link Mode (Parameter) 9
Cross-file links 17
 appearance 17
Cursor (Option) 16

D
Damaged Notefile 2
Dashed Links (Option) 8
Data Area 1
Default Card Type (Parameter) 6
Default Font (Option) 16
Default Font (Parameter) 4
Default printer
 adding 1,2,3
DEFAULTOSTYPE (Variable) 4
DEFAULTPRINTERTYPE (Variable) 5,6
DEFAULTPRINTINGHOST (Variable) 4
Del TEdit Process When Shrinking (Parameter) 3
Delete (Menu) 8
Delete (Option) 4,10
Delete Alarm Setting (Option) 4
Delete Card (Option) 11
Delete Link (Option) 7
Delete Node (Option) 6
Delete Old Versions (Option) 8
Delete Selected Property (Option) 8
Delete This Window (Option) 4
Designate FileBoxes (Option) 9
Digital Clock
 starting 1,2
Directed/Undirected (Option) 8
DIRECTORIES (Variable) 2
Directory
 root 8,11,12
 home 8
 parent 8
 working 8
Directory connector 8
 starting 8,9
Directory Connector (Option) 11
Disconnect Nodes (Option) 7
Disk Space 1
DISPLAYFONTDIRECTORIES (Variable) 3
Do what with deleted files? (Menu) 6
Document cards 3,6
Documentation kit 2
Don't Expunge (Option) 6
Done (Option) 10

{DSK}
 special characters 8
{DSK}INIT.LISP (Variable) 1

E
Edit (Menu) 14
Edit (Option) 13
Edit Parameters (Option) 1,11
Edit Property List (Option) 7
Emulator 1
end-of-line convention 6
\\EndDST (Variable) 6
Error
 messages 3
Error Messages 3
Error recovery
 URAIID debugger 3,4
Errors
 file system 3,4,5,6,13
Exiting NoteCards 10
Expand (Option) 8,9
Expand on Bottom (Option) 12
Expand on Left (Option) 12
Expand on Right (Option) 12
Expand on Top (Option) 12
ExpandBrowserNode (Option) 9
ExpandEmbeddedLinks (Option) 5
Expunge (Option) 14
Expunge deleted files (Option) 6
Extra TEdit Props (Parameter) 3

F
Fast SEE Pretty (Option) 11
Fast SEE Unformatted (Option) 11
fg (UNIX Command) 14
File
 compatibility 6
File attributes 13
File capacity 3
File name
 conventions 7
File system errors 13
File type? (Menu) 6
FileBox
 Table of Contents 5
FileBox Card (Menu) 12
FileBox card parameters 7
FileBox cards 2
FileBox-Card (Menu) 3
FileBoxes 6
 general 2,3,7,10
Filebrowse (Option) 11,13
FileBrowser 1
 starting 1,3,4,5,6,7,9,10,11
FileBrowser (Option) 10
FileBrowser
 command menu 3,4,18
FileBrowser Display Font (Option) 15
FileBrowser Prompt Font (Option) 15
Files
 open 12
FIX MENU (Option) 9
Flush image & Exit (Option) 10,14
Font
 directories 3
Font Directory
 adding 3

Font Directory
 setting 3
Font not Found (*Error Message*) 7
 Fonts 2
 conventions 2,4,14,15,16
Force Filing (*Parameter*) 6
Force Titles (*Parameter*) 6
Forget (*Option*) 12
From Contents (*Option*) 4
From Links (*Option*) 4

G
 Ghost frame 7
Global default (*Option*) 17
 Global link
 adding 12
 Graph cards 4,6
 Graph-based cards 13
 deleting links from contents 14
Graph-Card (*Menu*) 4
GraphEditMenu (*Option*) 9
Grapher (*Menu*) 4
Grid On/Off (*Option*) 15
GridSize (*Option*) 15
Group (*Option*) 13

H
Hand Edit (*Option*) 11
HANDS (*Option*) 7
Hardcopy (*Menu*) 5,11
Hardcopy (*Option*) 5,10
HeadingsFromFileBoxes (*Option*) 4
 Host access key
 obtaining 2,4

I
 I/O Errors 3
 Icons
 shrink
 MenuBar 8
Icon (*Menu*) 8
 Icons 5
 shrink
 TEdit window 8
Idle (*Menu*) 11
Idle (*Option*) 11
Idle Display (*Menu*) 12
IDLE.PROFILE (*Variable*) 5
Include Card Object In ShowInfo (*Parameter*) 3
Include cards at: (*Menu*) 10
 Index 1
Indicate NoteFile (*Option*) 9
Indicators Off (*Option*) 11
Infinite (*Option*) 17
 Input/output devices, requirements 1,2
Insert Link (*Option*) 9,10
Insert Links (*Option*) 11
Inspect & Repair (*Menu*) 4
Inspect & Repair (*Option*) 3,4
 Installation
 software 1
 InterPress
 printing 10
INTERPRESSFONTDIRECTORIES (*Variable*) 3
Interrupt Which Process? (*Menu*) 1

K
 Keyboard 3
 conventions 3,5

L
label larger (*Option*) 7
label smaller (*Option*) 7
 Landscape
 description 7
Landscaped sketch (*Option*) 10
Larger Label (*Option*) 7
 Ide 3
 Ideether 3
LDEINIT (*Variable*) 1
 Left angle bracket 8
 Link Categories 3
 to-links 3
Link Dashing In Browser (*Parameter*) 8
Link Icon Attach Bitmap Default (*Parameter*) 10
Link Icon Border Width (*Parameter*) 8
Link Icon Font (*Parameter*) 4
Link Icon Max Width in Pixels (*Parameter*) 9
Link Icon Multi Line Mode (*Parameter*) 9
Link Icon Show Link Type Default (*Parameter*) 10
Link Icon Show Title Default (*Parameter*) 10
 Link icons
 functionality 4,5
Link Index Specs? (*Menu*) 3
 Link labels
 creating 17
Link Ops (*Menu*) 15
 Link parameters 8
 Link type 2
 unspecified 2
Link Type (*Menu*) 9
 Link types
 SubBox 1,2,3
 Comment 2
 LinkIndex cards 2,6
 Links 12
 traversing 1,2,3,4,7,9,11,12,13,14,15,16,17
LISPUSERSDIRECTORIES (*Variable*) 2
Load (*Option*) 14
Load Patches (*Option*) 13
Locked (*Option*) 13
Logout (*Option*) 13
Logout / Save image & Exit (*Option*) 10
LONG-SITE-NAME (*Variable*) 6
Low Level Tools (*Option*) 14

M
Make Document Parameters (*Menu*) 4
Make this the new default? (*Menu*) 6
Markers In FileBoxes (*Parameter*) 7
 Memory
 requirement 1
Menu Font (*Option*) 16
Menu Font (*Parameter*) 4
Menu Lingers After Notefile Close (*Parameter*) 6
 MenuBox Icon 1
Mode (*Menu*) 3
 Mouse
 screen sensitivity to 2
 using 1,2
Move (*Menu*) 11
Move (*Option*) 7,11
Move Node (*Option*) 5

Move Node & SubTree (Option) 6

Move Region (Option) 6

Move Single Node (Option) 6

Multiple Roots (Option) 8

Multiple users 2

N

Naming conventions

 NoteCards devices 2

NC FileBrowser (Option) 8

New cards 5

New Cards (Option) 13

New Info (Option) 16

New Notefile Initial Size (Parameter) 6

New Pattern (Option) 15

New Process Limit (Option) 13

New Wait Time (Option) 13

NewCards (Option) 5

NF Indicators On (Menu) 12

NF Indicators On (Option) 11

NO.HANDS (Option) 7

NO.NUMBERS (Option) 7

NO.RINGS (Option) 7

NO.TIMES (Option) 7

NONE (Option) 4,5

Notation conventions 2

NotBold (Option) 4

NoteCard types

 creating 3

NoteCards 1

 documentation kit 1,2,3,6,7,9,10,18

NoteCards (Option) 10

NoteCards Parameters (Menu) 1

Notefile

 opening 1,3,6,8,9,12

 Close 9

notefile 2

Notefile index

 rebuild using only notefile links 4

Notefile Inspector 1

Notefile Ops (Menu) 1

Notefile parameters 5

Notefiles 2

 damaged 2,4,5

Number (Menu) 15

Number Pad (Menu) 11

NumberedBold (Option) 4

NUMBERS (Option) 7

O

OK (Option) 16

Open (Option) 2

Open Read-only (Option) 2

Open Read/Write (Option) 2

Operating system

 requirements 2

Operations on Bitmaps (Menu) 10

Orphans FileBox 5

Other Ops (Menu) 1

P

Page sized sketch (Option) 9

Paint (Option) 3,14

Paint Command (Menu) 3

Passwords

 authenticating 13

Pathname

 default 12

Pathnames 10

Period

 single 8

 double 8

Please select a font: (Menu) 15

Please select a font: (Menu) 4

POINTS (Option) 7

Portrait

 printer setting 7

PostScript

 printing 10

PostScript Font Association (Menu) 8

Postscript Parameters (Option) 14

PostScript Printer

 customizing 7

PostScript Short Edge Points 9

POSTSCRIPTFONTDIRECTORIES (Variable) 4

Print

 text files 10

Printer

 setting up 1

 adding 1,2,3,6

Processor hardware

 requirements 1

Prompt Window Font (Option) 15

PUP protocol

 enabling 3

Put Cards Here (Option) 12

Q

Quiet Alarm/Loud Alarm (Option) 4

Quit - Saving Changes (Option) 8

Quit w/o Saving Changes (Option) 8

R

Recompute (Menu) 15

Recompute (Option) 15

Recompute Browser (Option) 7

RecomputeBrowser (Option) 9

ReconnectNodes (Option) 9

Redisplay (Option) 5

Reflect Diagonally (Option) 11

Reflect Left-to-right (Option) 11

Reflect Top-to-bottom (Option) 11

RelayoutGraph (Option) 9

Release contents 2

Relinking 3

Remove Default Printer (Option) 3

Remove Font Directory (Option) 5

Remove from which directory group? (Menu) 5

Remove Node (Option) 6

Remove which directory? (Menu) 5

Rename (Option) 4,10

Requirements

 hardware 1,2

Reset (Option) 15

RESET how much? (Menu) 15

RINGS (Option) 7

rmdir (UNIX Command) 12

Rotate Left (Option) 11

Rotate Right (Option) 11

S

Same Pattern (Option) 15

Save image & Exit (Option) 14

Save VM (Option) 14

Save w/o Closing (Option) 11
 Saving State 2
 Scroll
 up 5
 Scroll bars 5
Scrollable & Pretty (Option) 11
Search Card (Menu) 1
 Search Cards 1
See (Menu) 12
See (Option) 11
Set Alarm (Option) 3
Set Aux Clock Font In Just This Window (Option) 5
Set Default Display Font (Option) 14
Set Default Printer (Option) 2,14
Set Depth (Menu) 17
Set Depth (Option) 16,17
Set Font (Option) 2
Set Font for Aux Clocks (Option) 5
Set Local Time Zone (Option) 4
Set Regional Time Zone (Option) 5
Set Shape (Option) 4
Set Size (Option) 5
Set Time (Option) 3
Set Time-Zone Heading (Option) 5
Set Timeout (Option) 11
SET.TO.DEFAULT (Option) 8
SetMode (Option) 3
SetShade (Option) 4
SETTIME (Option) 8
Shape (Menu) 4
Shape (Option) 7
Shape to Fit (Option) 4,16
SHORT-SITE-NAME (Variable) 6
Show Font Directories (Option) 4
Show Info (Option) 8
Show Links (Option) 3,8
Show Links (Option) 7
Show Notefile On Cards (Parameter) 5
Show Profile (Option) 11
Show which directory group? (Menu) 5
SHOW.STYLE (Option) 7
ShowAsTile (Option) 15
Shrink (Option) 5,7
 Shrink Icon 5
 expanding 5
 Shrinking cards 12
Sides/Centers (Option) 9
Single-Item Snap (Menu) 10
 Site Initialization File 1
 locating 1,2
 Site variables 2
 LISPUSERSDIRECTORIES 2,3,4,5,6
SIZE (File Attribute) 13
Size (Menu) 5
 Sketch
 printing 10
Sketch (Option) 9
 Sketch card parameters 8
 Sketch cards 3,6,7
 system parameters affecting 4
Sketch, from a file (Option) 10
 Sketch-based cards 7,10,12
 deleting links from contents 14
Sketch-Card (Menu) 3
 Slash 8
Smaller Label (Option) 7
Snap (Option) 2,10

Sort (Option) 18
Special Browser Specs (Option) 7
Special Cards (Option) 4
 Special characters 8
 Specializing NoteCards 3
 Starting NoteCards 6
STOP (Option) 9
 Structure
 flat system 2
 Structure
 non-standard 1
 Structures
 standard 1
 SunOS
 directory notations 8
Suspend & Exit (Option) 10,14
 Swap space
 requirement 1
Switch Black & White (Option) 12
 Sysout 2
 location of 2,6
 System cards 6
 System parameters
 accessing 1,3,4,5,6,7
 System Status 1

T

Table of Contents FileBox 5
 TEdit 12
 printing 10
TEdit (Option) 9
TEdit Killer Off (Option) 13
TEdit Killer On (Menu) 12
TEdit Killer On (Option) 12
 Text cards 1,6
 Text-based cards 9,12
 deleting links from contents 13
Text-Card (Menu) 1
 Texture bitmap editor 12
 tilde 8
TIMES (Option) 7
Title/FileBoxes (Option) 10
TitlesFromNoteCards (Option) 4
To a file (Option) 11
To a printer (Option) 11
 To Be Filed FileBox 5
Toggle Border (Option) 7
Toggle Shade (Option) 7
Trim (Option) 11
Truncate File (Option) 2
TYPE (File Attribute) 13

U

UUIDs 1
UnconnectNodes (Option) 9
Undelete (Menu) 8
Undelete ALL Files (Option) 9
Undo (Option) 10
Unfile from FileBoxes (Option) 10
 {UNIX}
 naming conventions 8
Unlocked (Option) 13
UnnumberedBold (Option) 4
 URAID 4
 entering 4
Use Deleted Link Icon Indicators (Parameter) 10
 User cards 6

USERGREETFILES *(Variable)* 4

V

Version numbering 9

Virtual Memory
errors 4

W

Which printer? *(Menu)* 6

Wild card characters
* 1

Window Menu *(Menu)* 1

Windows and the Window Title Bar 3

WRITE DATE *(File Attribute)* 13

X

XNS Ethernet protocol
enabling 3

Y

Yes *(Option)* 4

\

BeginDST *(Variable)* 6

EndDST *(Variable)* 6

~

~ 8

Font DirectorY
viewing 4,5

Keyboard
Sun 3 4

Links
deleting 13

See Window Control *(Menu)* 12

System parameters
sketch card 8

*

LONG-SITE-NAME *(Variable)* 6

SHORT-SITE-NAME *(Variable)* 6

.

. 8

.. 8

1

12-Hour Clock/24-Hour Clock *(Option)* 4

4

4x4 Shade Tool 4

<

<-> **Sides** *(Option)* 9

<.> **Border** *(Option)* 7

<.> **Directed** *(Option)* 8

<.> **Shade** *(Option)* 7