

File created: 5-Nov-2020 20:01:20 {DSK}<users>arunwelch>skydrive>documents>unix>lisp>lde>notecards>system>NCMAPS.;4

previous date: 10-Jan-94 21:21:06 {DSK}<users>arunwelch>skydrive>documents>unix>lisp>lde>notecards>system>NCMAPS.;3

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

;;
;; Copyright (c) 1986, 1987, 1988, 1989, 1993, 1994, 2020 by Xerox Corporation. All rights reserved.

(RPAQQ **NCMAPSCOMS**

([DECLARE%: DONTEVAL@LOAD (P (NC.LoadFileFromDirectories 'NCSKETCHCARD]

;;; NOTECARDSMAPDIRECTORIES stuff

(GLOBALVARS NOTECARDSMAPDIRECTORIES UseMapWithPoliticalBoundaries MAPFILESDIRECTORIES)
(FNS NC.SetupNOTECARDSMAPDIRECTORIES)
(INITVARS (NOTECARDSMAPDIRECTORIES (NC.SetupNOTECARDSMAPDIRECTORIES))
(MAPFILESDIRECTORIES NOTECARDSMAPDIRECTORIES))

;;; Smash any dummy MAP def'n on SKETCH.ELEMENT.TYPE.NAMES before loading NEWMAP

(DECLARE%: DONTEVAL@LOAD (P (DREMOVE 'MAP SKETCH.ELEMENT.TYPE.NAMES)
(NC.LoadFileFromDirectories 'NEWMAP 'NOTECARDSMAPDIRECTORIES)
(NCP.ChangeCardTypeFields 'Sketch NIL
'(MiddleButtonMenuItems ,(SKETCH.COMMANDMENU.ITEMS T T))
(PROP (FILETYPE MAKEFILE-ENVIRONMENT)
NCMAPS)))

(DECLARE%: DONTEVAL@LOAD

(NC.LoadFileFromDirectories 'NCSKETCHCARD)
)

;;; NOTECARDSMAPDIRECTORIES stuff

(DECLARE%: DOEVAL@COMPILE DONTCOPY

(GLOBALVARS NOTECARDSMAPDIRECTORIES UseMapWithPoliticalBoundaries MAPFILESDIRECTORIES)
)

(DEFINEQ

(NC.SetupNOTECARDSMAPDIRECTORIES

[LAMBDA (BaseDirectory)

; Edited 4-Dec-87 13:51 by rht:

(* Set up the NoteCards directories maps globalvars)

(LET (ThisDirectory StrPtr NoteCardsBaseDirectory)

(* Get the directory for the file now being loaded)

[COND
((SETQ NoteCardsBaseDirectory BaseDirectory))
(T (SETQ ThisDirectory (PACK* '{ (FILENAMEFIELD (FULLNAME (INPUT))
'HOST)
'}
'<
(FILENAMEFIELD (FULLNAME (INPUT))
'DIRECTORY)
'>))

(* Find the directory path up to the first subdirectory called NoteCards)

(COND
((SETQ StrPtr (STRPOS "NOTECARDS>" (U-CASE ThisDirectory)
NIL NIL NIL T))
(SETQ NoteCardsBaseDirectory (SUBATOM ThisDirectory 1 (SUB1 StrPtr]

(* Create the directory search list based on the NoteCardsBaseDirectory)

(COND
(NoteCardsBaseDirectory (LIST (PACK* NoteCardsBaseDirectory *NC.ReleaseIdentifier* ">MAPS>")
(PACK* NoteCardsBaseDirectory "MAPS>")
NoteCardsBaseDirectory))
(T (LIST ThisDirectory])
)

{MEDLEY}<notecards>library>NCMAPS.;1

Page 2

(RPAQ? **NOTECARDSMAPDIRECTORIES** (NC.SetUpNOTECARDSMAPDIRECTORIES))

(RPAQ? **MAPFILESDIRECTORIES** NOTECARDSMAPDIRECTORIES)

;;; Smash any dummy MAP def'n on SKETCH.ELEMENT.TYPE.NAMES before loading NEWMAP

(DECLARE%: DONTEVAL@LOAD

(DREMOVE 'MAP SKETCH.ELEMENT.TYPE.NAMES)

(NC.LoadFileFromDirectories 'NEWMAP 'NOTECARDSMAPDIRECTORIES)

[NCP.ChangeCardTypeFields 'Sketch NIL `(MiddleButtonMenuItems ,(SKETCH.COMMANDMENU.ITEMS T T]
)

(PUTPROPS **NCMAPS FILETYPE** :FAKE-COMPILE-FILE)

(PUTPROPS **NCMAPS MAKEFILE-ENVIRONMENT** (:PACKAGE "IL" :READTABLE "INTERLISP" :BASE 10))

(PUTPROPS **NCMAPS COPYRIGHT** ("Xerox Corporation" 1986 1987 1988 1989 1993 1994 2020))

FUNCTION INDEX

NC.SetUpNOTECARDSMAPDIRECTORIES1

VARIABLE INDEX

MAPFILESDIRECTORIES2 NOTECARDSMAPDIRECTORIES2

PROPERTY INDEX

NCMAPS2
