

File created: 26-Jan-89 11:18:56 {QV}<PEDERSEN>LISP>BIGGER-FONT.;5

changes to: (VARS BIGGER-FONTCOMS)

previous date: 25-Jan-89 12:04:51 {QV}<PEDERSEN>LISP>BIGGER-FONT.;4

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

::  
:: Copyright (c) 1989 by Xerox Corporation. All rights reserved.

(RPAQQ **BIGGER-FONTCOMS**

```
[(ALISTS (FONTDEFS BIGGER))
 (DECLARE%: DONTEVAL@LOAD DOCOPY [APPENDVARS (FONTVARS (ARBUTTONFONT BIGFONT)
 (ARBOLDFONT BOLDFONT)
 (ARFONT TEXTFONT)
 (*WHO-LINE-NAME-FONT* BOLDFONT T)
 (*WHO-LINE-VALUE-FONT* DEFAULTFONT T)
 (FB.ICONFONT LITTLEFONT)
 (FB.BROWSERFONT DEFAULTFONT)
 (FB.PROMPTFONT DEFAULTFONT)
 (FB.MENUFONT MENUFONT)
 (LAFITEEDITORFONT TEXTFONT)
 (LAFITEENDOFMESSAGEFONT COMMENTFONT)
 (LAFITEMSGICONFONT LITTLEFONT)
 (LAFITEBROWSERFONT DEFAULTFONT)
 (LAFITEFIXEDWIDTHFONT NIL)
 (LAFITETITLEFONT BIGFONT)
 (LAFITEMENUFONT MENUFONT)
 (LAFITE.FOLDER.MENU.FONT MENUFONT)
 (LAFITEDISPLAYFONT TEXTFONT T)
 ((NLSETQ (SEDI:RESET)))
 ((NLSETQ (FILEWATCHPROP 'FONT TINYFONT)

 (P (IF (>= SCREENWIDTH 1400)
 THEN
 (FONTSET 'BIGGER T])
```

(ADDTOVAR **FONTDEFS**

```
[BIGGER (FONTPROFILE (DEFAULTFONT 1 (TERMINAL 12)
 (GACHA 8)
 (TERMINAL 8))
 (ITALICFONT 1 (HELVETICA 12 MIR)
 (GACHA 8 MIR)
 (MODERN 8 MIR))
 (BOLDFONT 2 (HELVETICA 12 BRR)
 (HELVETICA 8 BRR)
 (MODERN 8 BRR))
 (LITTLEFONT 3 (HELVETICA 10)
 (HELVETICA 6 MIR)
 (MODERN 8 MIR))
 (TINYFONT 6 (GACHA 10)
 (GACHA 6)
 (TERMINAL 6))
 (BIGFONT 4 (HELVETICA 14 BRR)
 NIL
 (MODERN 10 BRR))
 (MENUFONT 5 (HELVETICA 12))
 (COMMENTFONT 6 (HELVETICA 12)
 (HELVETICA 8)
 (MODERN 8))
 (TEXTFONT 7 (TIMESROMAN 12)
 NIL
 (CLASSIC 10))
```

(DECLARE%: DONTEVAL@LOAD DOCOPY

```
[APPENDTOVAR FONTVARS (ARBUTTONFONT BIGFONT)
 (ARBOLDFONT BOLDFONT)
 (ARFONT TEXTFONT)
 (*WHO-LINE-NAME-FONT* BOLDFONT T)
 (*WHO-LINE-VALUE-FONT* DEFAULTFONT T)
 (FB.ICONFONT LITTLEFONT)
 (FB.BROWSERFONT DEFAULTFONT)
 (FB.PROMPTFONT DEFAULTFONT)
 (FB.MENUFONT MENUFONT)
 (LAFITEEDITORFONT TEXTFONT)
 (LAFITEENDOFMESSAGEFONT COMMENTFONT)
 (LAFITEMSGICONFONT LITTLEFONT)
 (LAFITEBROWSERFONT DEFAULTFONT)
 (LAFITEFIXEDWIDTHFONT NIL)
 (LAFITETITLEFONT BIGFONT)
 (LAFITEMENUFONT MENUFONT)
```

```
{MEDLEY}<obsolete>lispusers>BIGGER-FONT.;1
```

Page 2

```
(LAFITE.FOLDER.MENU.FONT MENUFONT)  
(LAFITEDISPLAYFONT TEXTFONT T)  
((NLSETQ (SEDT:RESET)))  
( (NLSETQ (FILEWATCHPROP 'FONT TINYFONT]
```

```
(IF (>= SCREENWIDTH 1400)  
  THEN (FONTSET 'BIGGER T))  
)
```

```
(PUTPROPS BIGGER-FONT COPYRIGHT ("Xerox Corporation" 1989))
```

VARIABLE INDEX

FONTDEFS .....1

---