

File created: 26-Feb-2024 11:19:15 {WMEDLEY}<lispusers>TEDITDORADOKEYS.;8

edit by: rmk

changes to: (VARS TEDITDORADOKEYSCOMS)

previous date: 15-Sep-2022 10:10:07 {WMEDLEY}<lispusers>TEDITDORADOKEYS.;4

Read Table: XCL

Package: INTERLISP

Format: XCCS

(RPAQQ **TEDITDORADOKEYSCOMS**

```
((DECLARE\ : EVAL@COMPILE DONTCOPY (FILES TEDIT-EXPORTS.ALL))
 (COMS ;; Specialized functions for this module
  (FNS \\\TEDIT.DK.ABORT \\\TEDIT.DK.INSERT-PARENS \\\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES
    \\\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES))
 (VARS (\\TEDIT.DORADO.KEYS ' ( ("Meta,x" EXPAND)
  ("Meta,X" EXPAND)
  ("Meta,c" FN \\\TEDIT.CENTER.SEL)
  ("Meta,C" FN \\\TEDIT.CENTER.SEL.REV)
  ("Meta,b" FN \\\TEDIT.BOLD.SEL.ON)
  ("Meta,B" FN \\\TEDIT.BOLD.SEL.OFF)
  ("Meta,i" FN \\\TEDIT.ITALIC.SEL.ON)
  ("Meta,I" FN \\\TEDIT.ITALIC.SEL.OFF)
  ("Meta,=" FN \\\TEDIT.STRIKEOUT.SEL.ON)
  ("Meta,+" FN \\\TEDIT.STRIKEOUT.SEL.OFF)
  ("Meta,-" FN \\\TEDIT.UNDERLINE.SEL.ON)
  ("Meta,_" FN \\\TEDIT.UNDERLINE.SEL.OFF)
  ("Meta,^" FN \\\TEDIT.SUBSCRIPTSEL)
  ("Meta,|" FN \\\TEDIT.SUPERSCRIPSEL)
  ("Meta,SPACE" FN \\\TEDIT.DEFAULTSSEL)
  ("Meta,?" FN \\\TEDIT.SHOWCARETLOOKS)
  ("Meta,(" FN \\\TEDIT.DK.INSERT-PARENS)
  ("Meta,\"" FN \\\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES)
  ("Meta,'" FN \\\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES))))
 (P (FOR ENTRY IN \\\TEDIT.DORADO.KEYS DO (SELECTQ (CADR ENTRY)
  (FN (TEDIT.SETFUNCTION (CAR ENTRY)
    (CADDR ENTRY)))
  (TEDIT.SETSYNTAX (CAR ENTRY)
    (CADR ENTRY))))))
```

(DECLARE\ : EVAL@COMPILE DONTCOPY

(FILESLOAD TEDIT-EXPORTS.ALL)
)

;; Specialized functions for this module

(DEFINEQ

(**TEDIT.DK.ABORT**

```
(LAMBDA (TEXTOBJ)
 (TEDIT.GET TEXTOBJ)))
```

(**TEDIT.DK.INSERT-PARENS**

```
(LAMBDA (TEXTOBJ TEXTSTREAM SEL)
 (LET ((CH1 (|fetch| CH# |of| SEL))
 (CHLIM (|fetch| CHLIM |of| SEL)))
 (TEDIT.INSERT TEXTSTREAM ")" CHLIM)
 (TEDIT.INSERT TEXTSTREAM "(" CH1)
 (TEDIT.SETSEL TEXTSTREAM CH1 (+ 2 (- CHLIM CH1))))))
```

; Edited 28-Oct-87 19:42 by jds

(**TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES**

```
(LAMBDA (TEXTOBJ TEXTSTREAM SEL)
 ;; Insert ASCII double-quotes (") around the selection
 (LET ((CH1 (|fetch| CH# |of| SEL))
 (CHLIM (|fetch| CHLIM |of| SEL)))
 (TEDIT.INSERT TEXTSTREAM "\"" CHLIM)
 (TEDIT.INSERT TEXTSTREAM "\"" CH1)
 (TEDIT.SETSEL TEXTSTREAM CH1 (+ 2 (- CHLIM CH1))))))
```

; Edited 28-Oct-87 19:45 by jds

(**TEDIT.DK.INSERT-REAL-DOUBLEQUOTES**

```
(LAMBDA (TEXTOBJ TEXTSTREAM SEL)
 ;; Insert NS double quotes around the selection.
 (LET ((CH1 (|fetch| CH# |of| SEL))
 (CHLIM (|fetch| CHLIM |of| SEL)))
 (TEDIT.INSERT TEXTSTREAM (CHARCODE 0\,252)
 CHLIM)
```

; Edited 28-Oct-87 19:44 by jds

```

(TEDIT.INSERT TEXTSTREAM (CHARCODE 0\,272)
  CH1)
(TEDIT.SETSEL TEXTSTREAM CH1 (+ 2 (- CHLIM CH1))))))

```

```

)

```

```

(RPAQQ \TEDIT.DORADO.KEYS

```

```

  (( "Meta,x" EXPAND)
    ("Meta,X" EXPAND)
    ("Meta,c" FN \TEDIT.CENTER.SEL)
    ("Meta,C" FN \TEDIT.CENTER.SEL.REV)
    ("Meta,b" FN \TEDIT.BOLD.SEL.ON)
    ("Meta,B" FN \TEDIT.BOLD.SEL.OFF)
    ("Meta,i" FN \TEDIT.ITALIC.SEL.ON)
    ("Meta,I" FN \TEDIT.ITALIC.SEL.OFF)
    ("Meta,=" FN \TEDIT.STRIKEOUT.SEL.ON)
    ("Meta,+" FN \TEDIT.STRIKEOUT.SEL.OFF)
    ("Meta,-" FN \TEDIT.UNDERLINE.SEL.ON)
    ("Meta,_" FN \TEDIT.UNDERLINE.SEL.OFF)
    ("Meta,^" FN \TEDIT.SUBSCRIPTSEL)
    ("Meta,|" FN \TEDIT.SUPERSCRIPSEL)
    ("Meta,SPACE" FN \TEDIT.DEFAULTSSEL)
    ("Meta,?" FN \TEDIT.SHOWCARETLOOKS)
    ("Meta,(" FN \TEDIT.DK.INSERT-PARENS)
    ("Meta,\"" FN \TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES)
    ("Meta,'" FN \TEDIT.DK.INSERT-REAL-DOUBLEQUOTES)))

```

```

(FOR ENTRY IN \TEDIT.DORADO.KEYS DO (SELECTQ (CADR ENTRY)
  (FN (TEDIT.SETFUNCTION (CAR ENTRY)
    (CADDR ENTRY)))
  (TEDIT.SETSYNTAX (CAR ENTRY)
    (CADR ENTRY))))

```

FUNCTION INDEX

\\TEDIT.DK.ABORT	1	\\TEDIT.DK.INSERT-PARENS	1
\\TEDIT.DK.INSERT-NEUTRAL-DOUBLEQUOTES	1	\\TEDIT.DK.INSERT-REAL-DOUBLEQUOTES	1

VARIABLE INDEX

\\TEDIT.DORADO.KEYS2
