

(XREF.IMAGEBOXFN

[LAMBDA (OBJ STREAM)

(* fsg "18-Feb-87 15:35")

(* Returns the size of an XREF imageobject based on the string that will be used to display it which is found using XREF.GET.DISPLAY.TEXT.)

(DSPFONT (CURRENT.DISPLAY.FONT STREAM)
STREAM)

(create IMAGEBOX
XSIZE _ (TEDIT.STRINGWIDTH (XREF.GET.DISPLAY.TEXT OBJ)
STREAM)
YSIZE _ (FONTPROP STREAM 'HEIGHT)
YDESC _ (FONTPROP STREAM 'DESCENT)
XKERN _ 0)

(XREF.PUTFN

[LAMBDA (OBJ STREAM)

(* edited: "28-Jan-87 12:54")

(PRIN1 (LIST 'XREF (fetch OBJECTDATUM of OBJ)
STREAM))

(XREF.GETFN

[LAMBDA (STREAM)

(* edited: "28-Jan-87 13:14")

(XREF (CADR (READ STREAM))

(XREF.BUTTONEVENTINFN

[LAMBDA (OBJ STREAM)

(* edited: "28-Jan-87 14:51")

(* Bogus buttoneventinf to tell you what the tag of this XREF object is.)

(TEDIT.PROMPTPRINT STREAM (CONCAT "Reference to: " (fetch OBJECTDATUM of OBJ)
T))

(XREF.WHENDELETEDFN

[LAMBDA (IMOBJ TARG.WINDOW.STREAM SOURCE.STR TARG.STR)

(* fsg "4-Feb-87 13:26")

(TSP.PUTCODE (IMAGEOBJPROP IMOBJ 'TAG)
NIL TARG.WINDOW.STREAM)
(AND (UPDATE? TARG.WINDOW.STREAM)
(UPDATE.XREFS TARG.WINDOW.STREAM])

)

(DEFINEQ

(XREF.GET.DISPLAY.TEXT

[LAMBDA (OBJ)

(* edited: "22-Jan-87 21:11")

(* This function will first lookup a "TOOBJ", in other words, the imageobject that the XREF object OBJ is referencing. Then, if there is such an object, a suitable XREF display method is found using XREF.GET.DISPLAYFN. If such a function is found, then it is applied to TOOBJ and a string to be displayed is returned.)

(LET ((TOOBJ (XREF.GET.TOOBJ (fetch OBJECTDATUM of OBJ)))
SPECIFIC.DISPLAYFN)
(COND
[TOOBJ (COND
((SETQ SPECIFIC.DISPLAYFN (XREF.GET.DISPLAYFN TOOBJ))
(APPLY* SPECIFIC.DISPLAYFN TOOBJ))
(T (RINGBELLS)
(CONCAT "??? Unknown XREF display method for " (TSPOBJ.GETTYPE TOOBJ)
" ???")
(T (CONCAT "<reference to: " (fetch OBJECTDATUM of OBJ)
>"])

(XREF.GET.TOOBJ

[LAMBDA (TAG)

(* edited: "22-Jan-87 19:41")

(* This function is called in a specific context where a reference must be displayed. It is called by an XREF object and should return the IMAGEOBJECT that the XREF object is referencing.)

(LET [(WINDOW (CAR (fetch \WINDOW of TEXTOBJ))
(GETHASH TAG (WINDOWPROP WINDOW 'TSP.CODE.ARRAY))

(TSPOBJ.GETTYPE

[LAMBDA (OBJ)

(* edited: "22-Jan-87 20:16")

(IMAGEOBJPROP OBJ 'TYPE])

)

(DEFINEQ

(UPDATE.XREFS

[LAMBDA (WINDOW)

(* edited: "22-Jan-87 21:05")

(* Update all the XREF objects in the window.)

```
(LET* ((TEXTOBJ (TEXTOBJ WINDOW))
      (STREAM (TEXTSTREAM WINDOW)))
  (TEDIT.PROMPTPRINT STREAM "Updating XRefs..." T)
  (for REF in (TSP.LIST.OF.OBJECTS TEXTOBJ (FUNCTION XREFP))) do (TEDIT.OBJECT.CHANGED STREAM (CAR REF)))
  (TEDIT.PROMPTPRINT STREAM "done."])
```

(REBUILD.TAG.ARRAY

(* edited: "28-Jan-87 13:24")

```
[LAMBDA (WINDOW)
  (for TAG in [TSP.LIST.OF.OBJECTS (TEXTOBJ WINDOW)
                                (FUNCTION (LAMBDA (OBJ)
                                          (AND (NUMBEROBJP OBJ)
                                                (OR (IMAGEOBJPROP OBJ 'TAG)
                                                    (EQ (fetch USE of (fetch OBJECTDATUM of OBJ))
                                                        'NGROUP))
                                          TAG WINDOW])
  (PROGN (SETQ TAG (CAR TAG))
        (TSP.PUTCODE (OR (IMAGEOBJPROP TAG 'TAG)
                        (fetch LINK.TO of (fetch OBJECTDATUM of TAG)))
                  TAG WINDOW])
```

(INSERT.REF

(* edited: "22-Jan-87 21:01")

```
[LAMBDA (STREAM DISPLAY.PREV)
  (LET* ((WINDOW (\TEDIT.MAINW STREAM))
        (CODE (GET.REF WINDOW STREAM "Reference to: " DISPLAY.PREV))
        (REF (XREF CODE)))
    (AND CODE (TEDIT.INSERT.OBJECT REF STREAM))
    (TEDIT.PROMPTPRINT STREAM "" T])
```

(GET.REF

(* ss: "9-Aug-85 14:49")

```
[LAMBDA (WINDOW STREAM PROMPTSTR DISPLAY.PREV)
  (LET ((PREVREFS (TSP.LIST.REFS WINDOW)))
    (COND
      ((AND PREVREFS DISPLAY.PREV)
       (LET ((NMENU (create MENU
                           TITLE _ "Known Ref Codes"
                           ITEMS _ PREVREFS)))
         (MENU NMENU)))
      (T (MKATOM (TEDIT.GETINPUT STREAM "Reference to: "]))
```

(TSP.LIST.REFS

(* fsg "15-Jan-87 14:08")

```
[LAMBDA (WINDOW)
  (** Don't collect the Index or IndexEntry references here. Use the INDEX.LIST.REFS function.)

  (LET ((REFLIST NIL))
    [MAPHASH (WINDOWPROP WINDOW 'TSP.CODE.ARRAY)
      (FUNCTION (LAMBDA (VAL KY)
                (SETQ REFLIST (CONS KY REFLIST))
                REFLIST])
```

(XREF.TAG.OBJECT

(* fsg "4-Feb-87 16:35")

```
[LAMBDA (OBJ STREAM TAG)
  (* TAG an arbitrary imageobject for later cross-referencing. given an imageobject OBJ, a textstream STREAM, and a tag TAG. If TAG is nil then the user will be asked for a tag via TSP.GET.INCODE.)

  (OR TAG (SETQ TAG (TSP.GET.INCODE WINDOW)))
  (IMAGEOBJPROP OBJ 'TAG TAG)
  (TSP.PUTCODE TAG OBJ WINDOW])
```

(TSP.GET.INCODE

(* ss: "24-Apr-86 15:46")

```
[LAMBDA (STREAM)
  (LET [(CODE (MKATOM (TEDIT.GETINPUT STREAM "Codeword to use as a tag:"))]
    (COND
      (CODE (COND
              ((TSP.GETCODEVAL CODE (\TEDIT.MAINW STREAM))
               (TEDIT.PROMPTPRINT STREAM "[Codeword already in use: Please try again]"))
              (TSP.GET.INCODE STREAM))
            (T (TEDIT.PROMPTPRINT STREAM "" T)
              CODE)))
      (T (TEDIT.PROMPTPRINT STREAM "" T])
```

(TSP.GETCODEVAL

(* fsg "4-Feb-87 14:32")

```
[LAMBDA (CODE WINDOW)
  (LET ((TSP.CODE.ARRAY (WINDOWPROP WINDOW 'TSP.CODE.ARRAY)))
    (GETHASH CODE TSP.CODE.ARRAY])
```

(TSP.PUTCODE

(* fsg "4-Feb-87 14:34")

```
[LAMBDA (CODE VALUE WINDOW)
```

{MEDLEY}<obsolete>lispusers>XREF.;1 (TSP.PUTCODE cont.)

Page 4

(PUTHASH CODE VALUE (LIST (WINDOWPROP WINDOW 'TSP.CODE.ARRAY])

)

(* * Functions for adding and retrieving the method for a given imageobject.)

(DEFINEQ

(XREF.ADD.DISPLAYFN

[LAMBDA (OBJTYPE NAME.OF.FUNCTION)

(* edited: "22-Jan-87 21:08")

(* Adds an XREF display method for an imageobject of the given type.
This means that the function NAME.OF.FUNCTION will be used to display text when an XREF object references an
imageobject of type OBJTYPE.)

(PUTHASH OBJTYPE NAME.OF.FUNCTION XREF.DISPLAY.METHODS])

(XREF.GET.DISPLAYFN

[LAMBDA (OBJ)

(* edited: "22-Jan-87 21:11")

(* Returns the XREF display method for an imageobject OBJ.)

(GETHASH (fetch USE of (fetch OBJECTDATUM of OBJ)
XREF.DISPLAY.METHODS])

)

(* * Examples of some XREF display methods.)

(DEFINEQ

(NGROUP.XREF.DISPLAYFN

[LAMBDA (NGROUP)

(* edited: "29-Jan-87 16:07")

(* A sample XREF display method for NGROUP objects.)

(MKSTRING (fetch NUMSTRING of (fetch OBJECTDATUM of NGROUP])

(NOTE.XREF.DISPLAYFN

[LAMBDA (OBJ)

(* edited: "29-Jan-87 16:07")

(* A sample XREF display method for NOTE objects.)

(MKSTRING (fetch NUMSTRING of (fetch OBJECTDATUM of OBJ])

)

(READVARS XREF.DISPLAY.METHODS)

{{H (20 ERROR)

2 NGROUP.XREF.DISPLAYFN NGROUP NOTE.XREF.DISPLAYFN NOTE }}

(PUTPROPS XREF COPYRIGHT ("Leland Stanford Junior University" 1987))

FUNCTION INDEX

GET.REF	3	TSP.GETCODEVAL	3	XREF.ADD.DISPLAYFN	4	XREF.GETFN	2
INSERT.REF	3	TSP.LIST.REFS	3	XREF.BUTTONEVENTINFN	2	XREF.IMAGEBOXFN	2
NGROUP.XREF.DISPLAYFN	4	TSP.PUTCODE	3	XREF.DISPLAYFN	1	XREF.PUTFN	2
NOTE.XREF.DISPLAYFN	4	TSPOBJ.GETTYPE	2	XREF.GET.DISPLAY.TEXT	2	XREF.TAG.OBJECT	3
REBUILD.TAG.ARRAY	3	UPDATE.XREFS	2	XREF.GET.DISPLAYFN	4	XREF.WHENDELETEDFN	2
TSP.GET.INCODE	3	XREF	1	XREF.GET.TOOBJ	2	XREFP	1
