

File created: 5-Dec-2020 16:37:26 {DSK}<Users>arunwelch>SKYDRIVE>DOCUMENTS>UNIX>LISP>LDE>ROOM
S>MEDLEY-35>UN-HIDE-TTY.;2

previous date: 17-Aug-90 14:47:42 {DSK}<Users>arunwelch>SKYDRIVE>DOCUMENTS>UNIX>LISP>LDE>ROOMS>MEDLEY-35>UN-HIDE
-TTY.;1

Read Table: XCL

Package: ROOMS

Format: XCCS

; Copyright (c) 1988, 1990, 2020 by Venue & Xerox Corporation. All rights reserved.

```
(IL:RPAQQ IL:UN-HIDE-TTYCOMS ((FILE-ENVIRONMENTS IL:UN-HIDE-TTY)
                                ;; make Control-Y be an interrupt which yanks the window with the TTY process into the current room.
                                (IL:P (EXPORT 'UN-HIDE-TTY "ROOMS"))
                                (IL:FUNCTIONS UN-HIDE-TTY)
                                (IL:P (IL:INTERRUPTCHAR (CHAR-CODE #\^Y)
                                    '(UN-HIDE-TTY))))))
```

```
(DEFINE-FILE-ENVIRONMENT IL:UN-HIDE-TTY :COMPILER :COMPILE-FILE
:PACKAGE "ROOMS"
:READTABLE "XCL")
```

;; make Control-Y be an interrupt which yanks the window with the TTY process into the current room.

```
(EXPORT 'UN-HIDE-TTY "ROOMS")
```

```
(DEFUN UN-HIDE-TTY ()
  (LET ((TTY-WINDOW (IL:WFORMDS (IL:PROCESS.TTY (IL:TTY.PROCESS))
                                T)))
    (IF TTY-WINDOW
      (IF (WINDOW-HIDDEN? TTY-WINDOW)
          (UN-HIDE-WINDOW TTY-WINDOW)
          (IL:FLASHWINDOW TTY-WINDOW))
      (FORMAT IL:PROMPTWINDOW "~%No TTY window to un-hide!~%"))))
```

```
(IL:INTERRUPTCHAR (CHAR-CODE #\^Y)
  '(UN-HIDE-TTY))
```

```
(IL:PUTPROPS IL:UN-HIDE-TTY IL:COPYRIGHT ("Venue & Xerox Corporation" 1988 1990 2020))
```

FUNCTION INDEX

UN-HIDE-TTY1

FILE-ENVIRONMENT INDEX

IL:UN-HIDE-TTY1
