

File created: 1-Feb-89 14:44:47 {EG:PARC:XEROX}<RAO>LISP>MEDLEY>HYPERDESK-LOG.;3

changes to: (IL:VARS IL:HYPERDESK-LOGCOMS)
(IL:FUNCTIONS IL:MAKE-HYPERDESK-BUG-REPORT IL:LOG-HYPERDESK-USER)

previous date: 1-Feb-89 14:41:24 {EG:PARC:XEROX}<RAO>LISP>MEDLEY>HYPERDESK-LOG.;2

Read Table: XCL

Package: XCL-USER

Format: XCCS

; Copyright (c) 1989 by Xerox Corporation. All rights reserved.

```
(IL:RPAQQ IL:HYPERDESK-LOGCOMS
  ((IL:INITVARS (*HYPERDESK-SYSOUT-P*
    (*SUPERDESK-SYSOUT-P*)
    (*HYPERDESK-INIT-P*)
    (IL:\\CC-HYPERDESK-MSG T)
    (*HYPERDESK-MAINTAINERS* "Burwell.pa, Rao.pa"))
  (IL:FUNCTIONS IL:LOG-HYPERDESK-USER IL:MAKE-HYPERDESK-BUG-REPORT)
  (IL:P (PUSHNEW '("HyperDesk Report" 'IL:MAKE-HYPERDESK-BUG-REPORT "Report a bug in HyperDesk")
    IL:LAFITESPECIALFORMS :TEST 'EQUAL :KEY 'CAR)
  (SETQ IL:LAFITEFORMSMENU NIL))
  (IL:DECLARE\ IL:DONTCOPY (IL:PROPS (IL:HYPERDESK-LOG IL:MAKEFILE-ENVIRONMENT)
    (IL:HYPERDESK-LOG IL:FILETYPE))))))

(IL:RPAQ? *HYPERDESK-SYSOUT-P* )
(IL:RPAQ? *SUPERDESK-SYSOUT-P* )
(IL:RPAQ? *HYPERDESK-INIT-P* )
(IL:RPAQ? IL:\\CC-HYPERDESK-MSG T )
(IL:RPAQ? *HYPERDESK-MAINTAINERS* "Burwell.pa, Rao.pa")

(DEFUN IL:LOG-HYPERDESK-USER ()
  "If another person uses Generic-Init, let me know."
  (UNLESS *HYPERDESK-INIT-LOGGED*
    (IGNORE-ERRORS (LET ((USER (IL:IF IL:\\CC-HYPERDESK-MSG
      IL:THEN (IL:USERNAME)
      IL:ELSE ""))
      (MAINTAINER *HYPERDESK-MAINTAINERS*))
      (UNLESS (STRING-EQUAL (IL:USERNAME)
        MAINTAINER)
        (IL:LAFITE.SENDMESSAGE (FORMAT NIL "Subject: ~A~%To: ~A~%Cc: ~A~@{~%~%~A~}"
          (FORMAT NIL "Using Sysout: ~a, Hyper Init File:
            ~a" (IF *HYPERDESK-SYSOUT-P*
              "Hyper"
              (IF *SUPERDESK-SYSOUT-P*
                "Super"
                "Guess"))
            *HYPERDESK-INIT-P*))
          MAINTAINER USER "If you hate seeing this message,
            set IL:\\CC-HYPERDESK-MSG to NIL in your Init file
            or ask rr to." "Call x4716 or xBEC for instant
            help" "Thanks for making the HyperDesk available."))
        )))
    (SETQ *HYPERDESK-INIT-LOGGED* T))))))

(DEFUN IL:MAKE-HYPERDESK-BUG-REPORT ()
  (IL:MAKEXXSUPPORTFORM "HyperDesk" *HYPERDESK-MAINTAINERS* IL:HERALDSTRING))

(PUSHNEW '("HyperDesk Report" 'IL:MAKE-HYPERDESK-BUG-REPORT "Report a bug in HyperDesk")
  IL:LAFITESPECIALFORMS :TEST 'EQUAL :KEY 'CAR)

(SETQ IL:LAFITEFORMSMENU NIL)

(IL:DECLARE\ IL:DONTCOPY

(IL:PUTPROPS IL:HYPERDESK-LOG IL:MAKEFILE-ENVIRONMENT (:PACKAGE "XCL-USER" :READTABLE "XCL" :BASE 10))

(IL:PUTPROPS IL:HYPERDESK-LOG IL:FILETYPE :COMPILE-FILE)
)

(IL:PUTPROPS IL:HYPERDESK-LOG IL:COPYRIGHT ("Xerox Corporation" 1989))
```

FUNCTION INDEX

IL:LOG-HYPERDESK-USER1 IL:MAKE-HYPERDESK-BUG-REPORT1

VARIABLE INDEX

HYPERDESK-INIT-P1 *HYPERDESK-SYSOUT-P*1 IL:\\CC-HYPERDESK-MSG1
HYPERDESK-MAINTAINERS1 *SUPERDESK-SYSOUT-P*1

PROPERTY INDEX

IL:HYPERDESK-LOG1
