

*File created:* 16-May-90 13:06:35 {DSK}<usr>local>lde>lispcore>sources>CMLDOC.;2  
*changes to:* (VARS CMLDOCCOMS)  
*previous date:* 19-Mar-87 12:29:50 {DSK}<usr>local>lde>lispcore>sources>CMLDOC.;1  
*Read Table:* INTERLISP  
*Package:* INTERLISP  
*Format:* XCCS

::  
;; Copyright (c) 1986, 1987, 1990 by Venue & Xerox Corporation. All rights reserved.

(RPAQQ CMLDOCCOMS (  
;; Documentation strings  
(VARIABLES \*DOCUMENTATION-HASH-TABLE\*)  
(FUNCTIONS CL:DOCUMENTATION HASH-TABLE-FOR-DOC-TYPE SET-DOCUMENTATION)  
(SETFS CL:DOCUMENTATION)  
;; Use the proper compiler  
(PROP FILETYPE CMLDOC)))

;; Documentation strings

#### **DEFGLOBALVAR \*DOCUMENTATION-HASH-TABLE\***

;; This is the repository for all documentation strings in the system. It is a two-level hash-table scheme, just like \*definition-hash-table\*. At the first level, \*DOCUMENTATION-HASH-TABLE\* maps the symbols that name documentation-types into a separate hash table for each type. Those tables map names into the documentation strings for those names. The first-level table uses an EQ test while the second-level ones use CL:EQUAL.

;; The hash-table is initialized to have second-level tables for each of the required documentation types.

```
(LET ((CL::HT (CL:MAKE-HASH-TABLE :TEST 'EQ :SIZE 10 :REHASH-SIZE 5)))  
  [FOR TYPE-LIST IN '((TYPES TYPE)  
                      (SETFS CL:SETF)  
                      (STRUCTURES CL:STRUCTURE RECORD RECORDS)  
                      (FUNCTIONS CL:FUNCTION FN FNS)  
                      (VARIABLES CL:VARIABLE VAR VARS))  
   DO (LET ((TABLE (CL:MAKE-HASH-TABLE :TEST 'CL:EQUAL :SIZE 50 :REHASH-SIZE 50)))  
        [FOR TYPE IN TYPE-LIST DO (CL:SETF (CL:GETHASH TYPE CL::HT)  
                                         TABLE]  
        CL::HT))
```

(CL:DEFUN CL:DOCUMENTATION (NAME DOC-TYPE)  
 (GETHASH NAME (HASH-TABLE-FOR-DOC-TYPE DOC-TYPE)))

(CL:DEFUN HASH-TABLE-FOR-DOC-TYPE (DOC-TYPE)  
 (OR (GETHASH DOC-TYPE \*DOCUMENTATION-HASH-TABLE\*)  
 (AND FILEPKGFLG (GETHASH (SETQ DOC-TYPE (GETFILEPKGTYPE DOC-TYPE 'TYPE))  
 ; note that GETFILEPKGTYPE will signal an error if it doesn't recognize the type.  
 \*DOCUMENTATION-HASH-TABLE\*))  
 (CL:SETF (GETHASH DOC-TYPE \*DOCUMENTATION-HASH-TABLE\*)  
 (CL:MAKE-HASH-TABLE :TEST 'CL:EQUAL :SIZE 50 :REHASH-SIZE 50))))

(CL:DEFUN SET-DOCUMENTATION (NAME DOC-TYPE NEW-STRING)  
 (CL:IF LISPXHIST  
 (UNDOABLY-SETF (GETHASH NAME (HASH-TABLE-FOR-DOC-TYPE DOC-TYPE))  
 NEW-STRING))  
 (CL:SETF (GETHASH NAME (HASH-TABLE-FOR-DOC-TYPE DOC-TYPE))  
 NEW-STRING))

(CL:DEFSETF CL:DOCUMENTATION SET-DOCUMENTATION)

;; Use the proper compiler

```
(PUTPROPS CMLDOC FILETYPE CL:COMPILE-FILE)  
(PUTPROPS CMLDOC COPYRIGHT ("Venue & Xerox Corporation" 1986 1987 1990))
```

#### FUNCTION INDEX

CL:DOCUMENTATION .....1 HASH-TABLE-FOR-DOC-TYPE .....1 SET-DOCUMENTATION .....1

---

#### PROPERTY INDEX

CMLDOC .....1

---

#### SETF INDEX

CL:DOCUMENTATION .....1

---

#### VARIABLE INDEX

\*DOCUMENTATION-HASH-TABLE\* .....1

---