

File created: 17-Jun-2023 19:46:35 {WMEDLEY}<sources>SEDIT-LIST-FORMATS.;2

edit by: rmk

changes to: (IL:SEDIT-FORMATS IL:SELECTC)
(IL:VARS IL:SEDIT-LIST-FORMATSCOMS)

previous date: 17-May-90 11:08:07 {WMEDLEY}<sources>SEDIT-LIST-FORMATS.;1

Read Table: XCL

Package: SEDIT

Format: XCCS

; Copyright (c) 1987-1988, 1990 by Venue & Xerox Corporation.

```
(IL:RPAQQ IL:SEDIT-LIST-FORMATSCOMS
  ((IL:PROP (IL:FILETYPE IL:MAKEFILE-ENVIRONMENT)
    IL:SEDIT-LIST-FORMATS)
  (IL:DECLARE\ : IL:DONTCOPY IL:DOEVAL@COMPILE (IL:FILES IL:SEDIT-INDENT))
  (IL:SEDIT-FORMATS RETURN-FROM THROW BLOCK
    ;; some handy formats under names we don't expect to find as CAR of form
    :DEFAULT :DATA :BINDING :BINDING-LIST :LAMBDA-LIST :FBINDING :FBINDING-LIST :COND-CLAUSE
    :CASE-CLAUSE :HORIZONTAL :HORIZONTAL-NOBREAK :VERTICAL :VERTICAL-NOBREAK :KEYWORD-ARGS
    :KEYWORD-ARGS-NOBREAK :SQUASHED :DEDIT)
  (IL:SEDIT-FORMATS
    ;; special forms & macros
    AND CASE CATCH CCASE CERROR COMPILER-LET COND CTYPECASE DECLARE DEFCOMMAND DEFCONSTANT
    DEFDEFINER DEFUN DEFINE-SPECIAL-FORM DEFINLINE DEFGLOBALVAR DEFGLOBALPARAMETER DEF-LIST-FORMAT
    DEFMACRO DEFOPTIMIZER DEFPACKAGE DEFPARAMETER DEFSETF DEFSTRUCT DEFTYPE DEFVAR
    DESTRUCTURING-BIND DO DO* DOLIST DOTIMES DO-ALL-SYMBOLS DO-EXTERNAL-SYMBOLS
    DO-INTERNAL-SYMBOLS DO-LOCAL-SYMBOLS DO-SYMBOLS ECASE ERROR ETYPECASE EVAL-WHEN FLET FORMAT IF
    IGNORE-ERRORS LABELS LAMBDA IL:LAMBDA LET LET* LOCALLY LIST LIST* MACROLET MULTIPLE-VALUE-BIND
    MULTIPLE-VALUE-SETQ IL:NLAMBDA IL:OPENLAMBDA OR IL:P PROCEED-CASE PROG PROG* PROGN PROG*
    RESTART-CASE IL:SELCHARQ IL:SELECTQ IL:SELECTC IL:SELECTC TAGBODY THE TYPECASE UNDOABLY UNLESS
    UNWIND-PROTECT WHEN WITH-INPUT-FROM-STRING WITH-OUTPUT-TO-STRING WITH-OPEN-FILE
    WITH-OPEN-STREAM IL:WITH.MONITOR IL:WITH.FAST.MONITOR IL:WITH.SPY)))

(IL:PUTPROPS IL:SEDIT-LIST-FORMATS IL:FILETYPE :COMPILE-FILE)

(IL:PUTPROPS IL:SEDIT-LIST-FORMATS IL:MAKEFILE-ENVIRONMENT NIL)

(IL:DECLARE\ : IL:DONTCOPY IL:DOEVAL@COMPILE

(IL:FILESLOAD IL:SEDIT-INDENT)
)

(DEF-LIST-FORMAT RETURN-FROM CATCH)

(DEF-LIST-FORMAT THROW CATCH)

(DEF-LIST-FORMAT BLOCK CATCH)

(DEF-LIST-FORMAT :DEFAULT "Used for lists whose CAR has no specified format."
  :INDENT :HORIZONTAL-ATOM
  :INLINE T)

(DEF-LIST-FORMAT :DATA "Used for quoted (not backquoted) lists."
  :INDENT :DATA
  :ARGS (:RECURSIVE)
  :INLINE T)

(DEF-LIST-FORMAT :BINDING :INDENT :BINDING
  :INLINE T)

(DEF-LIST-FORMAT :BINDING-LIST :INDENT :BINDING-LIST
  :ARGS (:BINDING)
  :INLINE NIL)

(DEF-LIST-FORMAT :LAMBDA-LIST :INDENT :LAMBDA-LIST
  :ARGS (:BINDING)
  :INLINE T)

(DEF-LIST-FORMAT :FBINDING :INDENT (:NOBREAK 1)
  :ARGS (NIL :LAMBDA-LIST NIL)
  :SUBLISTS (2))
```

(DEF-LIST-FORMAT **:FBINDING-LIST** :INDENT :BINDING-LIST
:ARGS (:FBINDING))

(DEF-LIST-FORMAT **:COND-CLAUSE** :INDENT :COND-CLAUSE
:INLINE T)

(DEF-LIST-FORMAT **:CASE-CLAUSE** :INDENT :COND-CLAUSE
:ARGS (:DATA NIL)
:SUBLISTS (1)
:INLINE T)

(DEF-LIST-FORMAT **:HORIZONTAL** :INDENT :HORIZONTAL
:INLINE T)

(DEF-LIST-FORMAT **:HORIZONTAL-NOBREAK** :INDENT :HORIZONTAL
:INLINE T
:MISER :NEVER)

(DEF-LIST-FORMAT **:VERTICAL** :INDENT :VERTICAL
:INLINE T)

(DEF-LIST-FORMAT **:VERTICAL-NOBREAK** :INDENT :VERTICAL
:INLINE T
:MISER :NEVER)

(DEF-LIST-FORMAT **:KEYWORD-ARGS** :INDENT :KEYWORD-ARG
:INLINE T)

(DEF-LIST-FORMAT **:KEYWORD-ARGS-NOBREAK** :INDENT :KEYWORD-ARG
:INLINE T
:MISER :NEVER)

(DEF-LIST-FORMAT **:SQUASHED** :INDENT :SQUASH
:INLINE T)

(DEF-LIST-FORMAT **:DEDIT** :SQUASHED)

(DEF-LIST-FORMAT **AND** :INDENT :VERTICAL
:MISER :NEVER
:INLINE T)

(DEF-LIST-FORMAT **CASE** :INDENT (1)
:ARGS (NIL NIL :CASE-CLAUSE)
:SUBLISTS T)

(DEF-LIST-FORMAT **CATCH** :INDENT (1)
:ARGS (:KEYWORD NIL)
:INLINE T)

(DEF-LIST-FORMAT **CCASE** CASE)

(DEF-LIST-FORMAT **CERROR** FORMAT)

(DEF-LIST-FORMAT **COMPILER-LET** LET)

(DEF-LIST-FORMAT **COND** :INDENT :VERTICAL
:ARGS (NIL :COND-CLAUSE)
:SUBLISTS T)

(DEF-LIST-FORMAT **CTYPECASE** TYPECASE)

(DEF-LIST-FORMAT **DECLARE** :INDENT :VERTICAL
:ARGS (:KEYWORD :HORIZONTAL)
:SUBLISTS T)

```

{MEDLEY}<sources>SEEDIT-LIST-FORMATS.;1

(DEF-LIST-FORMAT DEFCOMMAND DEFUN)

(DEF-LIST-FORMAT DEFCONSTANT DEFVAR)

(DEF-LIST-FORMAT DEFDEFINER :INDENT ((2)
                                     1)
      :ARGS (:KEYWORD :CASE-CLAUSE NIL :LAMBDA-LIST NIL))

(DEF-LIST-FORMAT DEFUN :INDENT ((2))
      :ARGS (:KEYWORD NIL :LAMBDA-LIST NIL)
      :SUBLISTS (3))

(DEF-LIST-FORMAT DEFINE-SPECIAL-FORM DEFUN)

(DEF-LIST-FORMAT DEFINLINE DEFUN)

(DEF-LIST-FORMAT DEFGLOBALVAR DEFVAR)

(DEF-LIST-FORMAT DEFGLOBALPARAMETER DEFVAR)

(DEF-LIST-FORMAT DEF-LIST-FORMAT :INDENT (1)
      :ARGS (:KEYWORD NIL)
      :INLINE T)

(DEF-LIST-FORMAT DEFMACRO DEFUN)

(DEF-LIST-FORMAT DEFOPTIMIZER

;;; note: this loses in the case where OPT-NAME is specified in DEFOPTIMIZER form because we can't handle optional arguments at this level. we
;;; could go through the pain of writing a custom indent spec...

      DEFUN)

(DEF-LIST-FORMAT DEFPACKAGE :INDENT (1)
      :ARGS (:KEYWORD NIL :CASE-CLAUSE)
      :INLINE NIL)

(DEF-LIST-FORMAT DEFPARAMETER DEFVAR)

(DEF-LIST-FORMAT DEFSETF :INDENT ((3))
      :ARGS (:KEYWORD NIL :LAMBDA-LIST :BINDING NIL)
      :SUBLISTS (3 4))

(DEF-LIST-FORMAT DEFSTRUCT :INDENT (1)
      :ARGS (:KEYWORD NIL))

(DEF-LIST-FORMAT DEFTYPE DEFMACRO)

(DEF-LIST-FORMAT DEFVAR :INDENT (1)
      :ARGS (:KEYWORD NIL)
      :INLINE T)

(DEF-LIST-FORMAT DESTRUCTURING-BIND :INDENT (1 1)
      :ARGS (:KEYWORD :LAMBDA-LIST NIL)
      :INLINE NIL)

(DEF-LIST-FORMAT DO :INDENT (:TAGBODY 2)
      :ARGS (:KEYWORD :BINDING-LIST :COND-CLAUSE NIL)
      :SUBLISTS (2 3))

(DEF-LIST-FORMAT DO* DO)

(DEF-LIST-FORMAT DOLIST :INDENT (:TAGBODY :STEP 1)
      :ARGS (:KEYWORD :BINDING NIL)
      :SUBLISTS (2))

```

```

{MEDLEY}<sources>SEdit-LIST-FORMATS.;1
(DEF-LIST-FORMAT DOTIMES DOLIST)

(DEF-LIST-FORMAT DO-ALL-SYMBOLS DOLIST)

(DEF-LIST-FORMAT DO-EXTERNAL-SYMBOLS DOLIST)

(DEF-LIST-FORMAT DO-INTERNAL-SYMBOLS DOLIST)

(DEF-LIST-FORMAT DO-LOCAL-SYMBOLS DOLIST)

(DEF-LIST-FORMAT DO-SYMBOLS DOLIST)

(DEF-LIST-FORMAT ECASE CASE)

(DEF-LIST-FORMAT ERROR FORMAT)

(DEF-LIST-FORMAT ETYPECASE TYPECASE)

(DEF-LIST-FORMAT EVAL-WHEN :INDENT (1)
  :SUBLISTS (2))

(DEF-LIST-FORMAT FLET :INDENT (1)
  :ARGS (:KEYWORD :FBINDING-LIST NIL)
  :SUBLISTS (2))

(DEF-LIST-FORMAT FORMAT :INDENT :HORIZONTAL
  :INLINE T)

(DEF-LIST-FORMAT IF :INDENT (2)
  :INLINE T)

(DEF-LIST-FORMAT IGNORE-ERRORS UNDOABLY)

(DEF-LIST-FORMAT LABELS FLET)

(DEF-LIST-FORMAT LAMBDA :INDENT (1)
  :ARGS (:KEYWORD :LAMBDA-LIST NIL)
  :INLINE T
  :SUBLISTS (2))

(DEF-LIST-FORMAT IL:LAMBDA LAMBDA)

(DEF-LIST-FORMAT LET :INDENT (1)
  :ARGS (:KEYWORD :BINDING-LIST NIL)
  :SUBLISTS (2)
  :MISER :NEVER)

(DEF-LIST-FORMAT LET* LET)

(DEF-LIST-FORMAT LOCALLY :INDENT (0)
  :ARGS (:KEYWORD NIL)
  :SUBLISTS T)

(DEF-LIST-FORMAT LIST :INDENT :HORIZONTAL
  :INLINE T)

(DEF-LIST-FORMAT LIST* LIST)

(DEF-LIST-FORMAT MACROLET FLET)

(DEF-LIST-FORMAT MULTIPLE-VALUE-BIND :INDENT (1 1)
  :ARGS (:KEYWORD :DATA NIL)
  :SUBLISTS (2))

```

```
(DEF-LIST-FORMAT MULTIPLE-VALUE-SETQ :INDENT (1)
:ARGS (NIL :DATA NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT IL:NLAMBDA LAMBDA)

(DEF-LIST-FORMAT IL:OPENLAMBDA LAMBDA)

(DEF-LIST-FORMAT OR AND)

(DEF-LIST-FORMAT IL:P PROGN)

(DEF-LIST-FORMAT PROCEED-CASE :INDENT (1)
:ARGS (NIL :FBINDING))

(DEF-LIST-FORMAT PROG :INDENT (:TAGBODY :STEP 1)
:ARGS (:KEYWORD :BINDING-LIST NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT PROG* PROG)

(DEF-LIST-FORMAT PROGN :INDENT :VERTICAL
:INLINE NIL)

(DEF-LIST-FORMAT PROGV :INDENT (1 1)
:ARGS (:KEYWORD :DATA NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT RESTART-CASE :INDENT (1)
:ARGS (NIL :FBINDING))

(DEF-LIST-FORMAT IL:SELCHARQ IL:SELECTQ)

(DEF-LIST-FORMAT IL:SELECTQ :INDENT (1)
:ARGS (:KEYWORD NIL :CASE-CLAUSE)
:LAST NIL)

(DEF-LIST-FORMAT IL:SELECTC IL:SELECTQ)

(DEF-LIST-FORMAT TAGBODY :INDENT (:TAGBODY :STEP 0)
:ARGS (:KEYWORD NIL))

(DEF-LIST-FORMAT THE :INDENT (1)
:ARGS (:KEYWORD NIL)
:INLINE T)

(DEF-LIST-FORMAT TYPECASE CASE)

(DEF-LIST-FORMAT UNDOABLY :INDENT :VERTICAL
:INLINE NIL
:ARGS (:KEYWORD NIL))

(DEF-LIST-FORMAT UNLESS :INDENT (1))

(DEF-LIST-FORMAT UNWIND-PROTECT :INDENT (:BREAK 1))

(DEF-LIST-FORMAT WHEN UNLESS)

(DEF-LIST-FORMAT WITH-INPUT-FROM-STRING WITH-OPEN-STREAM)

(DEF-LIST-FORMAT WITH-OUTPUT-TO-STRING WITH-OPEN-STREAM)

(DEF-LIST-FORMAT WITH-OPEN-FILE WITH-OPEN-STREAM)
```

(DEF-LIST-FORMAT **WITH-OPEN-STREAM** :INDENT (1)
:ARGS (NIL :KEYWORD-ARGS NIL)
:SUBLISTS (2))

(DEF-LIST-FORMAT **IL:WITH.MONITOR** :INDENT (1))

(DEF-LIST-FORMAT **IL:WITH.FAST.MONITOR** IL:WITH.MONITOR)

(DEF-LIST-FORMAT **IL:WITH.SPY** IL:WITH.MONITOR)

(IL:PUTPROPS **IL:SEdit-LIST-FORMATS** **IL:COPYRIGHT** ("Venue & Xerox Corporation" 1987 1988 1990))

SEdit-FORMAT INDEX

AND	2	DEFOPTIMIZER	3	:HORIZONTAL	2	PROGV	5
:BINDING	1	DEFPACKAGE	3	:HORIZONTAL-NOBREAK	2	RESTART-CASE	5
:BINDING-LIST	1	DEFPARAMETER	3	IF	4	RETURN-FROM	1
BLOCK	1	DEFSETF	3	IGNORE-ERRORS	4	IL:SELCHARQ	5
CASE	2	DEFSTRUCT	3	:KEYWORD-ARGS	2	IL:SELECTC	5
:CASE-CLAUSE	2	DEFTYPE	3	:KEYWORD-ARGS-NOBREAK	2	IL:SELECTQ	5
CATCH	2	DEFUN	3	LABELS	4	:SQUASHED	2
CCASE	2	DEFVAR	3	LAMBDA	4	TAGBODY	5
CERROR	2	DESTRUCTURING-BIND	3	IL:LAMBDA	4	THE	5
COMPILER-LET	2	DO	3	:LAMBDA-LIST	1	THROW	1
COND	2	DO*	3	LET	4	TYPECASE	5
:COND-CLAUSE	2	DO-ALL-SYMBOLS	4	LET*	4	UNDOABLY	5
CTYPECASE	2	DO-EXTERNAL-SYMBOLS	4	LIST	4	UNLESS	5
:DATA	1	DO-INTERNAL-SYMBOLS	4	LIST*	4	UNWIND-PROTECT	5
DECLARE	2	DO-LOCAL-SYMBOLS	4	LOCALLY	4	:VERTICAL	2
:DEDIT	2	DO-SYMBOLS	4	MACROLET	4	:VERTICAL-NOBREAK	2
DEF-LIST-FORMAT	3	DOLIST	3	MULTIPLE-VALUE-BIND	4	WHEN	5
:DEFAULT	1	DOTIMES	4	MULTIPLE-VALUE-SETQ	5	WITH-INPUT-FROM-STRING	5
DEFCOMMAND	3	ECASE	4	IL:NLAMBDA	5	WITH-OPEN-FILE	5
DEFCONSTANT	3	ERROR	4	IL:OPENLAMBDA	5	WITH-OPEN-STREAM	6
DEFDEFINER	3	ETYPECASE	4	OR	5	WITH-OUTPUT-TO-STRING	5
DEFGLOBALPARAMETER	3	EVAL-WHEN	4	IL:P	5	IL:WITH.FAST.MONITOR	6
DEFGLOBALVAR	3	:FBINDING	1	PROCEED-CASE	5	IL:WITH.MONITOR	6
DEFINE-SPECIAL-FORM	3	:FBINDING-LIST	2	PROG	5	IL:WITH.SPY	6
DEFINLINE	3	FLET	4	PROG*	5		
DEFMACRO	3	FORMAT	4	PROGN	5		

PROPERTY INDEX

IL:SEdit-LIST-FORMATS ...1
