```
(RPAQQ XCL-COMPILERCOMS
        (;; The Xerox Common Lisp compiler
       (FILES XCLC-RUNTIME                              ; Run-time support functions.
              XCLC-ENV-CTXT                             ; Environments and contexts.

              XCLC-TREES                                ; Program trees.

              XCLC-TOP-LEVEL                            ; Entry points and top-level file processing.

              XCLC-ALPHA                                ; Alphatization.

              XCLC-OPTIMIZERS                           ; Internal optimizers.

              XCLC-ANALYZE                              ; Program analysis.

              XCLC-META-EVAL                            ; Meta-evaluation.

              XCLC-TRANSFORMS                           ; Function-specific transformations.

              XCLC-DATABASE                             ; Function-property database.

              XCLC-ANNOTATE                             ; Tree annotation.

              XCLC-GENCODE                              ; Code generation.

              XCLC-PEEPHOLE                             ; Peephole optimization.

              )))
```

;; The Xerox Common Lisp compiler

```
(FILESLOAD XCLC-RUNTIME XCLC-ENV-CTXT XCLC-TREES XCLC-TOP-LEVEL XCLC-ALPHA XCLC-OPTIMIZERS XCLC-ANALYZE
      XCLC-META-EVAL XCLC-TRANSFORMS XCLC-DATABASE XCLC-ANNOTATE XCLC-GENCODE XCLC-PEEPHOLE)
```

```
(PUTPROPS XCL-COMPILER COPYRIGHT ("Venue & Xerox Corporation" 1986 1990))
```