

Lyric Manual Test procedures

Filed as: {Eris}<Test>Admin>ManualManual.tedit

This document is a part of the procedures describing how to run tests on the Xerox Lisp Environment. The following is a list of the tests that must be run by hand. These are of two types. 1. Those that are run via the do-test software and thus automatically log errors. These are denoted by a .u extension. 2. Those that must be manually logged.

Running interactive regression tests using do-test

1. Bring up the LISP.SYSOUT to be tested.
2. In an XCL executive window, load DO-TEST by typing (LOAD "{ERIS}<LISPCORE>INTERNAL>LIBRARY>DO-TEST.DFASL")
3. To run tests using DO-TEST, type (DO-ALL-TESTS :PATTERNS '("filenames") :RESULTS "{Eris}<Test>SubSystemName>SubsystemName.log")

For example, to run all the interactive tests for the debugger and put the results in a file named debugger.log, do the following:

```
(DO-ALL-TESTS
  :PATTERNS '("{Eris}<Test>Env>Debugger>Hand>*.u;")
  :RESULTS "{Eris}<Test>Env>Debugger>Logs>Debugger.log")
```

Note the importance of using the terminating semicolon on test file names. Not supplying the semicolon makes it run all versions of that file name!

See {eris}<lispcore>internal>library>do-test.tedit for the full list of features.

Helpful utilities:

(IL:FILESLOAD WHO-LINE) ;each field is active to help change them.
(IL:FILESLOAD FILEWATCH) ;use background menu to turn on a monitor of what files you have open

SUCCESS / FAILURE prompt windows

Some tests will pop up a prompt window requesting certain actions and to look for certain results. At the top of the window are the words SUCCESS and FAILURE. If the results of the test are as prompted, select SUCCESS otherwise select FAILURE. You may move and shrink this window, but do not close it.

Before this window is popped up, you will be asked if you want a SHORT, MEDIUM, or LONG test and you will be presented with a menu. A short test will only test high priority items. LONG will test all cases.

Reporting results

After running a test for a subsystem, shift-select the log file into a message and address it to: John Sybalsky, the appropriate developer, and the test writer.

Here is a lafite-form for this purpose:

```
Subject: Test results for >>subsystem name<<
To: >>developer<<, >>test writer<<, >>documenter<<
cc: Sybalsky.pa
```

```
>> test log <<
```

LIST OF MODULES TO BE TESTED:

EXEC - Tests written by John Park

Location of Old Detailed Test Procedures: {eris}<test>env>exec>hand>test.proc
 Approximate time to run test: < 1 hr.

Note:

You cannot use do-all-tests with the Exec test suite. You must instead:

```
(DO-TEST-FILE '{Eris}<Test>Env>exec>Hand>FOO.u)
```

where FOO is the name of each .u file in the directory.

These are automatic tests, which feed the input into exec via bksysbuf. Test results are automatically logged in {eris}<lispcore>test>exec>test.report, but you must make sure a new version of the file exists before you run the tests.

Be sure the exec is in the XCL-TEST package.

While running these tests you must not place the caret outside of the exec or do any other work while the tests are running.

1108 Regression tests assigned to Norm Schuster, 3/18/87.

DEBUGGER - Tests written by Kirk Kelley

Relevant developer: Andy Daniels

(DO-ALL-TESTS

```
:PATTERNS '("{Eris}<Test>Env>Debugger>Hand>*.u;")
```

```
:RESULTS "{Eris}<Test>Env>Debugger>Logs>Debugger.log")
```

Approximate time to run test: < 1 hr.

Note: These are a mixture of automatic tests and those that require interaction. Some of them intentionally pop up break windows since this tests break windows. If in the process of testing you get a break window that is not obviously part of the test, uparrow out of it (type an ↑ or use the one from the title menu) and the next test should appear.

These tests were generated (and run) on an 1108.

Regression tests assigned to Masa Tateno, 3/18/87.

DEDIT - Tests written by Henry Cate

Location of test file: {eris}<test>env>DEdit>hand>*.u

Location of log file: {eris}<test>env>DEdit>logs>DEdit.log

Approximate time to run test: < 1 hr.

1108 Regression tests assigned to Albert Sahim, 3/18/87.

DISPLAY - Tests written by Peter Reidy

Location of test procedure: {eris}<test>i/o>display>hand>cursor.proc

Location of test source code (used by both cursor.proc and cursor.test:

```
{eris}<test>i/o>display>hand>cursor.test
```

Location of log file: {eris}<test>i/o>display>logs>cursor.log

HARDCOPY - Tests written by Peter Reidy

Location of test plans: {erinyes}<test>lisp>lyric>plans>fx80driver.plan, 4045xlpstream.plan, press/interpress.plan

Location of test procedure files: {eris}<test>i/o>hardcopy>hand>fx80driver.proc, 4045xlpstream.proc, press/interpress.proc

Location of log files: {eris}<test>i/o>hardcopy>hand>fx80driver.log, 4045xlpstream.log, press/interpress.log

Location of test code: {eris}<test>i/o>hardcopy>hand>streamtests.u

Location of test cases: {eris}<lispcore>test>streams>

Regression tests assigned to >>NAME<<, >>DATE<<.

KEYBOARD - Tests written by Henry Cate

Location of test file: {eris}<test>i/o>Keyboard>hand>*.u
 (As of march 10th, there are 4 tests.)
 Location of log file: {eris}<test>i/o>Keyboard>logs>Keyboard.log
 Approximate time to run test: about 15 minutes.

Regression tests assigned to Albert Sahim, 3/26/87.

**PROGRAM ANALYSIS - Tests written by John Park
(Subsystems: Masterscope, Databasefns, Browser, and Inspector)****Masterscope**

Location of test files: {eris}<test>env>program-analysis>hand>masterscope.u
 Location of log file: {eris}<test>env>program-analysis>logs>masterscope.report
 Approximate time to run test: 7 minutes.

Databasefns

Location of test files: {eris}<test>env>program-analysis>hand>databasefns.u
 Location of log file: {eris}<test>env>program-analysis>logs>databasefns.report
 Approximate time to run test: 3 minutes.
 Note: The data file used by this test is in {eris}<test>env>program-analysis>hand>databasefns.data

Browser

Location of test files: {eris}<test>env>program-analysis>hand>browser-part1.u
 {eris}<test>env>program-analysis>hand>browser-part2.u
 Location of log file: {eris}<test>env>program-analysis>logs>browser.report
 Approximate time to run test: 8 minutes.
 Note: There are two test files for browser testing. Part 2 must be executed after Part 1.
 The data file used by this test is in {eris}<test>env>program-analysis>hand>browser.graph

Spy

Location of test files: {eris}<test>env>program-analysis>hand>spy.u
 Location of log file: {eris}<test>env>program-analysis>logs>spy.report
 Approximate time to run test: 5 minutes.

Inspector

Location of test files: {eris}<test>env>program-analysis>hand>inspect.u
 Location of log file: {eris}<test>env>program-analysis>logs>inspect.report
 Approximate time to run test: 8 minutes.
 Note: A fatal bug was discovered - Inspect never returns when *random-state* is inspected (AR # 8203).

Regression tests assigned to Norm Schuster, 3/26/87.

**PROGRAM SUPPORT - Tests written by John Park
(Subsystems: DWIM, and PRETTYPRINT)****DWIM**

Location of test files: {eris}<test>env>program-support>hand>dwim.u
 Location of log file: {eris}<test>env>program-support>logs>dwim.report
 Approximate time to run test: 2 minutes.
 Note: The DWIM test is executed by entering (DWIM-TEST). SEE the test file for more info.

Printing Out Function Definitions (PRETTYPRINT)

This test is covered by PP and other subsystems of Executive Test .
 (See {eris}<test>env>exec>hand>pp.u and also see.u, see-without-comment, ty.u and type.u
 in the same directory)

PROCESS CONTROLS (PSW) - Tests written by John Park

Location of test files: {eris}<test>env>process-controls>hand>psw.u
 Location of log file: {erinyes}<test>env>process-controls>logs>psw.report
 Approximate time to run test: 2 - 10 minutes.

SEdit - Tests written by Henry Cate

For SEdit test, load TEdit. Then change packages with: (cl:in-package 'xcl-test)
 For do-all-tests, it may work better if the semicolon is not used.

Location of test file: {eris}<test>env>code-editor>hand>*.u
 (As of march 2nd, there are 21 tests.)

Location of log file: {eris}<test>env>code-editor>logs>SEdit.log

Approximate time to run test: about a day.

1108 Regression tests assigned to Albert Sahim, 3/18/87.

INSPECTOR - Tests written by Lois Lew

Location of test files: {eris}<test>env>env>inspector>hand>inspect-allrec.tedit
 {eris}<test>env>inspector>hand>inspect-defstruct.tedit
 {eris}<test>env>inspector>hand>inspect-macro.tedit
 {eris}<test>env>inspector>hand>inspectw.tedit
 {eris}<test>env>inspector>hand>inspect-code.tedit
 {eris}<test>env>inspector>hand>inspectfieldflg.tedit

Location of log file:create one at:

{eris}<test>env>inspector>logs>inspect-allrec.log
 {eris}<test>env>inspector>logs>inspect-defstruct.log
 {eris}<test>env>inspector>logs>inspect-macro.log
 {eris}<test>env>inspector>logs>inspectw.log
 {eris}<test>env>inspector>logs>inspect-code.log
 {eris}<test>env>inspector>logs>inspectfieldflg.log

Approximate time to run test: ?

Note: use shift select to copy the material marked to be typed into the appropriate exec window.

Regression tests assigned to Masa Tateno, 3/26/87.